

**From:** Patterson, Heather, EMNRD  
**To:** ["Blevins, Bradley"; Bratcher, Mike, EMNRD; jamos@blm.gov](#)  
**Subject:** RE: PLU CVX JV BS 008H East Riser (2RP-3495)  
**Date:** Monday, February 15, 2016 8:32:00 AM

---

RE: BOPCO \* PLU CVX JV BS #8H (East Riser) \* 30-015-39508 \* 2RP-3495

Bradley,

Your proposed work for the above listed release is approved.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson  
Environmental Specialist  
NMOCD District II  
Office (575)748-1283 ext.101  
Cell (575)703-0228

---

**From:** Blevins, Bradley [mailto:[BBlevins@BassPet.Com](mailto:BBlevins@BassPet.Com)]  
**Sent:** Friday, February 12, 2016 9:34 AM  
**To:** Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD; jamos@blm.gov  
**Cc:** Blevins, Bradley  
**Subject:** PLU CVX JV BS 008H East Riser (2RP-3495)

All,

As discussed in our meeting on 2-11-16, based on lab analysis and supporting documents BOPCO request permission to excavate 1.5 feet from sample point one and surface removal of soil along the flow path of sample point two. Upon approval and completion of filed activities the excavation will be backfilled with clean topsoil and closure report will be submitted.

Brad Blevins  
BOPCO, LP  
522 W. Mermod, Suite 704  
Carlsbad, NM 88220  
Office-575-887-7329  
Cell-1-432-214-3704  
[bblevins@basspet.com](mailto:bblevins@basspet.com)