

**From:** Patterson, Heather, EMNRD  
**To:** ["Blevins, Bradley"](#)  
**Cc:** [jamos@blm.gov](mailto:jamos@blm.gov); [Tucker, Shelly](#); [Bratcher, Mike, EMNRD](#)  
**Subject:** RE: Closure Report PLU CVX JV BS 008H East Riser  
**Date:** Tuesday, March 22, 2016 7:22:00 AM

---

RE: BOPCO \* PLU CVX JV BS #8H East Riser \* 30-015-39508 \* 2RP-3495

Bradley,

Your closure request for the above listed release is approved.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson  
Environmental Specialist  
NMOCD District II  
Office (575)748-1283 ext.101  
Cell (575)703-0228

---

**From:** Blevins, Bradley [mailto:[BBlevins@BassPet.Com](mailto:BBlevins@BassPet.Com)]  
**Sent:** Monday, March 21, 2016 9:27 AM  
**To:** Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD  
**Cc:** [jamos@blm.gov](mailto:jamos@blm.gov); Blevins, Bradley  
**Subject:** Closure Report PLU CVX JV BS 008H East Riser

Mike/ Heather

Please find the attached closure report for the PLU CVX JV BS 008H East Riser. If you have any questions please let me know. Thanks

Brad Blevins  
BOPCO, LP  
522 W. Mermod, Suite 704  
Carlsbad, NM 88220  
Office-575-887-7329  
Cell-1-432-214-3704  
[bblevins@basspet.com](mailto:bblevins@basspet.com)