

**From:** [Audra Burton](#)  
**To:** [Patterson, Heather, EMNRD](#)  
**Subject:** Re: Emailing - C-14120110808 (2).pdf  
**Date:** Tuesday, May 10, 2016 3:59:59 PM

---

Heather who took pictures and also can you send me something about the soil sample, or do I need to forward this c141 to SHeldon?

Thank you

*Audra L. Burton*

New Mexico Operations Assistant  
Pyote Water Systems, LLC  
110 S. Halagueno Suite. 1  
Carlsbad, NM 88220  
Office {575}689-8266  
Office {432}448-5323  
Fax {575} 689-8323  
[audra@pyotewatersystems.com](mailto:audra@pyotewatersystems.com)

On Tue, May 10, 2016 at 2:06 PM, Patterson, Heather, EMNRD  
<[Heather.Patterson@state.nm.us](mailto:Heather.Patterson@state.nm.us)> wrote:

Audra,

Thank you for your C-141. It will be entered into our system soon. Please be advised, after reviewing pictures of the pad area, the OCD will require sampling in the pad area to show that it is clean. Also, I would like to request pictures of the intact liner.

Thank you,

Heather Patterson

Environmental Specialist

NMOCD District II

Office [575\)748-1283 ext.101](tel:5757481283)

Cell [575\)703-0228](tel:5757030228)

---

**From:** Audra Burton [mailto:[audra@pyotewatersystems.com](mailto:audra@pyotewatersystems.com)]

**Sent:** Tuesday, May 10, 2016 1:22 PM  
**To:** Patterson, Heather, EMNRD  
**Cc:** Groves, Amber  
**Subject:** Emailing - C-14120110808 (2).pdf

Here you go young ladies; sorry I had to go through all the female employees' to get the right one. Any questions please contact me first.

**Thanks**

**Audra**

**575-200-0839 personal cell**

**432-448-5323 office cell**