

October 14, 2016

MIKE STUBBLEFIELD R T HICKS CONSULTANTS 901 RIO GRANDE BLVD SUITE F-142 ALBUQUERQUE, NM 87104

RE: ASAU 149 TRUNK LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 10/07/16 15:10.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keine

Celey D. Keene Lab Director/Quality Manager



R T HICKS CONSULTANTS MIKE STUBBLEFIELD 901 RIO GRANDE BLVD SUITE F-142 ALBUQUERQUE NM, 87104 Fax To: NONE

Received:	10/07/2016	Sampling Date:	10/06/2016
Reported:	10/14/2016	Sampling Type:	Soil
Project Name:	ASAU 149 TRUNK LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	30.015.00204	Sample Received By:	Jodi Henson
Project Location:	UTO SEC. 14-T18S-R26E		

Sample ID: S-1 BOTTOM 10' (H602267-01)

BTEX 8021B	mg	/kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	4.36	1.00	10/11/2016	ND	2.18	109	2.00	1.38	
Toluene*	24.7	1.00	10/11/2016	ND	2.27	114	2.00	1.12	
Ethylbenzene*	38.5	1.00	10/11/2016	ND	2.21	110	2.00	1.03	
Total Xylenes*	107	3.00	10/11/2016	ND	6.66	111	6.00	0.694	
Total BTEX	174	6.00	10/11/2016	ND					
Surrogate: 4-Bromofluorobenzene (PID	114	% 73.6-14	0						
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	448	16.0	10/12/2016	ND	400	100	400	3.92	
TPH 8015M	mg	/kg	Analyze	d By: CK					S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	1740	50.0	10/10/2016	ND	188	94.1	200	3.55	
DRO >C10-C28	6700	50.0	10/10/2016	ND	214	107	200	4.52	
	0/00								
Surrogate: 1-Chlorooctane	155	% 35-147	7						

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



R T HICKS CONSULTANTS MIKE STUBBLEFIELD 901 RIO GRANDE BLVD SUITE F-142 ALBUQUERQUE NM, 87104 Fax To: NONE

Received:	10/07/2016	Sampling Date:	10/06/2016
Reported:	10/14/2016	Sampling Type:	Soil
Project Name:	ASAU 149 TRUNK LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	30.015.00204	Sample Received By:	Jodi Henson
Project Location:	UTO SEC. 14-T18S-R26E		

Sample ID: S-2 BOTTOM 14' (H602267-02)

BTEX 8021B	mg/	′kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/11/2016	ND	2.18	109	2.00	1.38	
Toluene*	0.130	0.050	10/11/2016	ND	2.27	114	2.00	1.12	
Ethylbenzene*	0.067	0.050	10/11/2016	ND	2.21	110	2.00	1.03	
Total Xylenes*	0.229	0.150	10/11/2016	ND	6.66	111	6.00	0.694	
Total BTEX	0.426	0.300	10/11/2016	ND					
Surrogate: 4-Bromofluorobenzene (PID	100 9	% 73.6-14	0						
Chloride, SM4500Cl-B	mg/	′kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	592	16.0	10/12/2016	ND	400	100	400	3.92	
TPH 8015M	mg/	′kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/10/2016	ND	188	94.1	200	3.55	
DRO >C10-C28	422	10.0	10/10/2016	ND	214	107	200	4.52	
Surrogate: 1-Chlorooctane	94.5	% 35-147	,						
Surrogate: 1-Chlorooctadecane	107 9	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



R T HICKS CONSULTANTS MIKE STUBBLEFIELD 901 RIO GRANDE BLVD SUITE F-142 ALBUQUERQUE NM, 87104 Fax To: NONE

Received:	10/07/2016	Sampling Date:	10/06/2016
Reported:	10/14/2016	Sampling Type:	Soil
Project Name:	ASAU 149 TRUNK LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	30.015.00204	Sample Received By:	Jodi Henson
Project Location:	UTO SEC. 14-T18S-R26E		

Sample ID: S-3 EAST WALL (H602267-03)

BTEX 8021B	mg/	kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/11/2016	ND	2.18	109	2.00	1.38	
Toluene*	<0.050	0.050	10/11/2016	ND	2.27	114	2.00	1.12	
Ethylbenzene*	<0.050	0.050	10/11/2016	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	10/11/2016	ND	6.66	111	6.00	0.694	
Total BTEX	<0.300	0.300	10/11/2016	ND					
Surrogate: 4-Bromofluorobenzene (PID	100 9	73.6-14	0						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/12/2016	ND	400	100	400	3.92	
TPH 8015M	mg/	kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/10/2016	ND	188	94.1	200	3.55	
DRO >C10-C28	<10.0	10.0	10/10/2016	ND	214	107	200	4.52	
Surrogate: 1-Chlorooctane	82.7	% 35-147	,						
Surrogate: 1-Chlorooctadecane	90.9	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



R T HICKS CONSULTANTS MIKE STUBBLEFIELD 901 RIO GRANDE BLVD SUITE F-142 ALBUQUERQUE NM, 87104 Fax To: NONE

Received:	10/07/2016	Sampling Date:	10/06/2016
Reported:	10/14/2016	Sampling Type:	Soil
Project Name:	ASAU 149 TRUNK LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	30.015.00204	Sample Received By:	Jodi Henson
Project Location:	UTO SEC. 14-T18S-R26E		

Sample ID: S-4 NORTH WALL (H602267-04)

BTEX 8021B	mg/	kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/11/2016	ND	2.18	109	2.00	1.38	
Toluene*	<0.050	0.050	10/11/2016	ND	2.27	114	2.00	1.12	
Ethylbenzene*	<0.050	0.050	10/11/2016	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	10/11/2016	ND	6.66	111	6.00	0.694	
Total BTEX	<0.300	0.300	10/11/2016	ND					
Surrogate: 4-Bromofluorobenzene (PID	100 9	73.6-14	0						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2640	16.0	10/12/2016	ND	400	100	400	3.92	
TPH 8015M	mg/	kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/11/2016	ND	188	94.1	200	3.55	
DRO >C10-C28	46.8	10.0	10/11/2016	ND	214	107	200	4.52	
Surrogate: 1-Chlorooctane	92.6	% 35-147							
Surrogate: 1-Chlorooctadecane	96.2	28-171							

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



R T HICKS CONSULTANTS MIKE STUBBLEFIELD 901 RIO GRANDE BLVD SUITE F-142 ALBUQUERQUE NM, 87104 Fax To: NONE

Received:	10/07/2016	Sampling Date:	10/06/2016
Reported:	10/14/2016	Sampling Type:	Soil
Project Name:	ASAU 149 TRUNK LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	30.015.00204	Sample Received By:	Jodi Henson
Project Location:	UTO SEC. 14-T18S-R26E		

Sample ID: S-5 WEST WALL (H602267-05)

BTEX 8021B	mg/	kg	Analyze	d By: CK					S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/12/2016	ND	2.15	107	2.00	2.56	
Toluene*	0.532	0.050	10/12/2016	ND	2.21	111	2.00	2.87	
Ethylbenzene*	1.95	0.050	10/12/2016	ND	2.15	108	2.00	2.86	
Total Xylenes*	7.12	0.150	10/12/2016	ND	6.47	108	6.00	3.14	
Total BTEX	9.61	0.300	10/12/2016	ND					
Surrogate: 4-Bromofluorobenzene (PID	144 %	73.6-14	0						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	10/12/2016	ND	400	100	400	3.92	
TPH 8015M	mg/	'kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	217	50.0	10/11/2016	ND	188	94.1	200	3.55	
DRO >C10-C28	4310	50.0	10/11/2016	ND	214	107	200	4.52	
Surrogate: 1-Chlorooctane	137 9	% 35-147	,						
Surrogate: 1-Chlorooctadecane	139 9	28-171							

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



R T HICKS CONSULTANTS MIKE STUBBLEFIELD 901 RIO GRANDE BLVD SUITE F-142 ALBUQUERQUE NM, 87104 Fax To: NONE

Received:	10/07/2016	Sampling Date:	10/06/2016
Reported:	10/14/2016	Sampling Type:	Soil
Project Name:	ASAU 149 TRUNK LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	30.015.00204	Sample Received By:	Jodi Henson
Project Location:	UTO SEC. 14-T18S-R26E		

Sample ID: S-6 SOUTH WALL (H602267-06)

BTEX 8021B	mg/	/kg	Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/12/2016	ND	2.15	107	2.00	2.56	
Toluene*	0.110	0.050	10/12/2016	ND	2.21	111	2.00	2.87	
Ethylbenzene*	<0.050	0.050	10/12/2016	ND	2.15	108	2.00	2.86	
Total Xylenes*	0.297	0.150	10/12/2016	ND	6.47	108	6.00	3.14	
Total BTEX	0.407	0.300	10/12/2016	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.0	% 73.6-14	0						
Chloride, SM4500Cl-B	mg/kg		Analyze	d By: AC					
Analyte	Result Reporting Lim		Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0 16.0		10/12/2016	ND	400	100	400	3.92	
TPH 8015M	mg/kg		Analyze	d By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0 10.0		10/11/2016	ND	188	94.1	200	3.55	
DRO >C10-C28	293	10.0	10/11/2016	ND	214	107	200	4.52	
Surrogate: 1-Chlorooctane	rogate: 1-Chlorooctane 77.7 % 3		,						
Surrogate: 1-Chlorooctadecane	87.1 % 28-17.								

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside if QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatscever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, whother business interruptors, loss of use, or loss of profits incurred by client, its subsidiaries, afflicate or successor arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager

Page 8 of 9

T Cardinal cannot accept verbal		mark Shelling ished By	PLEASE NOTE: Liability and Damages. Cardinat's liability and cl analyses. All claims including those for negligence and any other service. In no event shall Cardinal be liable for incidental or cons affiliate or successors arising out of or related to the performance Relinguished Rv-	0 % South Wall	50	4 S-4 North Wa	5.2	1 5-1 hotton 10	Lab I.D. Sample 1.D.		FOR LAB USE ONLY	n: Lto sec.	Project Name: ASAU 149 Th	Project #: 30-615-00 204	Phone #: 575-366-5834	City: Artecia	Address: 2411 5, 1314	Alle	Company Name: RT Hick C	101 East Marland (575) 393-2326 F.		Labora	CARE
Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326	2.40 Sample Condition CHECKED BY: Cool Intact Pres Pres No No No	Date: Received By: Date: Received By: Time:	lent's exclusive remeuy for any cause whatsoever shall be de equental damages, including w of services hereunder by Car		6 / W		4	C (((# 0 0 0 0 0 0 0 0 0 0	G)RAB OR (C)OM CONTAINERS ROUNDWATER VASTEWATER OIL LUDGE THER : CID/BASE: E / COOL THER :	MATRIX PRESERV.	Fax	#		Project Owner: Kash City:	Fax #:	te: NA Zip: 20,210	Stret	P.O. #:	Dicultant	101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476		atories	DINAL
		Phone Result:	ount paid by the client for the applicable and a subsidiaries.		10	14	# 51 : 50 JU 0		1000	01	3						e Rail(ANALYSIS REQUEST			CHAIN-OF-CUSTODY AND ANALYSIS REQUEST		