Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Scrial No. NMLC029392B

Do not use thi abandoned we	is form for proposals to d II. Use form 3160-3 (APD	irill or to re-enter an) for such proposals.		6. If Indian, Allottee o	or Tribe Name
SUBMIT IN TRI	PLICATE - Other instruct	ions on reverse side.	····	7. If Unit or CA/Agre	ement, Name and/or No.
Type of Well Gas Well ☐ Oth	her			8. Well Name and No. GREENWOOD P	RE-GRAYBURG UNIT 4
2. Name of Operator CHEVRON USA INC		INDY H MURILLO MURILLO@CHEVRON.COM		9. API Well No. 30-015-05616	
3a. Address 1616 W. BENDER BLVD HOBBS, NM 88240		3b. Phone No. (include area code Ph: 575-263-0431 Fx: 575-263-0431	2)	10. Field and Pool, or SHUGART;DEL	
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)			11. County or Parish,	and State
Sec 27 T18S R31E Mer NMP	NWNW 660FNL 660FWL			EDDY COUNT	Y, NM
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, R	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION		
	☐ Acidize	□ Deepen	Product	ion (Start/Resume)	□ Water Shut-Off
Notice of Intent	☐ Alter Casing	☐ Fracture Treat	Reclam	ation	□ Well Integrity
Subsequent Report	☐ Casing Repair	■ New Construction	Recomp	olete	C Other
☐ Final Abandonment Notice	Change Plans	Plug and Abandon	☐ Tempor	arily Abandon	
_	Convert to Injection	☐ Plug Back	☐ Water I	Disposal	
13. Describe Proposed or Completed Op- If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At-	ally or recomplete horizontally, g rk will be performed or provide th I operations. If the operation resu candonment Notices shall be filed	ive subsurface locations and measi ne Bond No. on file with BLM/BL/ Its in a multiple completion or rec	ured and true ve A. Required sul completion in a r	enical depins of all perm bsequent reports shall be new interval, a Form 316	filed within 30 days 60-4 shall be filed once

CHEVRON USA INC IS REQUESTING FOR APPROVAL OF RECLAMATION ON THE ABOVE SUBJECT WELL. FOLLOWING A RECENT SPILL AT THE GREENWOOD 4 BATTERY, CHEVRON HAS DECIDED TO ABANDON THE FACILITY AND REMEDIATE THE SITE IN ACCORDANCE WITH BLM OBJECTIVES. SEVERAL HISTORICAL SPILL SITES HAVE BEEN IDENTIFIED AND WATER AND THE DEPTH TO GROUND WATER AT THE OBJECT THE ATTACHED BETAILED BY AND DESCRIPTION OF A BATTERY IS ARREST VALUE OF THE ATTACHED BETAILED BY AND DESCRIPTION OF THE DEPTH TO GROUND WATER AT THE GREENWOOD 4 BATTERY IS APPROXIMATELY 250 FEET. THE ATTACHED DETAILED PLAN DESCIBES HOW CHEVRON WILL EXECUTE THE SPILL REMEDIATION AND SITE RECLAMATION. CHRIS LEBLANC/FACILITY ENGINEER HAS BEEN IN CONTACT AND DISCISSED WITH JIM AMOS/BLM. PLEASE FORWARD TO JIM AMOS. CHEVRON HAS ALSO ATTACHED LAB

IF YOU HAVE ANY QUESITONS, PLEASE CONTACT CHRIS LEBLANC AT 432-687-7894 OR CELL AT 337-356-9538.

ANALYSIS FOR THE GREENWOOD 4 BATTERY.

14. I hereby certify t	that the foregoing is true and correct. Electronic Submission #354921 veri For CHEVRON USA	fied by the NC, sent	e BLM Well Information System to the Carlsbad	
Name (Printed/Ty	ped) CINDY H MURILLO	Title	PERMITTING SPECIALIST	
Signature	(Electronic Submission)	Date	10/17/2016	
	THIS SPACE FOR FEDE	RAL OR	STATE OFFICE USE	
Approved By Conditions of approval	l, if any, are attached. Approval of this notice does not warrant of tholds legal or equitable title to those rights in the subject least	Title		Date
which would entitle the	e applicant to conduct operations thereon.	Office	ė	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Following the recent spill at the Greenwood 4 Battery, Chevron has decided to abandon the facility and remediate the site in accordance with BLM objectives. Several historical spill sites have been identified and will be addressed as well. Based on depth to ground water maps, the depth to groundwater at the Greenwood 4 Battery is approximately 250 feet. The following plan details how Chevron will execute the spill remediation and site reclamation.

Battery Spill Remediation:

After removing all surface equipment from within the battery, the contaminated soil will be removed and disposed of at a Chevron approved disposal facility. Material within the battery will be excavated and contoured down to the sample depths shown in figure 2 (see Appendix 1 for sample results). After reaching the desired depths another round of sampling will be performed and the results will be provided to the BLM prior to back filling the location. Once uncontaminated soil has been reached, a 2 ft. layer will be removed and later used as the final fill. Backfill will consist of surplus caliche to a depth of 2 ft. from existing grade. The 2 ft. layer of uncontaminated soil excavated from below the contamination will be used to complete the fill and achieve a 2 ft. growing medium. Area will be contoured to the native landscape and then seed drilled with BLM seed mix #2.






Figure 2: Sample Locations and Depths



Several historical spills were identified while scoping the location for abandonment. There were three (3) larger areas to the north of the Greenwood 4 battery and seven (7) smaller spills along the greenwood #4 flowline. One of the three contaminated areas was identified as a possible produced water spill and having possible chloride contamination. This area has been sampled and the results (Appendix 2) indicate relatively low chloride levels. These historical spill sites identified in the following figures (3-7) will be addressed as follows:

- Native uncontaminated soil lying underneath the contamination will be brought to the surface and used to cover the contaminated soil.
- The existing vegetation within the spill area will be excavated around as to minimize the impact to active plant growth.
- Area will be tilled to blend native soil evenly and a nitrogen fertilizer will be applied
- Area will then be seed drilled with BLM seed mix #2
- Note: Excavation will not occur within 10 ft. of any buried lines. Any spill area which falls within 10 ft. of a buried line will be addressed by covering the area with 1 ft. of topsoil and then the area will be broadcast seeded.

Figure 3: Historical Spills




Figure 4: Flowline Spills



Figure 5: Flowline Spills 1-3



Figure 6: Flowline Spills 4-6



Figure 7: Flowline Spill 7



Appendix #1
(Battery Sampling Results)



September 22, 2016

Daniel Dominguez

Environmental Plus, Inc.

P.O. Box 1558

Eunice, NM 88231

RE: GREENWOOD PGU #4 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 09/16/16 15:57.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tcog.texas.gov/field/ga/lab.accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 5S2.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celegrations -

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Environmental Plus, Inc. Daniel Dominguez P.O. Box 1558 Eunice NM, 88231 Fax To: (505) 394-2601

Received: Reported:

09/22/2016 **GREENWOOD PGU #4 BATTERY**

Project Name: Project Number:

NONE GIVEN

Project Location: UL-D SEC.27, T18S, R31E

09/16/2016

Sampling Date: Sampling Type: 09/12/2016 Soll

Sampling Condition:

Cool & Intact

Sample Received By:

Jodi Henson

Sample TD: SD 1 (3') (H602084-01)

BTEX 8021B	mg/	kg	Analyze	d By: M5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualific
Berzene*	< 0.050	0.050	09/21/2016	ND	2.14	107	2.00	2.58	
Toluene*	< 0.050	0.050	09/21/2016	ND	2.19	109	2.00	1.65	
Ethylberuene*	< 0.050	0.050	09/21/2016	ND	2.10	105	2.00	1.16	
Total Xylenes*	< 0.150	0.150	09/21/2016	NO	6.29	105	6.00	1.14	
Total BTEX	< 0.300	0.300	09/21/2016	ND					
Surrogate: 4-Bromofluorobenzene (PII.	97.5	6 73.6-14	0						
Chloride, 5M4500CI-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	85	% Recovery	True Value QC	RPD	Qualifie
Chloride	192	16.0	09/22/2016	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: M5					
Analyte:	Result	Reporting Limit	Analyzed	Method Blank	85	% Recovery	True Value QC	RPD	Qualific
GRO 06-C10	<10.0	10.0	09/20/2016	ND	186	93.2	200	5.01	
DRO >C10-C28	<10.0	10.0	09/20/2016	ND	204	102	200	4.06	
Surrogate: 1-Chloroociane	100 5	6 35-147	10		***				
Surrogate: 1-Chlorocetadecane	119 9	6 28-171							

*=Accredited Analyte Cardinal Laboratories

PLEASE RETILE. Liability and Corrages. Continues beintly and directs, evaluate movely for any class around, otherine leaves in contract or turt, shall be formed paid by risket for analyses. All chiefus, including those for any other cases admissioner shall be described varietted colors made in writing and received bettle before bettle b

ethory all comments

Celey D. Keene, Lab Director/Quality Manager

Page 2 of 10



Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received:

09/16/2016

Sampling Date:

09/12/2016

Reported: Project Name: 09/22/2016 GREENWOOD PGU #4 BATTERY Sampling Type:

Soil Cool & Intact

Project Name: Project Number:

NONE GIVEN

Sampling Condition: Sample Received By:

Jodi Henson

Project Location:

UL-D SEC.27, T18S, R31E

Sample ID: SP 2 (4') (H602084-02)

BYEX 8021B	mg/	kg	Analyze	d By: M5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
Benzene*	< 0.050	0.050	09/21/2016	ND	2.14	107	2.00	2.58	
Toluene*	0.072	0.050	09/21/2016	ND	2.19	109	2.00	1.65	
Ethylbenzene*	0.094	0.050	09/21/2016	ND	2.10	105	2.00	1.16	
Total Xylenes*	0.265	0.150	09/21/2016	ND	6.29	105	6.00	1.14	
Total BTEX	0.431	0.300	09/21/2016	ND					
Surragate: 4-Bromofluorobenzene (PII.	99.6	% 73.6-14	0				-300		
Chloride, 5M4500CI-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	85	% Recovery	True Value QC	RPD	Qualifie
Chloride	<16.0	16.0	09/22/2016	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
GRO C6-C10	<50.0	50.0	09/20/2016	ND	186	93.2	200	5.01	
DRO >C10-C28	145	50.0	09/20/2016	ND	204	102	200	4.06	
Surrogate: 1-Chlorooctane	82.8	% 35-147	,						
Surrogate: 1-Chloroctadecane	120	6 28-171	i .						

Cardinal Laboratories

*=Accredited Analyte

READE NOTE: Liability and Exchange. Excitacis builtity and closely, excitation among for any close orders, neighbor based in context or tort, closel be letted to the annual paid by closel, the close or companies and any other companies and the designation was also close reads to entiring and received by Carolina white today (20) days after companies of the application across. In on west, the closely like the latest the below to the companies of the application across the context of the application across the context of the across th

attention with a comment.

Celey D. Keene, Lab Director/Quality Manager

Page 3 of 10



Environmental Plus, Inc. Daniel Dominguez P.O. Box 1558 Eunice NM, 88231 Fax To: (505) 394-2601

Received:

09/16/2016

Sampling Date:

09/12/2016

Reported:

09/22/2016

Soil

Project Name:

GREENWOOD PGU #4 BATTERY

Sampling Type: Sampling Condition:

Cool & Intact

Project Number:

NONE GIVEN

Sample Received By:

Project Location:

UL-D SEC.27, T185, R31E

Jodi Henson

Sample ID: SP 3 (7') (H602084-03)

BTEX 8021B	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
Berzene*	< 0.050	0.050	09/21/2016	ND	2.14	107	2.00	2.58	
Toluene*	< 0.050	0.050	09/21/2016	ND	2.19	109	2.00	1.65	
Ethylberzene*	< 0.050	0.050	09/21/2016	ND	2.10	105	2.00	1.16	
Total Xylenes*	< 0.150	0.150	09/21/2016	ND	6.29	105	6.00	1.14	
Total BTEX	<0.300	0.300	09/21/2016	ND					
Surrogate: 4-Bromoftworobensene (PII.	99.8	6 73.6-14	0			251251			
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
Chloride	32.0	16.0	09/22/2016	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
GRO C6-C10	<10.0	10.0	09/20/2016	ND	186	93.2	200	5.01	
DRO >C10-C28	<10.0	10.0	09/20/2016	ND	204	102	200	4.06	
Surrogate: 1-Chlorooctane	87.61	6 35-147							
Surrogate: 1-Chlomoctadecane	106 9	6 28-171							

Cardinal Laboratories

*=Accredited Analyte

and posting with a continuous of the

Celey D. Keene, Lab Director/Quality Manager

Page 4 of 10



Environmental Plus, Inc. Daniel Dominguez P.O. Box 1558 Eunice NM, 88231 Fax To: (505) 394-2601

Received: Reported: 09/16/2016

09/22/2016

GREENWOOD PGU #4 BATTERY

Project Name: Project Number:

NONE GIVEN

Project Location:

UL-D SEC.27, T18S, R31E

Sampling Date:

09/12/2016

Sampling Type: Sampling Condition:

Soll

Sample Received By:


Cool & Intact Jodi Henson

No TD: SP 4 (4') (H602084-04)

BTEX 80218	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualific
Berzene*	< 0.050	0.050	09/21/2016	ND	2.14	107	2.00	2.58	
Toluene*	0.059	0.050	09/21/2016	ND	2.19	109	2.00	1.65	
Ethylbenzene*	0.068	0.050	09/21/2016	ND	2.10	105	2.00	1.16	
Total Xylenes*	< 0.150	0.150	09/21/2016	ND	6.29	105	6.00	1.14	
Total BTEX	<0.300	0.300	09/21/2016	ND					
Surrogate: 4-Bromoftworobenzene (PH.	99.3	% 73.6-14	0			Tallette .	William,		
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualific
Chloride	<16.0	16.0	09/22/2016	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
GRO 05-C10	<50.0	50.0	09/20/2016	ND	186	93.2	200	5.01	
DRO >C10-C28	431	50.0	09/20/2016	ND	204	102	200	4.06	
Surrogate: 1-Chlorocetane	81.7	96 35-147	,						
Surrogate: 1-Chlorocetadecane	113	6 28-171							

Cardinal Laboratories

*=Accredited Analyte



Celey D. Keene, Lab Director/Quality Manager

Page 5 of 10



Environmental Plus, Inc. Daniel Dominguez P.O. Box 1558 Eunice NM, 88231

Fax To: (505) 394-2601

Received:

09/16/2016

Sampling Date:

09/13/2016

Reported:

09/22/2016 GREENWOOD PGU #4 BATTERY Sampling Type: Sampling Condition:

Soil

Project Name: Project Number:

Cool & Intact

NONE GIVEN

Project Location:

UL-D SEC.27, T18S, R31E

Sample Received By:

Jodi Henson

nie TD: SP 5 (3") (H602084-05)

BTEX 8021B	mg/	kg	Analyze	d By: MS			44 1000 1000		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
Benzene*	< 0.050	0.050	09/21/2016	ND	2.14	107	2.00	2.58	
Toluene*	< 0.050	0.050	09/21/2016	ND	2.19	109	2.00	1.65	
Ethylberzene*	< 0.050	0.050	09/21/2016	ND	2.10	105	2.00	1.16	
Total Xylenes*	< 0.150	0.150	09/21/2016	ND	6.29	105	6.00	1.14	
Total BTEX	< 0.300	0.300	09/21/2016	ND					
Surrogate: 4-Bromoftworobenzene (PII.	97.79	73.6-14	0						
Chloride, 5M4500CI-8	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
Chloride	<16.0	16.0	09/22/2016	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: M5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualific
GRO C6-C10	<10.0	10.0	09/20/2016	ND	195	97.6	200	1.06	
DRO >C10-C28	11.8	10.0	09/20/2016	ND	207	103	200	0.408	
Surrogate: 1-Chlorooctane	100 9	6 35-147							
Surragate: 1-Chloroctadecane	1169	6 28-171							

Cardinal Laboratories

and with the contract of the

Celey D. Keene, Lab Director/Quality Manager

Page 6 of 10

*=Accredited Analyte



Environmental Plus, Inc. Daniel Dominguez P.O. Box 1558 Eunice NM, 88231 Fax To: (505) 394-2601

Received: Reported: 09/16/2016

09/22/2016

Sampling Date:

09/13/2016

Project Name:

GREENWOOD PGU #4 BATTERY

Sampling Type: Sampling Condition:

Soil Cool & Intact

Project Number:

NONE GIVEN

Sample Received By:

Jodi Henson

Project Location:

UL-D SEC.27, T18S, R31E

ple ID: SP 6 (5') (H602084-06)

BTEX 8021B	mg/l	kg .	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
Beruene*	< 0.050	0.050	09/21/2016	ND	2.14	107	2.00	2.58	
Toluene*	0.098	0.050	09/21/2016	ND	2.19	109	2.00	1.65	
Ethylbenzene*	0.313	0.050	09/21/2016	ND	2.10	105	2.00	1.16	
Total Xylenes*	0.836	0.150	09/21/2016	ND	6.29	105	6.00	1.14	
Total BTEX	1.25	0.300	09/21/2016	ND					
Surrogate: 4-Bromoftworobenzene (PII.	122 %	73.6-14	0						
Chloride, SM4580CI-B	mg/l	4g	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	25	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/22/2016	ND	432	108	400	0.00	
TPH 8015M	mg/l	kg .	Analyzo	d By: MS	- Landy De-				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifie
GRO 06-C10	<50.0	50.0	09/20/2016	ND	195	97.6	200	1.06	
DRO >C10-C28	503	50.0	09/20/2016	ND	207	103	200	0.408	
Surrogate: 1-Chlorooctane	90.0 9	6 35-147	,						
Surrogate: 1-Chlorocetadecane	108 %	28-171							

Cardinal Laboratories

*=Accredited Analyte

and willing with a continue of the

Celey D. Keene, Lab Director/Quality Manager

Page 7 of 10



Environmental Plus, Inc. Daniel Dominguez P.O. Box 1558 Eunice NM, 88231

Fax To: (505) 394-2601

Received:

09/16/2016

Sampling Date:

09/13/2016

Reported:

09/22/2016

Sampling Type: Sampling Condition:

Soil

Project Name:

GREENWOOD PGU #4 BATTERY

Sample Received By:

Cool & Intact Jodi Henson

Project Number:

NONE GIVEN

Project Location:

UL-D SEC.27, T18S, R31E

role ID: SP 8 (2') (H602084-07)

BTEX 8021B	mg/	kg	Analyze	d By: M5				0.00	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	85	% Recovery	True Value QC	RPD	Qualifie
Beruene*	< 0.050	0.050	09/21/2016	ND	2.24	112	2.00	0.900	
Toluene*	< 0.050	0.050	09/21/2016	ND	2.28	114	2.00	1.29	
Ethylberrene*	< 0.050	0.050	09/21/2016	ND	2.20	110	2.00	1.49	
Total Xylenes*	< 0.150	0.150	09/21/2016	ND	6.68	111	6.00	1.74	
Total BTEX	<0.300	0.300	09/21/2016	ND					
Surrogate: 4-Bromofluorobenzene (PIL	97.29	6 73.6-14	0						
Chloride, 5M4500CI-B	mg/l	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	86	% Recovery	True Value QC	RPD	Qualifie
Chloride	<16.0	16.0	09/22/2016	ND	432	108	400	0.00	
TPH 8015M	mg/l	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	RS	% Recovery	True Value QC	RPD	Qualifie
GRO 06-C10	<10.0	10.0	09/20/2016	ND	195	97.6	200	1.06	
DRO >C10-C28	205	10.0	09/20/2016	ND	207	103	200	0.408	
Surrogate: 1-Chlorooctane	102 9	35-147					1000		
Surrogate: 1-Chlorooctadecane	1179	28-171							

Cardinal Laboratories

*=Accredited Analyte

attention with the contract of

Celey D. Keene, Lab Director/Quality Manager

Page 8 of 10



Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500CI-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

FASCE SCITE. Lookly and Descript. Leaders being and destine desire makes the mode for any other cases of in contrast or last, which the behalf to the annual pool by which the stription. All others, beliefully filter for mightines and any other cases or place of the stription of the stription and to be extended of the behalf to be been applicate service. In the service of the desired to be the stription of the s

at way with the way of

Celey D. Keene, Lab Director/Quality Manager

Page 9 of 10

Page 1 of 1

Chain of Custody Form Page 10 of 10

Dairened by	Cinquished by		Sampler Reinbulched	10	9	50	74	6	5	44	2	12	1	LAB I.D.		EPI Sampler Name	Project Reference	Location	Facility Name	Client Company	EPI Phone#/Fax#	City, State, Zip	Mailing Address	EPI Project Manager	Company Name	2100 Avenue O, (575) 394-3481	Environi
34.8-	91 91 (Sec.	C24 (20 an	- BAGAG				SP8 (2')	SP6 (5')	SP5 (3')	SP4 (4")	SP3 (7')	SP2 (4")	SP1 (3')	SAMPLE I.D.		ne Heri Gaytan		UL-D Sec. 27, T185, R31E			# 675-394-3481 / 575-394-2601	Eunice New Mexico 88231			Environmental Plus, Inc.	2100 Avenue O, Eunice, NM 88231 (575) 394-3481 FAX: (575) 394-2601	Environmental Plus, Inc.
Ocol & Intact No	5	8					<u></u>	၈	G	G	G	G	G	(G)RAB OR (C)OM	P.	1		R31	Bat		394-	882			, Inc	9.9	
No.	A de la constantina della cons			Ц	Ц	_	1	_	-	-	-	1	=	# CONTAINERS		П		m	3	١	260	4			,	P.O. Box 1558, Eunice, NM 88231	
	7. 🗑	6		Ц				Ц					L	GROUND WATER			١	ı	٦	١	_					, X	
_		(Ц		\perp	_	Ц						WASTEWATER			\perp									1558	
	\leq	K		Ц		_	×	×	×	×	×	×	×	SOIL	MATRIX									٦		Ĭ.	
2	\forall	~		Ц	4	1	4	Ц			Ц		L	CRUDE OIL	굦									١		nnic.	
1	0			Ц		1	4							SLUDGE										1	1	9	
14	7			Ц	4	1	1							OTHER:	L	_		A				i		١		8	
		- 100			4		4							ACID/BASE	R	E	ס	=		ı	П		ı	1		882	
		011		Ц	_	_;	≤	×	×	×	×	×	×	ICE/COOL	PRESERY.	ice	0	2			Н		L	1	m	31	
		2 m				_								OTHER	?	Z.	Box 1	<u> </u>			r		ı	-	Bill To		
		E-meil results to: ddominguezepi@gmsil.com NOTE8.				10.000.10	17-Sen-16	13-Sep-16	13-Sep-16	12-Sep-16	12-Sep-16	12-Sep-16	12-Sep-16	DATE	SAMPLING	Eunice, NM 88231	P.O. Box 1658	Attn: Daniel Dominguez		No.					0		
		mazepi@gm				10.02	4	9:40	8:40	<u>-</u>	9:38	8:40	8:24	TIME	NG												
		sil.co		4	4	_	+	_	\neg	×		×		BTEX 8021B	_									4			
		3		+	+	-	+	×	-	-	×	-	-	TPH 8015M										4			
				4	+	-	4	×	×	×	×	×	_	CHLORIDES (CI')											A	- 1	Q
				4	4	+	+	4	4	4	4	4	_	SULFATES (SO4")					_						A	LAB	Jer.
				4	4	+	1	4	4	4	4	4	_	pH											Š	8	no
				4	4	4	1	4	4	4	4	4	-	TCLP											20		f C
				4	4	+	1	4	1	4	4	4	-	OTHER >>>					_						5	5	is
				4	4	+	+	4	4	4	4	4	4	PAH											VALYSIS REDITEST	Cardina	Chain of Custody Form
			-	+	+	+	+	4	4	4	4	4	4	-			_							_	-	=	マト
			-	+	+	+	+	+	+	4	4	4	4											1			8
		100				1	-1		- 1	-	- 1	- 1	- 1											-		- 1	3

Appendix #2
(Sample Results from Site North of Battery)

4FF		evion - 6	TERN Wood) peu	# 4		10-1	0-/
10	Depth	Dzte	TIME		odor		1 25	s.:/
50/	a Sertin	10-10	945	100	No	11	5	لمدد
7	1		952	150	10		5.	ad
1	2.		1000	LAB	No		52	nd
5020	Surfer	10-10	1020	00	signero		\$	140
/	11		1072	LAB	Sigiffuo		رُجَر	ind
	Ş.		1029	2AB	No			Nd
5030	Surfe	10-10		100 .	No		52	10
1	1	313 10	10.50	LAB	5/4/20		50	mel
	2		1100	LAB	NO		5%	10
504	Suface	10-10	1105	100 5	sk holo		Sp	
11/			1111	148	No	1.	570	20
	2		1/30	148	No		5,	d
7	d l					Sample	SP1 @ 1'	SP1@
				Analyte	Method	Date	10/10/16	10/10/16
				Kilaljte	moulou	Duto	mg/Kg	mg/Kg
				Chloride	SM4500CI-B		<16.0	<16.0
	D					Sample	SP2 @ 1'	SP2 @
	1			Analyte	Method	Date	10/10/16	10/10/16
0	Δ			Chlorida	CM4500CLD		mg/Kg	mg/Kg <16.0
			3	— Chloride	SM4500CI-B		<16.0	×10.0
0		11-	65			Sample	SP3 @ 1'	SP3 @
D			4	Analyte	Method	Date	10/10/16	10/10/16
A	7 3	13	71	Chlorida	SM4500CI-B		mg/Kg	mg/Kg
1	E	In		Chloride	SW43UUCI-B		<16.0	<16.0
	K			Analyse	Method	Sample	SP4 @ 1'	SP4 @ 3
				Analyte	Metriod	Date	mg/Kg	mg/Kg
	V			Chloride	SM4500CI-B		<16.0	<16.0