



2057 Commerce Drive
Midland, TX 79703

432.520.7720 PHONE
432.520.7701 FAX

www.trcsolutions.com

September 7, 2017

Mike Bratcher
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division, District 2
811 S. First Street
Artesia, NM 88210

Henryetta Price
Carlsbad Field Office
United States Department of the Interior
Bureau of Land Management
620 E. Greene Street
Carlsbad, New Mexico 88220

Re: Soil Investigation Summary and Proposed Remediation Workplan
Patron 23 Federal #004H (2RP-4096)
GPS: N 32.1222382° W 103.9487228°
Unit Letter "A", Section 23, Township 25 South, Range 29 East
Eddy County, New Mexico

Dear Mr. Bratcher and Ms. Price,

TRC Environmental Corporation (TRC), on behalf of COG Operating, LLC (COG) has prepared this Soil Investigation Summary and Proposed Remediation Workplan (Workplan) for the Patron 23 Federal #004H Release Site (Release Site). The purpose of this Workplan is to propose remediation activities designed to advance the Patron 23 Federal #004H Release Site toward a New Mexico Oil Conservation Division (NMOCD) approved Site Closure Status. The legal description of the Release Site is Unit Letter "A", Section 23, Township 25 South, Range 29 East, in Eddy County, New Mexico. The GPS coordinates for the site are N 32.1222382° W 103.9487228°. The subject property is administered by the United States Department of the Interior Bureau of Land Management (BLM). A Site Location Map and Site Map are provided as Figure 1 and Figure 2, respectively.

On January 28, 2017, COG discovered a produced water release from a poly flowline. The release impacted an area, which measured approximately 9,823 square feet. On January 28, 2017, a COG representative notified via email the NMOCD and BLM and submitted a Release Notification and Corrective Action (Form C-141) to the NMOCD on January 30, 2017. During initial response activities, COG repaired and replaced the damaged section of the poly flowline. Approximately two hundred (200) barrels of fluid was released from the flowline, with no barrels recovered. The Form C-141 is attached to this report.

A groundwater database maintained by The New Mexico Office of the State Engineer (NMOSE) did not identify any registered water wells in Section 23, Township 25 South, Range 29 East. A reference map utilized by the NMOCD Hobbs District Office indicates groundwater should be encountered at approximately one hundred ninety (190) feet below ground surface (bgs). Based on the NMOCD site classification system, zero (0) points will be assigned to the subject area ranking as a result of this criterion.

No water wells were observed within one-thousand (1,000) feet of the Release Site. Based on the NMOCD site classification system, zero (0) points will be assigned to the subject area ranking as a result of this criterion.

No surface water was observed within one-thousand (1,000) feet of the release. Based on the NMOCD site classification system, zero (0) points will be assigned to the subject area ranking as a result of this criterion.

Based on the NMOCD Site Classification criteria, the Release Site soil remediation levels are 10 milligrams per Kilogram (mg/Kg) for benzene, 50 mg/Kg for benzene, toluene, ethylbenzene and xylenes (BTEX), and five thousand (5,000) mg/Kg for total petroleum hydrocarbons (TPH). Per NMOCD request, chloride remediation levels for the Release Site will be 600 mg/Kg.

On May 9, 2017, utilizing a trackhoe, a COG representative collected thirty-three (33) delineation soil samples from the impacted area (See attached Figure 2 and Table 1 for sample locations and analytical results). During the advancement of the delineation trenches, an impenetrable hard rock layer was encountered at approximately seven and one half (7.5) feet bgs in the area represented by trench T1 and three (3) feet bgs in the area represented by trench T2, which prevented the collection of delineation samples to the aforementioned depths. The soil samples were submitted to Xenco Laboratories in Midland, Texas for determination of concentrations of BTEX using Method SW 846-8021B, TPH using Method SW 846-8015M, and chloride using Method 300/300.1. The analytical results indicated benzene, BTEX, and TPH concentrations were less than the applicable laboratory Method Detection Limit (MDL) and NMOCD regulatory guidelines for the submitted soil samples. Chloride concentrations ranged from less than the applicable laboratory MDL for soil sample T3-10' to 11,000 mg/Kg for soil sample T1-1'. A review of laboratory analytical results indicated chloride concentrations were above NMOCD regulatory guidelines for the submitted soil samples, with the exception of soil samples T1-6' (34.7 mg/Kg), T1-7.5' (85.5 mg/Kg), T3-3' (387 mg/Kg), T3-8' (5.66 mg/Kg), T3-10' (<4.90 mg/Kg), T3-13' (20.3 mg/Kg), T4-4' (117 mg/Kg), T4-6' (6.90 mg/Kg), T4-9' (110 mg/Kg), T5-4' (325 mg/Kg), and T5-9' (11.9 mg/Kg). See Table 1 for analytical results.

On May 17, 2017, a COG representative collected eight (8) delineation soil samples (North-Surface, North-1', South-Surface, South-1', East-Surface, East-1', West-Surface, and West-1') from the four cardinal directions outside the perimeter of the visibly impacted area. The soil samples were submitted to the laboratory for chloride analysis. Laboratory analytical results indicated chloride concentrations ranged from less than the laboratory applicable MDL for soil samples North-Surface and North-1' to 762 mg/Kg for soil sample East-Surface. A review of laboratory analytical results indicated chloride concentrations were below NMOCD regulatory guidelines, with the exception of soil sample East-Surface.

Based on the analytical results of the soil samples collected on May 9 and 17, 2017, COG proposes the following field activities designed to remediate the Patron 23 Federal #004H:

- Utilizing a trackhoe, excavate the Release Site to depths ranging from approximately three and one half (3.5) feet to six and one half (6.5) feet bgs. In addition, the area represented by soil sample East-Surface will be excavated to approximately six (6) inches bgs.
- During the installation of the delineation trenches T1 and T2, a hard rock layer was encountered at approximately seven and one half (7.5) feet bgs and three (3) feet bgs, respectively. Due to the hard rock layer the trackhoe delineation activities were suspended. If feasible, in the areas represented by trenches T1 and T2, one (1) trench per area will be advanced an additional five (5) feet from the floor of the excavated area to confirm chloride concentrations do not exceed NMOCD regulatory guidelines. The excavated soil will be stockpiled on a plastic liner adjacent to the excavation pending transportation to a NMOCD approved disposal facility.
- Collect confirmation soil samples from the floor of the excavated area approximately every seventy five (75) feet and submit the soil samples to the laboratory for determination of concentrations of TPH, BTEX, and chloride. In addition, one (1) soil sample will be collected from the area represented by soil sample East-Surface and submitted to the laboratory for chloride analysis.
- On receipt of favorable analytical results (below the NMOCD regulatory guidelines referenced above), the excavation will be backfilled with non-impacted locally obtained "like" soil.
- The excavated soil will be transported under manifest to an NMOCD approved disposal facility.
- Prepare and submit a "Remediation Summary and Site Closure Request" to the NMOCD and BLM.

COG is prepared to begin the activities outlined in this Proposed Remediation Workplan on NMOCD and BLM approval.

If you have any questions, or if additional information is required, please feel free to call me at 432-520-7720 (office) or 432-664-6699 (cell).

Thank you,



Nikki Green
Project Manager
TRC Environmental Corporation




Jeffrey Kindley, PG
Senior Project Manager
TRC Environmental Corporation

Attachments:

Figure 1 - Site Location Map
Figure 2 - Site Map
Table 1 - Concentrations of Benzene, BTEX, TPH and Chloride in Soil
Laboratory Analytical Results
Release Notification and Corrective Action (Form C-141)

cc: File



2075 Commerce Drive
Midland, TX 79703
Phone: 432.520.770

TRC - GIS

TITLE:

FIGURE 1 SITE LOCATION MAP

PROJECT:

**PATRON 23 FEDERAL #004H
EDDY COUNTY, NEW MEXICO
COG OPERATING, LLC**

DRAWN BY: MLOVELACE

CHECKED BY: NGREEN


APPROVED BY: NGREEN

DATE: JULY 2017

PROJ. NO.: 279783

FILE: LAT. N 32.1222382, LONG. W 103.9487228

NE1/4 NE1/4 SEC 23 T25S R29E



2075 Commerce Drive
Midland, TX 79703
Phone: 432.520.770

TRC - GIS

TITLE:

FIGURE 2 SITE MAP

PROJECT:

**PATRON 23 FEDERAL #004H
EDDY COUNTY, NEW MEXICO
COG OPERATING, LLC.**

DRAWN BY: MLOVELACE

CHECKED BY: NGREEN

APPROVED BY: NGREEN

DATE: SEPTEMBER 2017

PROJ. NO.: 279783

FILE: LAT. N 32.1222382, LONG. W 103.9487228

NE1/4 NE1/4 SEC 23 T25S R29E

TABLE 1

CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL

COG Operating LLC
Patron 23 Federal #004H
LEA COUNTY, NEW MEXICO

All concentrations are reported in mg/Kg

SAMPLE LOCATION	SAMPLE DATE	SOIL STATUS	METHODS: SW 846-8021b						METHOD: SW 8015M			E 300.1
			BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE	TOTAL BTEX	TPH GRO C ₆ -C ₁₀	TPH DRO C ₁₀ -C ₂₈	TOTAL TPH C ₆ -C ₂₈	CHLORIDE
NMOCD Site Classification Criteria			10					50			5,000	600
T1-Surface	5/9/2017	Trench	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<15.0	<15.0	<15.0	5,570
T1-1'	5/9/2017	Trench	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<14.9	<14.9	<14.9	11,000
T1-2'	5/9/2017	Trench	<0.00202	<0.00202	<0.00202	<0.00403	<0.00202	<0.00403	<15.0	<15.0	<15.0	8,710
T1-3'	5/9/2017	Trench	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<15.0	<15.0	<15.0	7,200
T1-4'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	1,850
T1-6'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	34.7
T1-7.5'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	85.5
T2-Surface	5/9/2017	Trench	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<15.0	<15.0	<15.0	6,510
T2-1'	5/9/2017	Trench	<0.00202	<0.00202	<0.00202	<0.00403	<0.00202	<0.00403	<15.0	<15.0	<15.0	8,670
T2-2'	5/9/2017	Trench	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<15.0	<15.0	<15.0	7,420
T2-3'	5/9/2017	Trench	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<15.0	<15.0	<15.0	5,960
T3-Surface	5/9/2017	Trench	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<15.0	<15.0	<15.0	2,910
T3-1'	5/9/2017	Trench	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<15.0	<15.0	<15.0	2,310
T3-2'	5/9/2017	Trench	<0.00200	<0.00200	<0.00200	<0.00401	<0.00200	<0.00401	<15.0	<15.0	<15.0	5,310
T3-3'	5/9/2017	Trench	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<15.0	<15.0	<15.0	387
T3-4'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	6,590
T3-6'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	2,500
T3-8'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	5.66
T3-10'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	<4.90
T3-13'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	20.3
T4-Surface	5/9/2017	Trench	<0.00372	<0.00372	<0.00372	<0.00743	<0.00372	<0.00743	<15.0	<15.0	<15.0	850
T4-1'	5/9/2017	Trench	<0.00198	<0.00198	<0.00198	<0.00396	<0.00198	<0.00396	<14.9	<14.9	<14.9	3,360
T4-2'	5/9/2017	Trench	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<14.9	<14.9	<14.9	3,850
T4-3'	5/9/2017	Trench	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<15.0	<15.0	<15.0	4,380

TABLE 1

CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL

COG Operating LLC
 Patron 23 Federal #004H
 LEA COUNTY, NEW MEXICO

All concentrations are reported in mg/Kg

SAMPLE LOCATION	SAMPLE DATE	SOIL STATUS	METHODS: SW 846-8021b						METHOD: SW 8015M			E 300.1
			BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE	TOTAL BTEX	TPH GRO C ₆ -C ₁₀	TPH DRO C ₁₀ -C ₂₈	TOTAL TPH C ₆ -C ₂₈	CHLORIDE
NMOCD Site Classification Criteria			10					50			5,000	600
T4-4'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	117
T4-6'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	6.90
T4-9'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	110
T5-Surface	5/9/2017	Trench	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<15.0	<15.0	<15.0	2,180
T5-1'	5/9/2017	Trench	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<15.0	<15.0	<15.0	4,260
T5-2'	5/9/2017	Trench	<0.00370	<0.00370	<0.00370	<0.00741	<0.00370	<0.00741	<15.0	<15.0	<15.0	6,970
T5-3'	5/9/2017	Trench	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<15.0	<15.0	<15.0	2,590
T5-4'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	325
T5-9'	5/9/2017	Trench	-	-	-	-	-	-	-	-	-	11.9
North-Surface	5/17/2017	Trench	-	-	-	-	-	-	-	-	-	<9.60
North-1'	5/17/2017	Trench	-	-	-	-	-	-	-	-	-	<9.69
South-Surface	5/17/2017	Trench	-	-	-	-	-	-	-	-	-	78.7
South-1'	5/17/2017	Trench	-	-	-	-	-	-	-	-	-	47.9
East-Surface	5/17/2017	Trench	-	-	-	-	-	-	-	-	-	762
East-1'	5/17/2017	Trench	-	-	-	-	-	-	-	-	-	71.2
West-Surface	5/17/2017	Trench	-	-	-	-	-	-	-	-	-	18.2
West-1'	5/17/2017	Trench	-	-	-	-	-	-	-	-	-	15.2



Certificate of Analysis Summary 553116

COG Operating LLC, Artesia, NM

Project Name: Patron Fed #004H



Project Id:

Contact: Aaron Lieb

Project Location: Patron Fed #004H

Date Received in Lab: Sat May-13-17 10:00 am

Report Date: 23-MAY-17

Project Manager: Liz Givens

Analysis Requested	Lab Id:	553116-001	553116-002	553116-003	553116-004	553116-005	553116-006
	Field Id:	T1 - Surface	T1 - 1'	T1 - 2'	T1 - 3'	T1 - 4'	T1 - 6'
	Depth:		1 ft	2 ft	3 ft	4 ft	6 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	May-09-17 09:30	May-09-17 09:30	May-09-17 09:30	May-09-17 09:30	May-09-17 09:30	May-09-17 09:30
BTEX by EPA 8021B	Extracted:	May-18-17 10:00	May-18-17 10:00	May-18-17 10:00	May-18-17 10:00		
	Analyzed:	May-18-17 18:17	May-18-17 19:23	May-18-17 21:33	May-18-17 21:49		
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Benzene		<0.00201 0.00201	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201		
Toluene		<0.00201 0.00201	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201		
Ethylbenzene		<0.00201 0.00201	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201		
m,p-Xylenes		<0.00402 0.00402	<0.00398 0.00398	<0.00403 0.00403	<0.00402 0.00402		
o-Xylene		<0.00201 0.00201	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201		
Total Xylenes		<0.00201 0.00201	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201		
Total BTEX		<0.00201 0.00201	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201		
Inorganic Anions by EPA 300/300.1	Extracted:	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58
	Analyzed:	May-21-17 01:49	May-21-17 01:57	May-21-17 02:04	May-21-17 02:12	May-21-17 02:35	May-21-17 03:13
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		5570 50.0	11000 100	8710 49.2	7200 50.0	1850 24.9	34.7 4.87
TPH By SW8015 Mod	Extracted:	May-16-17 08:00	May-16-17 08:00	May-16-17 08:00	May-16-17 08:00		
	Analyzed:	May-16-17 10:52	May-16-17 11:52	May-16-17 12:12	May-16-17 12:32		
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
C6-C10 Gasoline Range Hydrocarbons		<15.0 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0		
C10-C28 Diesel Range Hydrocarbons		<15.0 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0		
Total TPH		<15.0 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.0%

Brandi Ritcherson

Brandi Ritcherson
Project Manager



Certificate of Analysis Summary 553116

COG Operating LLC, Artesia, NM

Project Name: Patron Fed #004H



Project Id:

Contact: Aaron Lieb

Project Location: Patron Fed #004H

Date Received in Lab: Sat May-13-17 10:00 am

Report Date: 23-MAY-17

Project Manager: Liz Givens

Analysis Requested	Lab Id:	553116-007	553116-008	553116-009	553116-010	553116-011	553116-012
	Field Id:	T1 - 7.5'	T2 - Surface	T2 - 1'	T2 - 2'	T2 - 3'	T3 - Surface
	Depth:	7.5 ft		1 ft	2 ft	3 ft	
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	May-09-17 09:30	May-09-17 10:00	May-09-17 10:00	May-09-17 10:00	May-09-17 10:00	May-09-17 10:30
BTEX by EPA 8021B	Extracted:		May-18-17 16:00	May-18-17 16:00	May-18-17 16:00	May-18-17 16:00	May-18-17 16:00
	Analyzed:		May-18-17 22:55	May-18-17 23:11	May-18-17 23:27	May-18-17 23:44	May-19-17 00:00
	Units/RL:		mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Benzene		<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00201 0.00201
	Toluene		<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00201 0.00201
Ethylbenzene			<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00201 0.00201
m,p-Xylenes			<0.00398 0.00398	<0.00403 0.00403	<0.00399 0.00399	<0.00398 0.00398	<0.00402 0.00402
o-Xylene			<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00201 0.00201
Total Xylenes			<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00201 0.00201
Total BTEX			<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00201 0.00201
Inorganic Anions by EPA 300/300.1	Extracted:	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58
	Analyzed:	May-21-17 01:26	May-21-17 02:42	May-21-17 02:50	May-21-17 02:57	May-21-17 03:05	May-21-17 03:35
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Chloride	85.5 4.99	6510 49.4	8670 49.4	7420 48.7	5960 49.1	2910 24.9
TPH By SW8015 Mod	Extracted:		May-16-17 08:00	May-16-17 08:00	May-16-17 08:00	May-16-17 08:00	May-16-17 08:00
	Analyzed:		May-16-17 12:53	May-16-17 13:13	May-16-17 13:33	May-16-17 13:53	May-16-17 14:14
	Units/RL:		mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	C6-C10 Gasoline Range Hydrocarbons		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
	C10-C28 Diesel Range Hydrocarbons		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Total TPH			<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Brandi Ritcherson

Brandi Ritcherson
Project Manager



Certificate of Analysis Summary 553116

COG Operating LLC, Artesia, NM

Project Name: Patron Fed #004H



Project Id:

Contact: Aaron Lieb

Project Location: Patron Fed #004H

Date Received in Lab: Sat May-13-17 10:00 am

Report Date: 23-MAY-17

Project Manager: Liz Givens

Analysis Requested	Lab Id:	553116-013	553116-014	553116-015	553116-016	553116-017	553116-018
	Field Id:	T3 - 1'	T3 - 2'	T3 - 3'	T3 - 4'	T3 - 6'	T3 - 8'
	Depth:	1 ft	2 ft	3 ft	4 ft	6 ft	8 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	May-09-17 10:30	May-09-17 10:30	May-09-17 10:30	May-09-17 10:30	May-09-17 10:30	May-09-17 10:45
BTEX by EPA 8021B	Extracted:	May-18-17 16:00	May-18-17 16:00	May-18-17 16:00			
	Analyzed:	May-19-17 00:16	May-19-17 00:32	May-19-17 00:49			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Benzene		<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199			
Toluene		<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199			
Ethylbenzene		<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199			
m,p-Xylenes		<0.00404 0.00404	<0.00401 0.00401	<0.00398 0.00398			
o-Xylene		<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199			
Total Xylenes		<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199			
Total BTEX		<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199			
Inorganic Anions by EPA 300/300.1	Extracted:	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58	May-20-17 19:58
	Analyzed:	May-21-17 03:43	May-21-17 04:06	May-21-17 04:13	May-21-17 04:21	May-21-17 04:29	May-21-17 04:36
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		2310 24.8	5310 49.4	387 4.94	6590 49.1	2500 24.4	5.66 4.98
TPH By SW8015 Mod	Extracted:	May-16-17 08:00	May-16-17 08:00	May-16-17 08:00			
	Analyzed:	May-16-17 14:35	May-16-17 15:35	May-16-17 15:55			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
C6-C10 Gasoline Range Hydrocarbons		<15.0 15.0	<15.0 15.0	<15.0 15.0			
C10-C28 Diesel Range Hydrocarbons		<15.0 15.0	<15.0 15.0	<15.0 15.0			
Total TPH		<15.0 15.0	<15.0 15.0	<15.0 15.0			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.0%

Brandi Ritcherson

Brandi Ritcherson
Project Manager



Certificate of Analysis Summary 553116

COG Operating LLC, Artesia, NM

Project Name: Patron Fed #004H



Project Id:

Contact: Aaron Lieb

Project Location: Patron Fed #004H

Date Received in Lab: Sat May-13-17 10:00 am

Report Date: 23-MAY-17

Project Manager: Liz Givens

Analysis Requested	Lab Id:	553116-019	553116-020	553116-021	553116-022	553116-023	553116-024
	Field Id:	T3 - 10'	T3 - 13'	T4 - Surface	T4 - 1'	T4 - 2'	T4 - 3'
	Depth:	10 ft	13 ft		1 ft	2 ft	3 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	May-09-17 10:45	May-09-17 10:45	May-09-17 11:00	May-09-17 11:00	May-09-17 11:00	May-09-17 11:00
BTEX by EPA 8021B	Extracted:			May-19-17 08:00	May-18-17 16:00	May-18-17 16:00	May-18-17 16:00
	Analyzed:			May-19-17 12:15	May-19-17 01:54	May-19-17 02:10	May-18-17 22:38
	Units/RL:			mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene				<0.00372 0.00372	<0.00198 0.00198	<0.00201 0.00201	<0.00202 0.00202
Toluene				<0.00372 0.00372	<0.00198 0.00198	<0.00201 0.00201	<0.00202 0.00202
Ethylbenzene				<0.00372 0.00372	<0.00198 0.00198	<0.00201 0.00201	<0.00202 0.00202
m,p-Xylenes				<0.00743 0.00743	<0.00396 0.00396	<0.00402 0.00402	<0.00404 0.00404
o-Xylene				<0.00372 0.00372	<0.00198 0.00198	<0.00201 0.00201	<0.00202 0.00202
Total Xylenes				<0.00372 0.00372	<0.00198 0.00198	<0.00201 0.00201	<0.00202 0.00202
Total BTEX				<0.00372 0.00372	<0.00198 0.00198	<0.00201 0.00201	<0.00202 0.00202
Inorganic Anions by EPA 300/300.1	Extracted:	May-20-17 19:58	May-20-17 19:58	May-20-17 20:43	May-20-17 20:43	May-20-17 20:43	May-20-17 20:43
	Analyzed:	May-21-17 04:44	May-21-17 04:51	May-21-17 06:45	May-21-17 06:53	May-21-17 07:01	May-21-17 07:08
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		<4.90 4.90	20.3 4.92	850 4.87	3360 25.0	3850 24.7	4380 24.6
TPH By SW8015 Mod	Extracted:			May-16-17 08:00	May-16-17 08:00	May-16-17 08:00	May-16-17 08:00
	Analyzed:			May-16-17 16:15	May-16-17 16:36	May-16-17 16:55	May-16-17 17:16
	Units/RL:			mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
C6-C10 Gasoline Range Hydrocarbons				<15.0 15.0	<14.9 14.9	<14.9 14.9	<15.0 15.0
C10-C28 Diesel Range Hydrocarbons				<15.0 15.0	<14.9 14.9	<14.9 14.9	<15.0 15.0
Total TPH				<15.0 15.0	<14.9 14.9	<14.9 14.9	<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Brandi Ritcherson

Brandi Ritcherson
Project Manager



Certificate of Analysis Summary 553116

COG Operating LLC, Artesia, NM

Project Name: Patron Fed #004H



Project Id:

Contact: Aaron Lieb

Project Location: Patron Fed #004H

Date Received in Lab: Sat May-13-17 10:00 am

Report Date: 23-MAY-17

Project Manager: Liz Givens

Analysis Requested	Lab Id:	553116-025	553116-026	553116-027	553116-028	553116-029	553116-030
	Field Id:	T4 - 4'	T4 - 6'	T4 - 9'	T5 - Surface	T5 - 1'	T5 - 2'
	Depth:	4 ft	6 ft	9 ft		1 ft	2 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	May-09-17 11:00	May-09-17 11:00	May-09-17 11:00	May-09-17 11:30	May-09-17 11:30	May-09-17 11:30
BTEX by EPA 8021B	Extracted:				May-18-17 16:00	May-18-17 16:00	May-19-17 08:00
	Analyzed:				May-19-17 02:26	May-19-17 02:42	May-19-17 11:59
	Units/RL:				mg/kg RL	mg/kg RL	mg/kg RL
Benzene					<0.00199 0.00199	<0.00200 0.00200	<0.00370 0.00370
Toluene					<0.00199 0.00199	<0.00200 0.00200	<0.00370 0.00370
Ethylbenzene					<0.00199 0.00199	<0.00200 0.00200	<0.00370 0.00370
m,p-Xylenes					<0.00398 0.00398	<0.00399 0.00399	<0.00741 0.00741
o-Xylene					<0.00199 0.00199	<0.00200 0.00200	<0.00370 0.00370
Total Xylenes					<0.00199 0.00199	<0.00200 0.00200	<0.00370 0.00370
Total BTEX					<0.00199 0.00199	<0.00200 0.00200	<0.00370 0.00370
Inorganic Anions by EPA 300/300.1	Extracted:	May-20-17 20:43	May-20-17 20:43	May-20-17 20:43	May-20-17 20:43	May-20-17 20:43	May-20-17 20:43
	Analyzed:	May-21-17 07:16	May-21-17 07:23	May-21-17 07:46	May-21-17 07:54	May-21-17 08:17	May-21-17 08:24
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		117 4.98	6.90 4.93	110 4.87	2180 25.0	4260 25.0	6970 50.0
TPH By SW8015 Mod	Extracted:				May-16-17 08:00	May-16-17 08:00	May-16-17 08:00
	Analyzed:				May-16-17 17:36	May-16-17 17:56	May-16-17 18:15
	Units/RL:				mg/kg RL	mg/kg RL	mg/kg RL
C6-C10 Gasoline Range Hydrocarbons					<15.0 15.0	<15.0 15.0	<15.0 15.0
C10-C28 Diesel Range Hydrocarbons					<15.0 15.0	<15.0 15.0	<15.0 15.0
Total TPH					<15.0 15.0	<15.0 15.0	<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Brandi Ritcherson

Brandi Ritcherson
Project Manager



Certificate of Analysis Summary 553116

COG Operating LLC, Artesia, NM

Project Name: Patron Fed #004H



Project Id:

Contact: Aaron Lieb

Project Location: Patron Fed #004H

Date Received in Lab: Sat May-13-17 10:00 am

Report Date: 23-MAY-17

Project Manager: Liz Givens

Analysis Requested	Lab Id:	553116-031	553116-032	553116-033			
	Field Id:	T5 - 3'	T5 - 4'	T5 - 9'			
	Depth:	3 ft	4 ft	9 ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	May-09-17 11:30	May-09-17 11:30	May-09-17 11:30			
BTEX by EPA 8021B	Extracted:	May-18-17 16:00					
	Analyzed:	May-19-17 06:47					
	Units/RL:	mg/kg RL					
	Benzene	<0.00200 0.00200					
	Toluene	<0.00200 0.00200					
Ethylbenzene		<0.00200 0.00200					
m,p-Xylenes		<0.00399 0.00399					
o-Xylene		<0.00200 0.00200					
Total Xylenes		<0.00200 0.00200					
Total BTEX		<0.00200 0.00200					
Inorganic Anions by EPA 300/300.1	Extracted:	May-20-17 20:43	May-20-17 20:43	May-20-17 20:43			
	Analyzed:	May-21-17 08:32	May-21-17 08:39	May-21-17 08:47			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
	Chloride	2590 24.5	325 4.87	11.9 4.87			
TPH By SW8015 Mod	Extracted:	May-16-17 08:00					
	Analyzed:	May-16-17 18:34					
	Units/RL:	mg/kg RL					
	C6-C10 Gasoline Range Hydrocarbons	<15.0 15.0					
	C10-C28 Diesel Range Hydrocarbons	<15.0 15.0					
Total TPH		<15.0 15.0					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.0%

Brandi Ritcherson

Brandi Ritcherson
Project Manager

Analytical Report 553116

for
COG Operating LLC

Project Manager: Aaron Lieb

Patron Fed #004H

23-MAY-17

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)
Xenco-San Antonio: Texas (T104704534)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



23-MAY-17

Project Manager: **Aaron Lieb**

COG Operating LLC

2407 Pecos Avenue

Artesia, NM 88210

Reference: XENCO Report No(s): **553116**

Patron Fed #004H

Project Address: Patron Fed #004H

Aaron Lieb:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 553116. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 553116 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Brandi Ritcherson

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
T1 - Surface	S	05-09-17 09:30	N/A	553116-001
T1 - 1'	S	05-09-17 09:30	- 1 ft	553116-002
T1 - 2'	S	05-09-17 09:30	- 2 ft	553116-003
T1 - 3'	S	05-09-17 09:30	- 3 ft	553116-004
T1 - 4'	S	05-09-17 09:30	- 4 ft	553116-005
T1 - 6'	S	05-09-17 09:30	- 6 ft	553116-006
T1 - 7.5'	S	05-09-17 09:30	- 7.5 ft	553116-007
T2 - Surface	S	05-09-17 10:00	N/A	553116-008
T2 - 1'	S	05-09-17 10:00	- 1 ft	553116-009
T2 - 2'	S	05-09-17 10:00	- 2 ft	553116-010
T2 - 3'	S	05-09-17 10:00	- 3 ft	553116-011
T3 - Surface	S	05-09-17 10:30	N/A	553116-012
T3 - 1'	S	05-09-17 10:30	- 1 ft	553116-013
T3 - 2'	S	05-09-17 10:30	- 2 ft	553116-014
T3 - 3'	S	05-09-17 10:30	- 3 ft	553116-015
T3 - 4'	S	05-09-17 10:30	- 4 ft	553116-016
T3 - 6'	S	05-09-17 10:30	- 6 ft	553116-017
T3 - 8'	S	05-09-17 10:45	- 8 ft	553116-018
T3 - 10'	S	05-09-17 10:45	- 10 ft	553116-019
T3 - 13'	S	05-09-17 10:45	- 13 ft	553116-020
T4 - Surface	S	05-09-17 11:00	N/A	553116-021
T4 - 1'	S	05-09-17 11:00	- 1 ft	553116-022
T4 - 2'	S	05-09-17 11:00	- 2 ft	553116-023
T4 - 3'	S	05-09-17 11:00	- 3 ft	553116-024
T4 - 4'	S	05-09-17 11:00	- 4 ft	553116-025
T4 - 6'	S	05-09-17 11:00	- 6 ft	553116-026
T4 - 9'	S	05-09-17 11:00	- 9 ft	553116-027
T5 - Surface	S	05-09-17 11:30	N/A	553116-028
T5 - 1'	S	05-09-17 11:30	- 1 ft	553116-029
T5 - 2'	S	05-09-17 11:30	- 2 ft	553116-030
T5 - 3'	S	05-09-17 11:30	- 3 ft	553116-031
T5 - 4'	S	05-09-17 11:30	- 4 ft	553116-032
T5 - 9'	S	05-09-17 11:30	- 9 ft	553116-033



CASE NARRATIVE

Client Name: COG Operating LLC

Project Name: Patron Fed #004H

Project ID:
Work Order Number(s): 553116

Report Date: 23-MAY-17
Date Received: 05/13/2017

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3017709 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3017710 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Lab Sample ID 553116-024 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Benzene, Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 553116-008, -009, -010, -011, -012, -013, -014, -015, -022, -023, -024, -028, -029, -031.

The Laboratory Control Sample for Toluene, Benzene, m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.

Benzene, m,p-Xylenes, o-Xylene Relative Percent Difference (RPD) between matrix spike and duplicate were above quality control limits.

Samples in the analytical batch are: 553116-008, -009, -010, -011, -012, -013, -014, -015, -022, -023, -024, -028, -029, -031

Batch: LBA-3017817 Inorganic Anions by EPA 300/300.1

Lab Sample ID 553116-007 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 553116-001, -002, -003, -004, -005, -006, -007, -008, -009, -010, -011, -012, -013, -014, -015, -016, -017, -018, -019, -020.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3017865 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T1 - Surface

Matrix: Soil

Date Received: 05.13.17 10.00

Lab Sample Id: 553116-001

Date Collected: 05.09.17 09.30

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	5570	50.0	mg/kg	05.21.17 01.49		10

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 05.16.17 08.00

Basis: Wet Weight

Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 10.52	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 10.52	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 10.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	99	%	70-135	05.16.17 10.52		
o-Terphenyl	84-15-1	102	%	70-135	05.16.17 10.52		

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 05.18.17 10.00

Basis: Wet Weight

Seq Number: 3017709

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	05.18.17 18.17	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	05.18.17 18.17	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	05.18.17 18.17	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	05.18.17 18.17	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	05.18.17 18.17	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	05.18.17 18.17	U	1
Total BTEX		<0.00201	0.00201	mg/kg	05.18.17 18.17	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	84	%	80-120	05.18.17 18.17		
1,4-Difluorobenzene	540-36-3	91	%	80-120	05.18.17 18.17		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T1 - 1' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-002 Date Collected: 05.09.17 09.30 Sample Depth: 1 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11000	100	mg/kg	05.21.17 01.57		20

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<14.9	14.9	mg/kg	05.16.17 11.52	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<14.9	14.9	mg/kg	05.16.17 11.52	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	05.16.17 11.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	05.16.17 11.52		
o-Terphenyl	84-15-1	98	%	70-135	05.16.17 11.52		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 10.00 Basis: Wet Weight
Seq Number: 3017709

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	05.18.17 19.23	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	05.18.17 19.23	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	05.18.17 19.23	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	05.18.17 19.23	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	05.18.17 19.23	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	05.18.17 19.23	U	1
Total BTEX		<0.00199	0.00199	mg/kg	05.18.17 19.23	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	90	%	80-120	05.18.17 19.23		
4-Bromofluorobenzene	460-00-4	89	%	80-120	05.18.17 19.23		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T1 - 2' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-003 Date Collected: 05.09.17 09.30 Sample Depth: 2 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	8710	49.2	mg/kg	05.21.17 02.04		10

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 12.12	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 12.12	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 12.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	05.16.17 12.12		
o-Terphenyl	84-15-1	99	%	70-135	05.16.17 12.12		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 10.00 Basis: Wet Weight
Seq Number: 3017709

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	05.18.17 21.33	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	05.18.17 21.33	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	05.18.17 21.33	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	05.18.17 21.33	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	05.18.17 21.33	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	05.18.17 21.33	U	1
Total BTEX		<0.00202	0.00202	mg/kg	05.18.17 21.33	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	83	%	80-120	05.18.17 21.33		
4-Bromofluorobenzene	460-00-4	82	%	80-120	05.18.17 21.33		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T1 - 3' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-004 Date Collected: 05.09.17 09.30 Sample Depth: 3 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	7200	50.0	mg/kg	05.21.17 02.12		10

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 12.32	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 12.32	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 12.32	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	94	%	70-135	05.16.17 12.32		
o-Terphenyl	84-15-1	97	%	70-135	05.16.17 12.32		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 10.00 Basis: Wet Weight
Seq Number: 3017709

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	05.18.17 21.49	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	05.18.17 21.49	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	05.18.17 21.49	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	05.18.17 21.49	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	05.18.17 21.49	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	05.18.17 21.49	U	1
Total BTEX		<0.00201	0.00201	mg/kg	05.18.17 21.49	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	107	%	80-120	05.18.17 21.49		
4-Bromofluorobenzene	460-00-4	96	%	80-120	05.18.17 21.49		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T1 - 4'
Lab Sample Id: 553116-005

Matrix: Soil
Date Collected: 05.09.17 09.30

Date Received: 05.13.17 10.00
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1850	24.9	mg/kg	05.21.17 02.35		5



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T1 - 6' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-006 Date Collected: 05.09.17 09.30 Sample Depth: 6 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	34.7	4.87	mg/kg	05.21.17 03.13		1



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T1 - 7.5'
Lab Sample Id: 553116-007

Matrix: Soil
Date Collected: 05.09.17 09.30

Date Received: 05.13.17 10.00
Sample Depth: 7.5 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	85.5	4.99	mg/kg	05.21.17 01.26		1



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T2 - Surface

Matrix: Soil

Date Received: 05.13.17 10.00

Lab Sample Id: 553116-008

Date Collected: 05.09.17 10.00

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	6510	49.4	mg/kg	05.21.17 02.42		10

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 05.16.17 08.00

Basis: Wet Weight

Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 12.53	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 12.53	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 12.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	05.16.17 12.53		
o-Terphenyl	84-15-1	97	%	70-135	05.16.17 12.53		

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 05.18.17 16.00

Basis: Wet Weight

Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	05.18.17 22.55	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	05.18.17 22.55	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	05.18.17 22.55	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	05.18.17 22.55	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	05.18.17 22.55	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	05.18.17 22.55	U	1
Total BTEX		<0.00199	0.00199	mg/kg	05.18.17 22.55	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	89	%	80-120	05.18.17 22.55		
1,4-Difluorobenzene	540-36-3	92	%	80-120	05.18.17 22.55		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T2 - 1' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-009 Date Collected: 05.09.17 10.00 Sample Depth: 1 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	8670	49.4	mg/kg	05.21.17 02.50		10

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 13.13	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 13.13	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 13.13	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	106	%	70-135	05.16.17 13.13		
o-Terphenyl	84-15-1	107	%	70-135	05.16.17 13.13		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	05.18.17 23.11	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	05.18.17 23.11	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	05.18.17 23.11	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	05.18.17 23.11	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	05.18.17 23.11	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	05.18.17 23.11	U	1
Total BTEX		<0.00202	0.00202	mg/kg	05.18.17 23.11	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	83	%	80-120	05.18.17 23.11		
4-Bromofluorobenzene	460-00-4	86	%	80-120	05.18.17 23.11		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T2 - 2' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-010 Date Collected: 05.09.17 10.00 Sample Depth: 2 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	7420	48.7	mg/kg	05.21.17 02.57		10

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 13.33	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 13.33	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 13.33	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	115	%	70-135	05.16.17 13.33		
o-Terphenyl	84-15-1	118	%	70-135	05.16.17 13.33		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	05.18.17 23.27	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	05.18.17 23.27	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	05.18.17 23.27	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	05.18.17 23.27	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	05.18.17 23.27	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	05.18.17 23.27	U	1
Total BTEX		<0.00200	0.00200	mg/kg	05.18.17 23.27	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	91	%	80-120	05.18.17 23.27		
4-Bromofluorobenzene	460-00-4	96	%	80-120	05.18.17 23.27		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T2 - 3' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-011 Date Collected: 05.09.17 10.00 Sample Depth: 3 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	5960	49.1	mg/kg	05.21.17 03.05		10

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 13.53	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 13.53	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 13.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	05.16.17 13.53		
o-Terphenyl	84-15-1	98	%	70-135	05.16.17 13.53		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	05.18.17 23.44	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	05.18.17 23.44	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	05.18.17 23.44	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	05.18.17 23.44	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	05.18.17 23.44	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	05.18.17 23.44	U	1
Total BTEX		<0.00199	0.00199	mg/kg	05.18.17 23.44	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	107	%	80-120	05.18.17 23.44		
1,4-Difluorobenzene	540-36-3	87	%	80-120	05.18.17 23.44		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - Surface

Matrix: Soil

Date Received: 05.13.17 10.00

Lab Sample Id: 553116-012

Date Collected: 05.09.17 10.30

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2910	24.9	mg/kg	05.21.17 03.35		5

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 05.16.17 08.00

Basis: Wet Weight

Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 14.14	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 14.14	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 14.14	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	92	%	70-135	05.16.17 14.14		
o-Terphenyl	84-15-1	93	%	70-135	05.16.17 14.14		

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 05.18.17 16.00

Basis: Wet Weight

Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	05.19.17 00.00	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	05.19.17 00.00	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	05.19.17 00.00	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	05.19.17 00.00	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	05.19.17 00.00	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	05.19.17 00.00	U	1
Total BTEX		<0.00201	0.00201	mg/kg	05.19.17 00.00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	110	%	80-120	05.19.17 00.00		
1,4-Difluorobenzene	540-36-3	106	%	80-120	05.19.17 00.00		

COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - 1' Matrix: Soil Date Received: 05.13.17 10.00
 Lab Sample Id: 553116-013 Date Collected: 05.09.17 10.30 Sample Depth: 1 ft
 Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
 Tech: MGO % Moisture:
 Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
 Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2310	24.8	mg/kg	05.21.17 03.43		5

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
 Tech: ARM % Moisture:
 Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
 Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 14.35	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 14.35	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 14.35	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	05.16.17 14.35		
o-Terphenyl	84-15-1	97	%	70-135	05.16.17 14.35		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
 Tech: ALJ % Moisture:
 Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
 Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	05.19.17 00.16	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	05.19.17 00.16	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	05.19.17 00.16	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	05.19.17 00.16	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	05.19.17 00.16	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	05.19.17 00.16	U	1
Total BTEX		<0.00202	0.00202	mg/kg	05.19.17 00.16	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	117	%	80-120	05.19.17 00.16		
1,4-Difluorobenzene	540-36-3	115	%	80-120	05.19.17 00.16		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - 2'
Lab Sample Id: 553116-014

Matrix: Soil
Date Collected: 05.09.17 10.30

Date Received: 05.13.17 10.00
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Tech: MGO

Analyst: MGO

Seq Number: 3017817

Date Prep: 05.20.17 19.58

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	5310	49.4	mg/kg	05.21.17 04.06		10

Analytical Method: TPH By SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3017668

Date Prep: 05.16.17 08.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 15.35	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 15.35	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 15.35	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	109	%	70-135	05.16.17 15.35		
o-Terphenyl	84-15-1	110	%	70-135	05.16.17 15.35		

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: ALJ

Seq Number: 3017710

Date Prep: 05.18.17 16.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	05.19.17 00.32	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	05.19.17 00.32	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	05.19.17 00.32	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	05.19.17 00.32	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	05.19.17 00.32	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	05.19.17 00.32	U	1
Total BTEX		<0.00200	0.00200	mg/kg	05.19.17 00.32	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	93	%	80-120	05.19.17 00.32		
4-Bromofluorobenzene	460-00-4	94	%	80-120	05.19.17 00.32		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - 3' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-015 Date Collected: 05.09.17 10.30 Sample Depth: 3 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 19.58 Basis: Wet Weight
Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	387	4.94	mg/kg	05.21.17 04.13		1

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 15.55	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 15.55	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 15.55	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	94	%	70-135	05.16.17 15.55		
o-Terphenyl	84-15-1	96	%	70-135	05.16.17 15.55		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	05.19.17 00.49	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	05.19.17 00.49	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	05.19.17 00.49	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	05.19.17 00.49	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	05.19.17 00.49	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	05.19.17 00.49	U	1
Total BTEX		<0.00199	0.00199	mg/kg	05.19.17 00.49	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	104	%	80-120	05.19.17 00.49		
4-Bromofluorobenzene	460-00-4	109	%	80-120	05.19.17 00.49		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - 4'
Lab Sample Id: 553116-016

Matrix: Soil
Date Collected: 05.09.17 10.30

Date Received: 05.13.17 10.00
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	6590	49.1	mg/kg	05.21.17 04.21		10



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - 6'
Lab Sample Id: 553116-017

Matrix: Soil
Date Collected: 05.09.17 10.30

Date Received: 05.13.17 10.00
Sample Depth: 6 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2500	24.4	mg/kg	05.21.17 04.29		5



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - 8'
Lab Sample Id: 553116-018

Matrix: Soil
Date Collected: 05.09.17 10.45

Date Received: 05.13.17 10.00
Sample Depth: 8 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	5.66	4.98	mg/kg	05.21.17 04.36		1



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - 10'
Lab Sample Id: 553116-019

Matrix: Soil
Date Collected: 05.09.17 10.45

Date Received: 05.13.17 10.00
Sample Depth: 10 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.90	4.90	mg/kg	05.21.17 04.44	U	1



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T3 - 13'
Lab Sample Id: 553116-020

Matrix: Soil
Date Collected: 05.09.17 10.45

Date Received: 05.13.17 10.00
Sample Depth: 13 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 19.58

Basis: Wet Weight

Seq Number: 3017817

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	20.3	4.92	mg/kg	05.21.17 04.51		1



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T4 - Surface

Matrix: Soil

Date Received: 05.13.17 10.00

Lab Sample Id: 553116-021

Date Collected: 05.09.17 11.00

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 20.43

Basis: Wet Weight

Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	850	4.87	mg/kg	05.21.17 06.45		1

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 05.16.17 08.00

Basis: Wet Weight

Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 16.15	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 16.15	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 16.15	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	05.16.17 16.15		
o-Terphenyl	84-15-1	98	%	70-135	05.16.17 16.15		

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 05.19.17 08.00

Basis: Wet Weight

Seq Number: 3017865

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00372	0.00372	mg/kg	05.19.17 12.15	U	1
Toluene	108-88-3	<0.00372	0.00372	mg/kg	05.19.17 12.15	U	1
Ethylbenzene	100-41-4	<0.00372	0.00372	mg/kg	05.19.17 12.15	U	1
m,p-Xylenes	179601-23-1	<0.00743	0.00743	mg/kg	05.19.17 12.15	U	1
o-Xylene	95-47-6	<0.00372	0.00372	mg/kg	05.19.17 12.15	U	1
Total Xylenes	1330-20-7	<0.00372	0.00372	mg/kg	05.19.17 12.15	U	1
Total BTEX		<0.00372	0.00372	mg/kg	05.19.17 12.15	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	109	%	80-120	05.19.17 12.15		
1,4-Difluorobenzene	540-36-3	109	%	80-120	05.19.17 12.15		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T4 - 1' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-022 Date Collected: 05.09.17 11.00 Sample Depth: 1 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 20.43 Basis: Wet Weight
Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3360	25.0	mg/kg	05.21.17 06.53		5

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<14.9	14.9	mg/kg	05.16.17 16.36	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<14.9	14.9	mg/kg	05.16.17 16.36	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	05.16.17 16.36	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	93	%	70-135	05.16.17 16.36		
o-Terphenyl	84-15-1	94	%	70-135	05.16.17 16.36		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	05.19.17 01.54	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	05.19.17 01.54	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	05.19.17 01.54	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	05.19.17 01.54	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	05.19.17 01.54	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	05.19.17 01.54	U	1
Total BTEX		<0.00198	0.00198	mg/kg	05.19.17 01.54	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	109	%	80-120	05.19.17 01.54		
1,4-Difluorobenzene	540-36-3	84	%	80-120	05.19.17 01.54		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T4 - 2' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-023 Date Collected: 05.09.17 11.00 Sample Depth: 2 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 20.43 Basis: Wet Weight
Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3850	24.7	mg/kg	05.21.17 07.01		5

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<14.9	14.9	mg/kg	05.16.17 16.55	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<14.9	14.9	mg/kg	05.16.17 16.55	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	05.16.17 16.55	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	94	%	70-135	05.16.17 16.55		
o-Terphenyl	84-15-1	96	%	70-135	05.16.17 16.55		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	05.19.17 02.10	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	05.19.17 02.10	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	05.19.17 02.10	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	05.19.17 02.10	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	05.19.17 02.10	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	05.19.17 02.10	U	1
Total BTEX		<0.00201	0.00201	mg/kg	05.19.17 02.10	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	96	%	80-120	05.19.17 02.10		
4-Bromofluorobenzene	460-00-4	100	%	80-120	05.19.17 02.10		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T4 - 3' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-024 Date Collected: 05.09.17 11.00 Sample Depth: 3 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 20.43 Basis: Wet Weight
Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	4380	24.6	mg/kg	05.21.17 07.08		5

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 17.16	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 17.16	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 17.16	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	05.16.17 17.16		
o-Terphenyl	84-15-1	97	%	70-135	05.16.17 17.16		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	05.18.17 22.38	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	05.18.17 22.38	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	05.18.17 22.38	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	05.18.17 22.38	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	05.18.17 22.38	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	05.18.17 22.38	U	1
Total BTEX		<0.00202	0.00202	mg/kg	05.18.17 22.38	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	94	%	80-120	05.18.17 22.38		
4-Bromofluorobenzene	460-00-4	90	%	80-120	05.18.17 22.38		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T4 - 4'
Lab Sample Id: 553116-025

Matrix: Soil
Date Collected: 05.09.17 11.00

Date Received: 05.13.17 10.00
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 20.43

Basis: Wet Weight

Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	117	4.98	mg/kg	05.21.17 07.16		1



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: **T4 - 6'**
Lab Sample Id: 553116-026

Matrix: Soil
Date Collected: 05.09.17 11.00

Date Received: 05.13.17 10.00
Sample Depth: 6 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 20.43

Basis: Wet Weight

Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	6.90	4.93	mg/kg	05.21.17 07.23		1



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T4 - 9'
Lab Sample Id: 553116-027

Matrix: Soil
Date Collected: 05.09.17 11.00

Date Received: 05.13.17 10.00
Sample Depth: 9 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 20.43

Basis: Wet Weight

Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	110	4.87	mg/kg	05.21.17 07.46		1

COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T5 - Surface

Matrix: Soil

Date Received: 05.13.17 10.00

Lab Sample Id: 553116-028

Date Collected: 05.09.17 11.30

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 20.43

Basis: Wet Weight

Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2180	25.0	mg/kg	05.21.17 07.54		5

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 05.16.17 08.00

Basis: Wet Weight

Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 17.36	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 17.36	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 17.36	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	05.16.17 17.36		
o-Terphenyl	84-15-1	98	%	70-135	05.16.17 17.36		

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 05.18.17 16.00

Basis: Wet Weight

Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	05.19.17 02.26	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	05.19.17 02.26	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	05.19.17 02.26	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	05.19.17 02.26	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	05.19.17 02.26	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	05.19.17 02.26	U	1
Total BTEX		<0.00199	0.00199	mg/kg	05.19.17 02.26	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	96	%	80-120	05.19.17 02.26		
1,4-Difluorobenzene	540-36-3	94	%	80-120	05.19.17 02.26		

COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T5 - 1' Matrix: Soil Date Received: 05.13.17 10.00
 Lab Sample Id: 553116-029 Date Collected: 05.09.17 11.30 Sample Depth: 1 ft
 Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
 Tech: MGO % Moisture:
 Analyst: MGO Date Prep: 05.20.17 20.43 Basis: Wet Weight
 Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	4260	25.0	mg/kg	05.21.17 08.17		5

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
 Tech: ARM % Moisture:
 Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
 Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 17.56	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 17.56	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 17.56	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	05.16.17 17.56		
o-Terphenyl	84-15-1	99	%	70-135	05.16.17 17.56		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
 Tech: ALJ % Moisture:
 Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
 Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	05.19.17 02.42	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	05.19.17 02.42	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	05.19.17 02.42	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	05.19.17 02.42	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	05.19.17 02.42	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	05.19.17 02.42	U	1
Total BTEX		<0.00200	0.00200	mg/kg	05.19.17 02.42	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	80-120	05.19.17 02.42		
1,4-Difluorobenzene	540-36-3	102	%	80-120	05.19.17 02.42		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T5 - 2' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-030 Date Collected: 05.09.17 11.30 Sample Depth: 2 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 20.43 Basis: Wet Weight
Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	6970	50.0	mg/kg	05.21.17 08.24		10

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 18.15	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 18.15	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 18.15	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	99	%	70-135	05.16.17 18.15		
o-Terphenyl	84-15-1	101	%	70-135	05.16.17 18.15		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.19.17 08.00 Basis: Wet Weight
Seq Number: 3017865

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00370	0.00370	mg/kg	05.19.17 11.59	U	1
Toluene	108-88-3	<0.00370	0.00370	mg/kg	05.19.17 11.59	U	1
Ethylbenzene	100-41-4	<0.00370	0.00370	mg/kg	05.19.17 11.59	U	1
m,p-Xylenes	179601-23-1	<0.00741	0.00741	mg/kg	05.19.17 11.59	U	1
o-Xylene	95-47-6	<0.00370	0.00370	mg/kg	05.19.17 11.59	U	1
Total Xylenes	1330-20-7	<0.00370	0.00370	mg/kg	05.19.17 11.59	U	1
Total BTEX		<0.00370	0.00370	mg/kg	05.19.17 11.59	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	92	%	80-120	05.19.17 11.59		
1,4-Difluorobenzene	540-36-3	81	%	80-120	05.19.17 11.59		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T5 - 3' Matrix: Soil Date Received: 05.13.17 10.00
Lab Sample Id: 553116-031 Date Collected: 05.09.17 11.30 Sample Depth: 3 ft
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MGO % Moisture:
Analyst: MGO Date Prep: 05.20.17 20.43 Basis: Wet Weight
Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2590	24.5	mg/kg	05.21.17 08.32		5

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 05.16.17 08.00 Basis: Wet Weight
Seq Number: 3017668

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	PHC610	<15.0	15.0	mg/kg	05.16.17 18.34	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	<15.0	15.0	mg/kg	05.16.17 18.34	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.16.17 18.34	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	05.16.17 18.34		
o-Terphenyl	84-15-1	102	%	70-135	05.16.17 18.34		

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
Tech: ALJ % Moisture:
Analyst: ALJ Date Prep: 05.18.17 16.00 Basis: Wet Weight
Seq Number: 3017710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	05.19.17 06.47	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	05.19.17 06.47	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	05.19.17 06.47	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	05.19.17 06.47	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	05.19.17 06.47	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	05.19.17 06.47	U	1
Total BTEX		<0.00200	0.00200	mg/kg	05.19.17 06.47	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	82	%	80-120	05.19.17 06.47		
1,4-Difluorobenzene	540-36-3	92	%	80-120	05.19.17 06.47		



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T5 - 4'
Lab Sample Id: 553116-032

Matrix: Soil
Date Collected: 05.09.17 11.30

Date Received: 05.13.17 10.00
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 20.43

Basis: Wet Weight

Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	325	4.87	mg/kg	05.21.17 08.39		1



Certificate of Analytical Results 553116



COG Operating LLC, Artesia, NM

Patron Fed #004H

Sample Id: T5 - 9'
Lab Sample Id: 553116-033

Matrix: Soil
Date Collected: 05.09.17 11.30

Date Received: 05.13.17 10.00
Sample Depth: 9 ft

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MGO

% Moisture:

Analyst: MGO

Date Prep: 05.20.17 20.43

Basis: Wet Weight

Seq Number: 3017818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.9	4.87	mg/kg	05.21.17 08.47		1

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **SQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



COG Operating LLC

Patron Fed #004H

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3017817

Matrix: Solid

Prep Method: E300P

MB Sample Id: 724936-1-BLK

LCS Sample Id: 724936-1-BKS

Date Prep: 05.20.17

LCSD Sample Id: 724936-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	251	100	253	101	90-110	1	20	mg/kg	05.21.17 01:11	

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3017818

Matrix: Solid

Prep Method: E300P

MB Sample Id: 724937-1-BLK

LCS Sample Id: 724937-1-BKS

Date Prep: 05.20.17

LCSD Sample Id: 724937-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	251	100	253	101	90-110	1	20	mg/kg	05.21.17 05:22	

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3017817

Matrix: Soil

Prep Method: E300P

Parent Sample Id: 553116-006

MS Sample Id: 553116-006 S

Date Prep: 05.20.17

MSD Sample Id: 553116-006 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	34.7	244	294	106	293	106	90-110	0	20	mg/kg	05.21.17 03:20	

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3017817

Matrix: Soil

Prep Method: E300P

Parent Sample Id: 553116-007

MS Sample Id: 553116-007 S

Date Prep: 05.20.17

MSD Sample Id: 553116-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	85.5	250	363	111	366	112	90-110	1	20	mg/kg	05.21.17 01:34	X

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3017818

Matrix: Soil

Prep Method: E300P

Parent Sample Id: 553116-026

MS Sample Id: 553116-026 S

Date Prep: 05.20.17

MSD Sample Id: 553116-026 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	6.90	247	250	98	250	98	90-110	0	20	mg/kg	05.21.17 07:31	

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3017818

Matrix: Soil

Prep Method: E300P

Parent Sample Id: 553117-002

MS Sample Id: 553117-002 S

Date Prep: 05.20.17

MSD Sample Id: 553117-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	17.7	250	284	107	285	107	90-110	0	20	mg/kg	05.21.17 05:45	



QC Summary 553116

COG Operating LLC

Patron Fed #004H

Analytical Method: TPH By SW8015 Mod

Seq Number: 3017668

MB Sample Id: 724771-1-BLK

Matrix: Solid

LCS Sample Id: 724771-1-BKS

Prep Method: TX1005P

Date Prep: 05.16.17

LCSD Sample Id: 724771-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
C6-C10 Gasoline Range Hydrocarbons	<15.0	1000	985	99	923	92	70-135	6	35	mg/kg	05.16.17 10:14	
C10-C28 Diesel Range Hydrocarbons	<15.0	1000	946	95	914	91	70-135	3	35	mg/kg	05.16.17 10:14	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date			
1-Chlorooctane	100		105		107		70-135	%	05.16.17 10:14			
o-Terphenyl	104		100		96		70-135	%	05.16.17 10:14			

Analytical Method: TPH By SW8015 Mod

Seq Number: 3017668

Parent Sample Id: 553116-001

Matrix: Soil

MS Sample Id: 553116-001 S

Prep Method: TX1005P

Date Prep: 05.16.17

MSD Sample Id: 553116-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
C6-C10 Gasoline Range Hydrocarbons	<15.0	999	993	99	908	91	70-135	9	35	mg/kg	05.16.17 11:12	
C10-C28 Diesel Range Hydrocarbons	<15.0	999	954	95	888	89	70-135	7	35	mg/kg	05.16.17 11:12	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date			
1-Chlorooctane			112		100		70-135	%	05.16.17 11:12			
o-Terphenyl			103		97		70-135	%	05.16.17 11:12			

Analytical Method: BTEX by EPA 8021B

Seq Number: 3017709

MB Sample Id: 724845-1-BLK

Matrix: Solid

LCS Sample Id: 724845-1-BKS

Prep Method: SW5030B

Date Prep: 05.18.17

LCSD Sample Id: 724845-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.0998	0.0887	89	0.0805	81	70-130	10	35	mg/kg	05.18.17 13:04	
Toluene	<0.00200	0.0998	0.0946	95	0.0932	93	70-130	1	35	mg/kg	05.18.17 13:04	
Ethylbenzene	<0.00200	0.0998	0.103	103	0.100	100	71-129	3	35	mg/kg	05.18.17 13:04	
m,p-Xylenes	<0.00399	0.200	0.216	108	0.199	100	70-135	8	35	mg/kg	05.18.17 13:04	
o-Xylene	<0.00200	0.0998	0.101	101	0.0965	97	71-133	5	35	mg/kg	05.18.17 13:04	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date			
1,4-Difluorobenzene	117		98		89		80-120	%	05.18.17 13:04			
4-Bromofluorobenzene	119		109		93		80-120	%	05.18.17 13:04			



COG Operating LLC

Patron Fed #004H

Analytical Method: BTEX by EPA 8021B

Seq Number: 3017710

MB Sample Id: 724860-1-BLK

Matrix: Solid

LCS Sample Id: 724860-1-BKS

Prep Method: SW5030B

Date Prep: 05.18.17

LCSD Sample Id: 724860-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0784	78	0.0898	90	70-130	14	35	mg/kg	05.18.17 13:37	
Toluene	<0.00200	0.100	0.0841	84	0.106	106	70-130	23	35	mg/kg	05.18.17 13:37	
Ethylbenzene	<0.00200	0.100	0.0929	93	0.103	103	71-129	10	35	mg/kg	05.18.17 13:37	
m,p-Xylenes	<0.00401	0.200	0.184	92	0.208	104	70-135	12	35	mg/kg	05.18.17 13:37	
o-Xylene	<0.00200	0.100	0.0863	86	0.108	108	71-133	22	35	mg/kg	05.18.17 13:37	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	99		102		93		80-120	%	05.18.17 13:37
4-Bromofluorobenzene	83		114		118		80-120	%	05.18.17 13:37

Analytical Method: BTEX by EPA 8021B

Seq Number: 3017865

MB Sample Id: 724971-1-BLK

Matrix: Solid

LCS Sample Id: 724971-1-BKS

Prep Method: SW5030B

Date Prep: 05.19.17

LCSD Sample Id: 724971-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.0998	0.0828	83	0.0861	86	70-130	4	35	mg/kg	05.19.17 08:42	
Toluene	<0.00200	0.0998	0.0871	87	0.102	102	70-130	16	35	mg/kg	05.19.17 08:42	
Ethylbenzene	<0.00200	0.0998	0.0935	94	0.115	115	71-129	21	35	mg/kg	05.19.17 08:42	
m,p-Xylenes	<0.00399	0.200	0.185	93	0.230	115	70-135	22	35	mg/kg	05.19.17 08:42	
o-Xylene	<0.00200	0.0998	0.0870	87	0.0868	87	71-133	0	35	mg/kg	05.19.17 08:42	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	88		94		92		80-120	%	05.19.17 08:42
4-Bromofluorobenzene	89		88		107		80-120	%	05.19.17 08:42

Analytical Method: BTEX by EPA 8021B

Seq Number: 3017709

Parent Sample Id: 553111-004

Matrix: Soil

MS Sample Id: 553111-004 S

Prep Method: SW5030B

Date Prep: 05.18.17

MSD Sample Id: 553111-004 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00199	0.0996	0.0746	75	0.0744	74	70-130	0	35	mg/kg	05.18.17 14:10	
Toluene	<0.00199	0.0996	0.0779	78	0.0766	77	70-130	2	35	mg/kg	05.18.17 14:10	
Ethylbenzene	<0.00199	0.0996	0.0801	80	0.0732	73	71-129	9	35	mg/kg	05.18.17 14:10	
m,p-Xylenes	<0.00398	0.199	0.162	81	0.148	74	70-135	9	35	mg/kg	05.18.17 14:10	
o-Xylene	<0.00199	0.0996	0.0728	73	0.0783	78	71-133	7	35	mg/kg	05.18.17 14:10	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	93		101		80-120	%	05.18.17 14:10
4-Bromofluorobenzene	100		114		80-120	%	05.18.17 14:10



QC Summary 553116

COG Operating LLC

Patron Fed #004H

Analytical Method: BTEX by EPA 8021B

Seq Number: 3017710

Parent Sample Id: 553116-024

Matrix: Soil

MS Sample Id: 553116-024 S

Prep Method: SW5030B

Date Prep: 05.18.17

MSD Sample Id: 553116-024 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00202	0.101	0.0547	54	0.0793	79	70-130	37	35	mg/kg	05.18.17 14:43	XF
Toluene	<0.00202	0.101	0.0659	65	0.0783	78	70-130	17	35	mg/kg	05.18.17 14:43	X
Ethylbenzene	<0.00202	0.101	0.0602	60	0.0859	85	71-129	35	35	mg/kg	05.18.17 14:43	X
m,p-Xylenes	<0.00404	0.202	0.117	58	0.172	86	70-135	38	35	mg/kg	05.18.17 14:43	XF
o-Xylene	<0.00202	0.101	0.0547	54	0.0867	86	71-133	45	35	mg/kg	05.18.17 14:43	XF

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	91		113		80-120	%	05.18.17 14:43
4-Bromofluorobenzene	106		116		80-120	%	05.18.17 14:43

Analytical Method: BTEX by EPA 8021B

Seq Number: 3017865

Parent Sample Id: 553122-013

Matrix: Soil

MS Sample Id: 553122-013 S

Prep Method: SW5030B

Date Prep: 05.19.17

MSD Sample Id: 553122-013 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00201	0.101	0.0813	80	0.0923	92	70-130	13	35	mg/kg	05.19.17 09:48	
Toluene	<0.00201	0.101	0.0743	74	0.0784	78	70-130	5	35	mg/kg	05.19.17 09:48	
Ethylbenzene	<0.00201	0.101	0.0764	76	0.0728	73	71-129	5	35	mg/kg	05.19.17 09:48	
m,p-Xylenes	<0.00402	0.201	0.153	76	0.156	78	70-135	2	35	mg/kg	05.19.17 09:48	
o-Xylene	0.00886	0.101	0.0759	66	0.0724	64	71-133	5	35	mg/kg	05.19.17 09:48	X

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	93		119		80-120	%	05.19.17 09:48
4-Bromofluorobenzene	103		117		80-120	%	05.19.17 09:48



Setting the Standard since 1990
Stafford, Texas (281-240-4200)
Dallas, Texas (214-902-0300)

CHAIN OF CUSTODY

Page 1 of 4

San Antonio, Texas (210-509-3334)
Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

www.xenco.com

Xenco Quote #

Xenco Job #

553116

Client / Reporting Information		Project Information		Analytical Information		Matrix Codes									
Company Name / Branch: COG Operating LLC		Project Name/Number: Patron Fed #004H													
Company Address: 2407 PECOS Avenue Artesia NM 88210		Project Location: Patron Fed #004H													
Email: alieb@concho.com dheel2@concho.com rhaskei@concho.com		Invoice To: COG Operating LLC Attn: Robert McNeill 600 W. Illinois Midland TX 79701													
Project Contact: Aaron Lieb		PO Number:													
Sampler's Name: Aaron Lieb															
No.	Field ID / Point of Collection	Sample Depth	Date	Time	Matrix	# of bottles	HCI	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE	Notes:
1	TI- surf	surf	5/17	9:30am	S	1									TPH
2	TI- 1'	1													X
3	TI- 2'	2													X
4	TI- 3'	3													X
5	TI- 4'	4													X
6	TI- 6'	6													X
7	TI- 7.5'	7.5													X
8															
9															
10															
Turnaround Time (Business days)															
☐ Same Day TAT		☐ 5 Day TAT													
☐ Next Day EMERGENCY		☐ 7 Day TAT													
☐ 2 Day EMERGENCY		☐ Contract TAT													
☐ 3 Day EMERGENCY		☐ TRRP Checklist													
TAT Starts Day received by Lab, if received by 5:00 pm															
Relinquished by Sampler:		SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY													
1 Relinquished by: [Signature]		Date Time: 11:00 am		Received By: [Signature]		Date Time: 11:00 am		Relinquished By: [Signature]		Date Time: 11:00 am		Received By: [Signature]		Date Time: 11:00 am	
3 Relinquished by:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:		Date Time:	
5 Relinquished by:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:		Date Time:	

Temp: 3.7 IR ID: R-8
CF: (0-6: -0.2°C)
(6-23: +0.2°C)
Corrected Temp: 3.5

CHAIN OF CUSTODY

Page 7 of 4

Setting the Standard since 1990
Stafford, Texas (281-240-4200)

San Antonio, Texas (210-509-3334)
Midland Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

www.xenco.com

[illegible]

Notice: Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the costs of samples and expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco will be enforced under previously negotiated under a NDA executed client contract.

Temp: 3.7
CF: (0-6: -0.2°C)
(6-23: +0.2°C)
Corrected Temp: 3.5

CHAIN OF CUSTODY

Page 3 Of 4

Setting the Standard since 1990
Stafford, Texas (281-240-4200)
Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334,
Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

www.xenco.com

[illegible]

Notice: Signature on this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not returned will be destroyed unless previously negotiated under a fully executed client contract.

Temp: 3.1
CF: (0.6: -0.2°C)
(6.23: +0.2°C)
Corrected Temp: 3.5
atropic, these



Setting the Standard since 1990
Stafford, Texas (281-240-4200)
Dallas Texas (214-902-0300)

CHAIN OF CUSTODY

Page 4 of 4

San Antonio, Texas (210-509-3334)
Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

www.xenco.com

Xenco Quote #

Xenco Job #

353116

Client / Reporting Information				Project Information				Analytical Information				Matrix Codes			
Company Name / Branch: COG Operating LLC				Project Name/Number: Patron Fed #004H											
Company Address: 2407 PECOS Avenue Artesia NM 88210				Project Location: Patron Fed #004H											
Email: alieb@concho.com dneel2@concho.com thaskel@concho.com				Phone No: 575-748-1553				Invoice To: COG Operating LLC Attn: Robert McNeill 600 W. Illinois Midland TX 79701							
Project Contact: Aaron Lieb				PO Number:											
Sampler's Name- Aaron Lieb															
No.	Field ID / Point of Collection	Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MeOH	NONE	
1	T5- SURF	SURF	5/17/17	11:30am	S	1									
2	T5- 1'					1									
3	T5- 2'					1									
4	T5- 3'					1									
5	T5- 4'					1									
6	T5- 9'					1									
7															
8															
9															
10															
Turnaround Time (Business days)															
Same Day TAT		☐ 5 Day TAT													
Next Day EMERGENCY		☐ 7 Day TAT													
2 Day EMERGENCY		☐ Contract TAT													
3 Day EMERGENCY		☐ TRRP Checklist													
TAT Starts Day received by Lab, if received by 5:00 pm															
Relinquished by Sampler:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:			
1		5/17/17 11:00 am		1		5-12-17		2							
3		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:			
Relinquished by:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:			
5		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:			

Temp: 3.7 IR ID: R-8

CF: (0-6: -0.2°C)

(6-23: +0.2°C)

Corrected Temp: 3.5

Notice: Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not terms will be enforced unless previously negotiated under a fully executed client contract.



XENCO Laboratories
Prelogin/Nonconformance Report- Sample Log-In



Client: COG Operating LLC

Date/ Time Received: 05/13/2017 10:00:00 AM

Work Order #: 553116

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	3.5
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	N/A
#5 *Custody Seals intact on shipping container/ cooler?	N/A
#6 Custody Seals intact on sample bottles?	N/A
#7 *Custody Seals Signed and dated?	N/A
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	No
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	N/A
#21 VOC samples have zero headspace?	N/A
#22 <2 for all samples preserved with HNO3,HCL, H2SO4? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	N/A
#23 >10 for all samples preserved with NaAsO2+NaOH, ZnAc+NaOH?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Jessica Kramer

Jessica Kramer

Date: 05/15/2017

Checklist reviewed by:

Holly Taylor

Holly Taylor

Date: 05/16/2017

JAN 31 2017

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

RECEIVED
Submit 1 copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

NAB1703253156

Name of Company: COG Operating LLC <i>217955</i>		Contact: Robert McNeill	
Address: 600 West Illinois Avenue, Midland TX 79701		Telephone No. 432-683-7443	
Facility Name: Patron 23 Federal #004H		Facility Type: Flowline	
Surface Owner: Federal	Mineral Owner:	API No.	30-015-42451

OPERATOR

☒ Initial Report ☐ Final Report

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
A	23	25S	29E	190	North	660	East	Eddy

Latitude 32.1222382 Longitude -103.9487228

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: 200 bbls	Volume Recovered: 0 bbls
Source of Release: Flowline	Date and Hour of Occurrence: January 28, 2017 11:00 am	Date and Hour of Discovery: January 28, 2017 11:00 am
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? Ms. Weaver - NMOCD / Ms. Tucker - BLM	
By Whom? Rebecca Haskell	Date and Hour: January 28, 2017 5:11 pm <i>*4:11pm (E-Mail)</i>	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.*		
The release was due to a rupture in a flowline. Replaced section of the flowline.		
Describe Area Affected and Cleanup Action Taken.*		
The release was within a pasture. Concho will have the spill area sampled to delineate any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: <i>Rebecca Haskell</i>	OIL CONSERVATION DIVISION	
Printed Name: Rebecca Haskell	Signed By: <i>Mike L...</i>	
Title: Senior HSE Coordinator	Approved by Environmental Specialist:	
E-mail Address: rhaskell@concho.com	Approval Date: <i>2/1/17</i>	Expiration Date: <i>N/A</i>
Date: January 30, 2017 Phone: 432-683-7443	Conditions of Approval: <i>See attached</i>	
		Attached ☐

* Attach Additional Sheets If Necessary

2RP-4096

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 1/31/17 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 200-4096 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in Artesia on or before 3/3/17. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.

- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.

- Nominal detection limits for field and laboratory analyses must be provided.

- Composite sampling is not generally allowed.

- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

505-476-3465

jim.griswold@state.nm.us

Bratcher, Mike, EMNRD


From: Rebecca Haskell <RHaskell@concho.com>
Sent: Monday, January 30, 2017 4:05 PM
To: Weaver, Crystal, EMNRD; stucker@blm.gov
Cc: Bratcher, Mike, EMNRD; Jim Amos (jamos@blm.gov)
Subject: (C-141 Initial) Patron 23 Federal 4H Battery 1/28/17 (30-015-42451)
Attachments: Patron 23 Federal 4H Battery Initial C-141 1-28-17 (30-015-42451).pdf

Ms. Weaver / Ms. Tucker,

Attached is a Revised C-141 for your consideration. If you have any additional questions please feel free to contact me.

Thank You,

Becky Haskell
Senior HSE Coordinator
COG Operating LLC
600 W Illinois Avenue | Midland, TX 79701
Direct: 432-818-2372 | Main: 432.683.7443
Cell: 432-556-5130
rhaskell@concho.com



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

Weaver, Crystal, EMNRD

From: Rebecca Haskell <RHaskell@concho.com>
Sent: Saturday, January 28, 2017 4:11 PM
To: Weaver, Crystal, EMNRD; stucker@blm.gov
Cc: Bratcher, Mike, EMNRD; Jim Amos (jamos@blm.gov)
Subject: (Notification) Patron 23 Federal Battery 1-28-17 (30-015-42451)

MS. WEAVER / MS. TUCKER,

COG OPERATING LLC IS REPORTING A RELEASE ON THE PATRON 23 FEDERAL BATTERY ((30-015-42451)

UNIT A SECTION 23 TOWNSHIP 25S RANGE 29E

THE RELEASE OCCURRED AT APPROXIMATELY 11:00 AM ON 1-28-2017

ESTIMATED RELEASED: APPROX. 200 BBLs PRODUCED WATER

ESTIMATED RECOVERED: APPROX. 0 BBLs PRODUCED WATER

THE RELEASE WAS DUE TO A RUPTURE IN A FLOW LINE. THIS AREA IS BEING EVALUATED AND A C-141 WILL BE SUBMITTED. IF YOU HAVE ANY ADDITIONAL QUESTIONS PLEASE FEEL FREE TO CONTACT ME.

THANK YOU,

BECKY HASKELL

CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.