District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

8 9
Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

# **Release Notification**

# **Responsible Party**

Γ =							
Responsible Party: Fasken Oil and Ranch, Ltd			Ltd		OGRID: 151416		
Contact Name: Aaron Pachlhofer					Contact Telephone: 432-687-1777		
Contact ema	il: aaronp@f	forl.com		Incident #	(assigned by OCD): 1RP-5270		
Contact mail	ing address:	6101 Holiday Hil	Road, Midland,	TX 79707			
			Location	of Release So	ource		
T .: 1 22	0210600				102 100 (25)		
Latitude 33	.031060°		(NAD 83 in dec	_ Longitude imal degrees to 5 decin	-103.180635° mal places)		
Site Name De	onton No. 20	SWD wall		Sita Tyma:	SWD wellhead		
Date Release	Discovered	11/5/18		API# 30-02	25-052/0		
Unit Letter	Section	Township	Range	Cour	nty		
I	10	15S	37E	Lea			
Surface Owner: State Federal Tribal Private (Name: <u>Darr Angell</u> Nature and Volume of Release  Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)							
Crude Oil	[	Volume Release	d (bbls)		Volume Recovered (bbls)		
X Produced	Water	Volume Release	d (bbls) 20		Volume Recovered (bbls) 15		
			ion of total dissolv water >10,000 mg	· /	X Yes No		
Condensa	ite	Volume Release	d (bbls)		Volume Recovered (bbls)		
Natural G	as	Volume Release	d (Mcf)		Volume Recovered (Mcf)		
Other (de	scribe)	Volume/Weight	Released (provide	e units)	Volume/Weight Recovered (provide units)		
Cause of Release: Release caused by external corrosion to injection line. Leak began while Fasken personnel were at lunch, and was discovered upon return to the lease. Estimated period that elapsed between leak start and leak discovery is 15 to 30 minutes. Vacuum truck and equipment were on lease for other purposes so produced water was picked up before there was time for it to be absorbed by the soil.							

Received by OCD: 4/15/2020 1:07:51 PM Form C-141 State of New Mexico Page 2 Oil Conservation Division

77			-		•	-
v	aa	a	٠,	n1		ъ.
1	uz		-	vi	٠,	,
_		_	_		_	

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?  If YES, for what reason(s) does the responsible party consider this a major release?				
Yes X No				
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?				
Notice was given via voicemail to Olivia Yu at 11:58 MST on 11/6/18. A second voicemail was left at 1:55 MST on 11/6/18				
Initial Response				
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury				
X The source of the release has been stopped.				
X The impacted area has been secured to protect human health and the environment.				
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.				
All free liquids and recoverable materials have been removed and managed appropriately.				
If all the actions described above have <u>not</u> been undertaken, explain why:				
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation	ion			
has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurrence within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	red			
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and				
regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have				
failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In				
addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name: <u>Aaron Pachlhofer</u> <u>Title: Environmental Coordinator</u>				
Signature: Date: <u>11/8/2018</u>				
email: <u>aaronp@forl.com</u> Telephone: <u>432-687-1777</u>				
OCD Only				
Received by: Date:				

Received by OCD: 4/15/2020 1:07:51 PM Form C-141 State of New Mexico
Page 3 Oil Conservation Division

	Page 3 of 60
Incident ID	
District RP	
Facility ID	
Application ID	

## **Site Assessment/Characterization**

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	70	(ft bgs)
Did this release impact groundwater or surface water?	□Yes [	X No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes [	X No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐Yes [	X No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐Yes [	X No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	□Yes [	X No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	□Yes [	X No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes [	□ No
Are the lateral extents of the release within 300 feet of a wetland?	□Yes [	X No
Are the lateral extents of the release overlying a subsurface mine?	□Yes [	X No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐Yes [	X No
Are the lateral extents of the release within a 100-year floodplain?	□Yes [	X No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	☐Yes [	X No
		. 0 11

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

contamination associated with the felease have been determined. Refer to 19.13.29.11 NMAC for specifics.	
Characterization Report Checklist: Each of the following items must be included in the report.	
Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.	

- Field dataData table of soil contaminant concentration data
- No Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- X Boring or excavation logs
- X Photographs including date and GIS information
- X Topographic/Aerial maps
- X Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 4/15/2020 1:07:51 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

	ruge 4 0)
Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: <u>Aaron Pachlhofer</u>	Title: Environmental Coordinator
Signature:	Date: <u>9/6/19</u>
email: <u>aaronp@forl.com</u>	Telephone: 432-687-1777
OCD O	
OCD Only	
Received by:	Date:

Page 4 of 60

Received by OCD: 4/15/2020 1:07:51 PM Form C-141 State of New Mexico Page 5 Oil Conservation Division

	Page 5 of	60
Incident ID		
District RP		
Facility ID		
Application ID		

# **Remediation Plan**

Remediation Plan Checklist: Each of the following items must be included in the plan.						
<ul> <li>□ Detailed description of proposed remediation technique</li> <li>□ Scaled sitemap with GPS coordinates showing delineation points</li> <li>□ Estimated volume of material to be remediated</li> <li>□ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC</li> <li>□ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)</li> </ul>						
Deferral Requests Only: Each of the following items must be confirmed as part of any request for deferral of remediation.						
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.						
Extents of contamination must be fully delineated.						
Contamination does not cause an imminent risk to human health, the environment, or groundwater.						
hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD ules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of iability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.						
Printed Name: Aaron Pachlhofer Title: Environmental Coordinator						
Signature: Date:						
email: <u>aaronp@forl.com</u> Telephone: <u>432-687-1777</u>						
OCD Only						
Received by:Date:						
Approved						
Signature: Date:						

Form C-141 Page 6 State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

# Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following	items must be included in the closure report.						
A scaled site and sampling diagram as described in 19.15.29.11 NMAC							
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)							
Laboratory analyses of final sampling (Note: appropriate O	Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)						
Description of remediation activities							
and regulations all operators are required to report and/or file cert may endanger public health or the environment. The acceptance of their operations have failed to adequately investigate and remedia health or the environment. In addition, OCD acceptance of a C-14 any other federal, state, or local laws and/or regulations. The resp vegetate the impacted surface area to the conditions that existed power than the technique of the oct of	plete to the best of my knowledge and understand that pursuant to OCD rules again release notifications and perform corrective actions for releases which of a C-141 report by the OCD does not relieve the operator of liability should attend contamination that pose a threat to groundwater, surface water, human 41/report does not relieve the operator of responsibility for compliance with onsible party acknowledges they must substantially restore, reclaim, and remove to the release or their final land use in accordance with 19.15.29.13 re-vegetation are complete.  Title: Environmental  Coordinator Date: 1/15/2020						
email: aaronp@forl.com	Telephone: <u>432-687-1777</u>						
OCD Only							
OCD Only							
Received by:	Date:						
	ty of liability should their operations have failed to adequately investigate and se water, human health, or the environment nor does not relieve the responsible d/or regulations.						
Closure Approved by:	Date:						
Printed Name:	Title:						



6101 Holiday Hill Road Midland, TX 79707 (432) 687-1777 (432) 687-1570 (FAX)

April 15, 2020

Robert Hamlet Environmental Specialist Oil Conservation Division, District 2 811 South Francis Street Artesia, New Mexico 88210

Work Plan: 1RP-5270– Denton No.2 SWD Wellhead spill

Mr. Hamlet,

On November 4, 2018 a spill occurred at the Fasken Oil and Ranch (Fasken) Denton No.2 SWD well when a hole occurred in the injection line due to corrosion. The well is location at battery is located at 33.031060°, -103.180635°. During the spill, an estimated 50 barrels of produced water was released and no crude oil was released. 30 barrels of produced water was recovered according to Fasken operations personnel. The spill was confined within to the well pad and a lease road. No pasture was affected.

### **Potential Receptors**

According to the New Mexico State Engineer's Office, there five water wells within 1/2 mile of the SWD well. Information from the State Engineers Office show that the depth to water in L-01739 POD1, L-02317, L-02268, and L-14299 is deeper than 50 feet below ground surface. Copies are included as an attachment. No depth to water information is available for well L-00058, so it is no attachments are included for this well. Please also note that Fasken and Plains All American have monitoring wells further to the west approximately 0.75 mile away and further. These wells have a consistent depth to water more than 70 feet below ground surface. Data for these wells is available if required by the OCD.

Other potential receptors: There is no nearby surface water. There are no homes or occupied structures within 1 mile of the release. There are no other potential receptors such as a lakebed, sinkhole, playa lake, continually flowing watercourse, spring, fresh water well, or subsurface mine that have been identified within the distances specified on form C-141.

According to NMAC 19.15.29.12, Table 1, the chloride limit is 10,000 mg/kg

### **Delineation Sampling**

On January 30, 2019, five trenches were opened with a backhoe and three samples from each trench were collected: surface, one foot, and the top of caliche. The surface of the caliche at this location varies from 2 to three below the surface. Laboratory analysis of the samples shows that chloride concentrations are high in the surface samples at TT-1, TT-2, and TT-3. All other sample concentrations are below 2,000 mg/kg chloride. A site plan showing these sample locations is included as an attachment.

On July 18, 2019, three borings were advanced with a hollow stem auger mobile drilling machine. Samples were continuously collected by hollow stem auger in two-foot increments. Four samples from each boring were submitted for laboratory analysis. The maximum concentration for these samples was 1,410 mg/kg chloride in B-2 at 0-2'. All other concentrations were low, and the deepest samples collect from each boring were 320 (B-1), 128 (B-2), and 112 (B-3) mg/kg chloride. A site plan showing these sample locations is included as an attachment.

### Additional Delineation and Removal of Pad Material

On October 31, 2019, SESI INC of Hobbs, New Mexico performed additional delineation of the release on behalf of Fasken Oil and Ranch. Additional delineation was performed at the request of OCD. TT-3 and TT-5 were re-sampled below the caliche in order to delineate at these locations. Please note that the depths these samples were mislabeled on the laboratory chain of custody by the SESI technician: the field notes from the technician indicate that samples were obtained after he 'busted out the rocks'. The depth to caliche at the location was previously recorded at approximately three feet below ground surface. Also note that the TT-3 data correlates very well with shallow sample results from adjacent B-3 that was previously advanced. Three new delineation locations were also opened with a backhoe and sampled at the request of the OCD: TT-6, TT-7, and TT-8. These locations were sampled at the surface and at 1 foot below ground surface. All sample locations were field screened prior laboratory analysis. All field screen results were less than 600 mg/kg, according to SESI personnel. Laboratory results for all samples collected ranged from 'not detected' to 370 mg/kg.

On October 31, 2019 SESI also removed approximately 4 inches of the surface pad material around the well that was above the 19.15.29.12 Table 1 limits in the areas of TT1-, TT-2, and TT-3. Approximately 20 cubic yards of material was removed, and stockpiled on plastic pending disposal. The removal of the material did not require replacement of pad material so no new material was imported and backfilled onto the pad.

Following removal of pad material, the surface at TT-1, TT-2, and TT-3 were field screened and resampled. Please note that these sample locations are now labeled SP-1, SP-2, and SP-3. Field screening results of these sample locations were less than 600 mg/kg. Laboratory results ranged from 980 to 1,800 mg/kg chloride; well below the Table 1 limits in 19.15.29.12 for groundwater 51 to 100 feet below ground surface.

### Removal of Material at TT-5

After closure was requested on January 15th, NM OCD Specialist Robert Hamlet denied closure, noting that additional excavation of material was needed at TT-5.

On April 2, 2020, the area that TT-5 was excavated to approximately 9 inches to 1 foot below ground surface. Sample TT-5a was collected, with a result of 499 mg/kg chloride. Excavated soils are stockpiled pending disposal.

A summary table and laboratory reports are included.

### **RECCOMENDATION**


Fasken recommends closing this release. All concentrations are below the Table 1 limits for groundwater 51 to 100 feet below ground surface.

If there are any questions or comments, please do not hesitate to contact Aaron Pachlhofer at the letterhead address or 432-687-1777 or aaronp@forl.com.

Thank You,

Aaron Pachlhofer, P.G. Environmental Coordinator

















# 1RP-5270 Denton No.2 SWD Sample Analysis

B-2 15-17' 7/18/2019 192			
TT-1 1' 1/30/2019 1810 TT-1 2' 1/30/2019 880 TT-2 Surface 1/30/2019 1090 TT-2 1' 1/30/2019 1090 TT-2 A 1' 1/30/2019 128 TT-2 2' 1/30/2019 25600 TT-3 Surface 1/30/2019 1730 TT-4 Surface 1/30/2019 1730 TT-4 Surface 1/30/2019 128 TT-4 1' 1/30/2019 128 TT-4 1' 1/30/2019 128 TT-5 Surface 1/30/2019 1720 TT-5 Surface 1/30/2019 1720 TT-5 Surface 1/30/2019 1720 TT-5 3' 1/30/2019 1720 B-1 0-2' 7/18/2019 544 B-1 5-7' 7/18/2019 80 B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 1410 B-2 5-7' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-1	Location	Date	Cl- (mg/kg)
TT-1 2' 1/30/2019 880 TT-2 Surface 1/30/2019 41200 TT-2 1' 1/30/2019 1090 TT-2A 1' 1/30/2019 128 TT-2 2' 1/30/2019 25600 TT-3 Surface 1/30/2019 1730 TT-4 Surface 1/30/2019 1730 TT-4 Surface 1/30/2019 128 TT-4 1' 1/30/2019 128 TT-4 1' 1/30/2019 127 TT-5 Surface 1/30/2019 172 TT-5 Surface 1/30/2019 172 TT-5 Surface 1/30/2019 172 TT-5 Surface 1/30/2019 172 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 544 B-1 5-7' 7/18/2019 80 B-1 10-12' 7/18/2019 80 B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 0-2' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 192 B-3 5-7' 7/18/2019 192 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12	TT-1 Surface	1/30/2019	30000
TT-2 Surface 1/30/2019 41200 TT-2 1' 1/30/2019 1090 TT-2A 1' 1/30/2019 128 TT-2 2' 1/30/2019 25600 TT-3 Surface 1/30/2019 1730 TT-4 Surface 1/30/2019 1730 TT-4 Surface 1/30/2019 128 TT-4 1' 1/30/2019 128 TT-4 1' 1/30/2019 127 TT-5 Surface 1/30/2019 272 TT-5 Surface 1/30/2019 1720 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 544 B-1 5-7' 7/18/2019 80 B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 0-2' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-3 0-2' 7/18/2019 192 B-3 0-2' 7/18/2019 192 B-3 0-2' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 368 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 360 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 370 TT-5 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 ND TT-5 1.5 10/31/2019 ND TT-5 1.5 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-1 1'	1/30/2019	1810
TT-2 1' 1/30/2019 1090 TT-2A 1' 1/30/2019 128 TT-2 2' 1/30/2019 608 TT-3 Surface 1/30/2019 25600 TT-3 1' 1/30/2019 1730 TT-4 Surface 1/30/2019 1730 TT-4 Surface 1/30/2019 128 TT-4 1' 1/30/2019 112 TT-4 2' 1/30/2019 656 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 80 B-1 10-12' 7/18/2019 80 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 0-2' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 128 TT-5 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 1800 TT-5 1.5 10/31/2019 580 TT-5 1.5 10/31/2019 ND TT-5 1.5 10/31/2019 ND TT-6 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-1 2'	1/30/2019	880
TT-2A 1' 1/30/2019 128 TT-2 2' 1/30/2019 608 TT-3 Surface 1/30/2019 25600 TT-3 1' 1/30/2019 1730 TT-4 Surface 1/30/2019 128 TT-4 1' 1/30/2019 112 TT-4 2' 1/30/2019 272 TT-5 Surface 1/30/2019 656 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 80 B-1 10-12' 7/18/2019 608 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 0-2' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-3 0-2' 7/18/2019 192 B-3 0-2' 7/18/2019 192 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 128 TT-5 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 1800 TT-5 1.5 10/31/2019 ND TT-5 1.5 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-2 Surface	1/30/2019	41200
TT-2 2' 1/30/2019 608 TT-3 Surface 1/30/2019 25600 TT-3 1' 1/30/2019 1730 TT-4 Surface 1/30/2019 128 TT-4 1' 1/30/2019 112 TT-4 2' 1/30/2019 272 TT-5 Surface 1/30/2019 656 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 80 B-1 10-12' 7/18/2019 80 B-1 10-12' 7/18/2019 608 B-1 15-17' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 10-12' 7/18/2019 320 B-2 10-12' 7/18/2019 320 B-3 0-2' 7/18/2019 1410 B-3 5-7' 7/18/2019 368 B-3 10-12' 7/18/2019 192 B-3 0-2' 7/18/2019 192 B-3 0-2' 7/18/2019 192 B-3 15-17' 7/18/2019 128 TT-5 Surface 10/31/2019 1800 SP-2 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 580 TT-5 1.5 10/31/2019 ND TT-5 1.5 10/31/2019 ND TT-6 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-2 1'	1/30/2019	1090
TT-3 Surface 1/30/2019 25600 TT-3 1' 1/30/2019 1730 TT-4 Surface 1/30/2019 128 TT-4 1' 1/30/2019 112 TT-4 2' 1/30/2019 656 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 544 B-1 5-7' 7/18/2019 608 B-1 10-12' 7/18/2019 608 B-1 15-17' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 10-12' 7/18/2019 320 B-2 15-17' 7/18/2019 320 B-2 15-17' 7/18/2019 320 B-3 0-2' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-3 10-12' 7/18/2019 368 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 368 B-3 10-12' 7/18/2019 368 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 368 B-3 10-12' 7/18/2019 368 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 368 B-3 10-12' 7/18/2019 368 B-3 10-12' 7/18/2019 370 TT-5 Surface 10/31/2019 380 SP-2 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 1' 10/31/2019 ND TT-7 1' 10/31/2019 ND TT-7 1' 10/31/2019 ND	TT-2A 1'	1/30/2019	128
TT-3 1' 1/30/2019 128 TT-4 1' 1/30/2019 112 TT-4 2' 1/30/2019 272 TT-5 Surface 1/30/2019 656 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 80 B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 320 B-2 10-12' 7/18/2019 1410 B-2 5-7' 7/18/2019 320 B-2 10-12' 7/18/2019 1410 B-3 5-7' 7/18/2019 1410 B-1 5-7' 7/18/2019 1410 B-2 5-7' 7/18/2019 1410 B-2 5-7' 7/18/2019 1410 B-2 5-7' 7/18/2019 192 B-3 10-12' 7/18/2019 192 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 128 TT-5 Surface 10/31/2019 1800 TT-5 1.5 10/31/2019 1800 TT-5 1.5 10/31/2019 1800 TT-5 1.5 10/31/2019 1800 TT-5 1.5 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-2 2'	1/30/2019	608
TT-4 Surface 1/30/2019 128 TT-4 1' 1/30/2019 112 TT-4 2' 1/30/2019 656 TT-5 Surface 1/30/2019 112 TT-5 Surface 1/30/2019 112 TT-5 3' 1/30/2019 1720 B-1 0-2' 7/18/2019 80 B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 340 B-2 10-12' 7/18/2019 340 B-2 10-12' 7/18/2019 340 B-2 10-12' 7/18/2019 1410 B-2 5-7' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-3 0-2' 7/18/2019 192 B-3 0-2' 7/18/2019 192 B-3 0-2' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 128 TT-1 Surface 10/31/2019 1800 SP-2 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 1800 TT-5 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND TT-7 1' 10/31/2019 ND	TT-3 Surface	1/30/2019	25600
TT-4 1' 1/30/2019 272 TT-5 Surface 1/30/2019 656 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 80 B-1 10-12' 7/18/2019 608 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 340 B-2 10-12' 7/18/2019 320 B-2 10-12' 7/18/2019 320 B-2 10-12' 7/18/2019 368 B-3 0-2' 7/18/2019 192 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 10-12' 7/18/2019 368 B-3 10-12' 7/18/2019 368 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 370 TT-5 1.5 10/31/2019 380 TT-5 1.5 10/31/2019 580 TT-5 1.5 10/31/2019 ND TT-6 Surface 10/31/2019 ND TT-6 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND	TT-3 1'	1/30/2019	1730
TT-4 2' 1/30/2019 272 TT-5 Surface 1/30/2019 656 TT-5 1' 1/30/2019 1720 B-1 0-2' 7/18/2019 80 B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 348 B-2 10-12' 7/18/2019 349 B-2 10-12' 7/18/2019 340 B-2 10-12' 7/18/2019 1410 B-2 5-7' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 192 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 368 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 128 TT-5 Surface 10/31/2019 1800 SP-2 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 580 TT-5 1.5 10/31/2019 580 TT-5 1.5 10/31/2019 ND TT-6 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-4 Surface	1/30/2019	128
TT-5 Surface 1/30/2019 656  TT-5 1' 1/30/2019 112  TT-5 3' 1/30/2019 1720  B-1 0-2' 7/18/2019 544  B-1 5-7' 7/18/2019 1070  B-1 15-17' 7/18/2019 608  B-1 20-22' 7/18/2019 320  B-2 0-2' 7/18/2019 346  B-2 10-12' 7/18/2019 348  B-2 10-12' 7/18/2019 368  B-2 10-12' 7/18/2019 368  B-2 10-12' 7/18/2019 368  B-2 15-17' 7/18/2019 192  B-3 0-2' 7/18/2019 128  B-3 0-2' 7/18/2019 320  B-3 10-12' 7/18/2019 368  B-3 15-17' 7/18/2019 128  B-3 15-17' 7/18/2019 368  B-3 15-17' 7/18/2019 368  B-3 15-17' 7/18/2019 128  B-3 15-17' 7/18/2019 368  B-3 15-17' 7/18/2019 368  B-3 15-17' 7/18/2019 128  B-3 15-17' 7/18/2019 128  B-3 15-17' 7/18/2019 128  B-3 15-17' 7/18/2019 370  TT-5 1.5 10/31/2019 1800  TT-5 1.5 10/31/2019 ND  TT-6 Surface 10/31/2019 ND  TT-6 Surface 10/31/2019 ND  TT-7 Surface 10/31/2019 ND  TT-7 Surface 10/31/2019 ND  TT-7 Surface 10/31/2019 ND  TT-7 Surface 10/31/2019 ND	TT-4 1'	1/30/2019	112
TT-5 1' 1/30/2019 112 TT-5 3' 1/30/2019 1720 B-1 0-2' 7/18/2019 544 B-1 5-7' 7/18/2019 80 B-1 10-12' 7/18/2019 608 B-1 15-17' 7/18/2019 320 B-2 0-2' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 10-12' 7/18/2019 368 B-2 15-17' 7/18/2019 368 B-2 15-17' 7/18/2019 192 B-3 0-2' 7/18/2019 192 B-3 5-7' 7/18/2019 128 B-3 5-7' 7/18/2019 368 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 368 B-3 15-17' 7/18/2019 370 TT-5 1.5 10/31/2019 1800 TT-3 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-4 2'	1/30/2019	272
TT-5 3' 1/30/2019 1720  B-1 0-2' 7/18/2019 544  B-1 5-7' 7/18/2019 1070  B-1 10-12' 7/18/2019 608  B-1 20-22' 7/18/2019 320  B-2 0-2' 7/18/2019 368  B-2 10-12' 7/18/2019 368  B-2 10-12' 7/18/2019 368  B-2 10-12' 7/18/2019 192  B-3 0-2' 7/18/2019 128  B-3 0-2' 7/18/2019 128  B-3 10-12' 7/18/2019 368  B-3 10-12' 7/18/2019 128  B-3 15-17' 7/18/2019 368  B-3 15-17' 7/18/2019 368  B-3 15-17' 7/18/2019 128  B-3 15-17' 7/18/2019 368  TT-5 Surface 10/31/2019 1800  TT-5 1.5 10/31/2019 1800  TT-5 1.5 10/31/2019 ND  TT-6 Surface 10/31/2019 ND  TT-7 Surface 10/31/2019 ND	TT-5 Surface	1/30/2019	656
B-1 0-2' 7/18/2019 544 B-1 5-7' 7/18/2019 80 B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 368 B-2 10-12' 7/18/2019 256 B-2 10-12' 7/18/2019 192 B-2 15-17' 7/18/2019 192 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 96 B-3 10-12' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 96 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 15-17' 7/18/2019 272 B-3 20-22' 7/18/2019 112 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 1800 TT-5 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 I' 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-5 1'	1/30/2019	112
B-1 5-7' 7/18/2019 80 B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 368 B-2 5-7' 7/18/2019 256 B-2 15-17' 7/18/2019 192 B-2 15-17' 7/18/2019 192 B-3 0-2' 7/18/2019 448 B-3 5-7' 7/18/2019 96 B-3 10-12' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 96 B-3 15-17' 7/18/2019 96 B-3 15-17' 7/18/2019 128 B-3 20-22' 7/18/2019 128 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-5 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 I' 10/31/2019 ND TT-7 Surface 10/31/2019 ND	TT-5 3'	1/30/2019	1720
B-1 10-12' 7/18/2019 1070 B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 368 B-2 10-12' 7/18/2019 256 B-2 15-17' 7/18/2019 192 B-2' 20-22' 7/18/2019 192 B-3 0-2' 7/18/2019 448 B-3 5-7' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 20-22' 7/18/2019 128 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-5 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND	B-1 0-2'	7/18/2019	544
B-1 15-17' 7/18/2019 608 B-1 20-22' 7/18/2019 320 B-2 0-2' 7/18/2019 1410 B-2 5-7' 7/18/2019 368 B-2 10-12' 7/18/2019 256 B-2 15-17' 7/18/2019 192 B-3 0-2' 7/18/2019 128 B-3 0-2' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 20-22' 7/18/2019 128 SP-1 Surface 10/31/2019 1800 SP-2 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND	B-1 5-7'	7/18/2019	80
B-1 20-22'       7/18/2019       320         B-2 0-2'       7/18/2019       1410         B-2 5-7'       7/18/2019       368         B-2 10-12'       7/18/2019       256         B-2 15-17'       7/18/2019       192         B-2' 20-22'       7/18/2019       128         B-3 0-2'       7/18/2019       448         B-3 5-7'       7/18/2019       96         B-3 10-12'       7/18/2019       128         B-3 15-17'       7/18/2019       272         B-3 20-22'       7/18/2019       112         SP-1 Surface       10/31/2019       980         SP-2 Surface       10/31/2019       1800         TT-3 1.5       10/31/2019       270         TT-5 1.5       10/31/2019       580         TT-5a       4/2/2020       499         TT-6 1'       10/31/2019       ND         TT-7 Surface       10/31/2019       ND         TT-7 Surface       10/31/2019       ND         TT-7 1'       10/31/2019       330	B-1 10-12'	7/18/2019	1070
B-2 0-2' 7/18/2019 1410 B-2 5-7' 7/18/2019 368 B-2 10-12' 7/18/2019 256 B-2 15-17' 7/18/2019 192 B-2' 20-22' 7/18/2019 128 B-3 0-2' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 20-22' 7/18/2019 128 B-3 15-17' 7/18/2019 272 B-3 20-22' 7/18/2019 112 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 580 TT-5 1.5 10/31/2019 580 TT-6 Surface 10/31/2019 ND TT-6 Surface 10/31/2019 ND TT-6 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND	B-1 15-17'	7/18/2019	608
B-2 5-7' 7/18/2019 368 B-2 10-12' 7/18/2019 256 B-2 15-17' 7/18/2019 192 B-2' 20-22' 7/18/2019 128 B-3 0-2' 7/18/2019 448 B-3 5-7' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 128 B-3 20-22' 7/18/2019 172 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 270 TT-5 1.5 10/31/2019 580 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND	B-1 20-22'	7/18/2019	320
B-2 10-12' 7/18/2019 256 B-2 15-17' 7/18/2019 192 B-2' 20-22' 7/18/2019 128 B-3 0-2' 7/18/2019 448 B-3 5-7' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 272 B-3 20-22' 7/18/2019 112 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 270 TT-5 1.5 10/31/2019 580 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND	B-2 0-2'	7/18/2019	1410
B-2 15-17' 7/18/2019 192 B-2' 20-22' 7/18/2019 128 B-3 0-2' 7/18/2019 96 B-3 5-7' 7/18/2019 128 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 272 B-3 20-22' 7/18/2019 112 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 270 TT-5 1.5 10/31/2019 580 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND	B-2 5-7'	7/18/2019	368
B-2' 20-22'       7/18/2019       128         B-3 0-2'       7/18/2019       448         B-3 5-7'       7/18/2019       96         B-3 10-12'       7/18/2019       128         B-3 15-17'       7/18/2019       272         B-3 20-22'       7/18/2019       112         SP-1 Surface       10/31/2019       980         SP-2 Surface       10/31/2019       1800         SP-3 Surface       10/31/2019       270         TT-3 1.5       10/31/2019       580         TT-5a       4/2/2020       499         TT-6 Surface       10/31/2019       ND         TT-7 Surface       10/31/2019       ND         TT-7 Surface       10/31/2019       ND         TT-7 1'       10/31/2019       330	B-2 10-12'	7/18/2019	256
B-3 0-2' 7/18/2019 448 B-3 5-7' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 272 B-3 20-22' 7/18/2019 112 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 270 TT-5 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND	B-2 15-17'	7/18/2019	192
B-3 5-7' 7/18/2019 96 B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 272 B-3 20-22' 7/18/2019 112 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 270 TT-5 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND	B-2' 20-22'	7/18/2019	128
B-3 10-12' 7/18/2019 128 B-3 15-17' 7/18/2019 272 B-3 20-22' 7/18/2019 112 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 270 TT-5 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND	B-3 0-2'	7/18/2019	448
B-3 15-17' 7/18/2019 272 B-3 20-22' 7/18/2019 112 SP-1 Surface 10/31/2019 980 SP-2 Surface 10/31/2019 1800 SP-3 Surface 10/31/2019 1800 TT-3 1.5 10/31/2019 270 TT-5 1.5 10/31/2019 580 TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 ND	B-3 5-7'	7/18/2019	96
B-3 20-22'       7/18/2019       112         SP-1 Surface       10/31/2019       980         SP-2 Surface       10/31/2019       1800         SP-3 Surface       10/31/2019       1800         TT-3 1.5       10/31/2019       270         TT-5 1.5       10/31/2019       580         TT-5a       4/2/2020       499         TT-6 Surface       10/31/2019       ND         TT-7 Surface       10/31/2019       ND         TT-7 1'       10/31/2019       330	B-3 10-12'	7/18/2019	128
SP-1 Surface       10/31/2019       980         SP-2 Surface       10/31/2019       1800         SP-3 Surface       10/31/2019       1800         TT-3 1.5       10/31/2019       270         TT-5 1.5       10/31/2019       580         TT-5a       4/2/2020       499         TT-6 Surface       10/31/2019       ND         TT-7 Surface       10/31/2019       ND         TT-7 1'       10/31/2019       330	B-3 15-17'	7/18/2019	272
SP-2 Surface       10/31/2019       1800         SP-3 Surface       10/31/2019       1800         TT-3 1.5       10/31/2019       270         TT-5 1.5       10/31/2019       580         TT-5a       4/2/2020       499         TT-6 Surface       10/31/2019       ND         TT-7 Surface       10/31/2019       ND         TT-7 1'       10/31/2019       330	B-3 20-22'	7/18/2019	112
SP-3 Surface       10/31/2019       1800         TT-3 1.5       10/31/2019       270         TT-5 1.5       10/31/2019       580         TT-5a       4/2/2020       499         TT-6 Surface       10/31/2019       ND         TT-6 1'       10/31/2019       370         TT-7 Surface       10/31/2019       ND         TT-7 1'       10/31/2019       330	SP-1 Surface	10/31/2019	980
TT-3 1.5	SP-2 Surface	10/31/2019	1800
TT-5 1.5	SP-3 Surface	10/31/2019	1800
TT-5a 4/2/2020 499 TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 370 TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 330	TT-3 1.5	10/31/2019	270
TT-6 Surface 10/31/2019 ND TT-6 1' 10/31/2019 370 TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 330	TT-5 1.5	10/31/2019	580
TT-6 1' 10/31/2019 370 TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 330	TT-5a	4/2/2020	499
TT-7 Surface 10/31/2019 ND TT-7 1' 10/31/2019 330	TT-6 Surface	10/31/2019	ND
TT-7 1' 10/31/2019 330	TT-6 1'	10/31/2019	370
	TT-7 Surface	10/31/2019	ND
TT-8 Surface 10/31/2019 ND	TT-7 1'	10/31/2019	330
•	TT-8 Surface	10/31/2019	ND

TT-8 1' 10/31/2019 260



February 04, 2019

Bob Allen
Safety & Environmental Solutions
703 East Clinton
Hobbs, NM 88240

RE: FAS-19-001

Enclosed are the results of analyses for samples received by the laboratory on 01/30/19 16:53.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

Safety & Environmental Solutions

Bob Allen

703 East Clinton

Hobbs NM, 88240

Fax To: (575) 393-4388

Received:

01/30/2019

Sampling Date:

01/30/2019

Reported:

02/04/2019 FAS-19-001 Sampling Type:

Soil

Project Name: Project Number:

SWD #2

Sampling Condition: Sample Received By: Cool & Intact Jodi Henson

Project Location:

NOT GIVEN

### Sample ID: TT-1 SURFACE (H900346-01)

Chloride,	SM4500CI-B
-----------	------------

ma/ka

Analyzed By: AC

Analyte

Result Reporting Limit

Reporting Limit

16.0

Reporting Limit

Analyzed Method Blank

BS

% Recovery

104

True Value OC RPD

Qualifier

Chloride

30000

16.0 02/02/2019

ND

416

3.77

Qualifiei

### Sample ID: TT-1, 1' (H900346-02)

Analyte

Analyte

Analyte

mg/kg

Analyzed By: AC

% Recovery

Chloride

Result

02/02/2019

Analyzed

Method Blank
ND

BS 416

104

True Value QC 400

400

RPD Qualifier 3.77

Sample ID: TT-1, 2' (H900346-03)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyzed

Analyzed

Method Blank

% Recovery

True Value QC

RPD

Qualifier

Chloride

880

Result

16.0 02/02/2019

ND

BS 416

104

400

3.77

o Quaiii

Sample ID: TT-2 SURFACE (H900346-04)

Chloride, SM4500Cl-B

Analyzed By: AC

By: AC

ND

Qualifier

Chloride

Result **41200** 

Reporting Limit 16.0

.0 02/02/2019

Method Blank

BS 416 % Recovery

True Value QC 400

RPD 3.77

## Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

Page 2 of 8



### Analytical Results For:

Safety & Environmental Solutions

Bob Allen

703 East Clinton Hobbs NM, 88240

Fax To: (575) 393-4388

Received:

01/30/2019

Sampling Date:

01/30/2019

Reported:

02/04/2019

Sampling Type:

Soil

Project Name: Project Number: FAS-19-001 SWD #2

Sampling Condition: Sample Received By: Cool & Intact Jodi Henson

Project Location:

Analyte

Analyte

Analyte

NOT GIVEN

### Sample ID: TT-2, 1' (H900346-05)

Chloride, SN	14500CI-B
--------------	-----------

mg/kg

Analyzed By: AC

BS % Recovery

True Value QC

True Value QC

400

Qualifier

Chloride

Result 1090

02/02/2019 16.0

Analyzed

Analyzed

Analyzed

Analyzed

02/02/2019

Method Blank ND

416

104

400

Sample ID: TT-2A, 1' (H900346-06)

Chloride, SM4500Cl-B

mg/kg

Reporting Limit

Reporting Limit

Reporting Limit

Reporting Limit

16.0

Reporting Limit

16.0

Analyzed By: AC

BS

% Recovery

RPD

3.77

RPD Qualifier

Chloride

128

Result

16.0 02/02/2019 Method Blank ND

416

104

0.00

Sample ID: TT-2 A, 2' (H900346-07)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

% Recovery

True Value QC

Qualifier

Chloride

Result 608

25600

02/02/2019 16.0

Method Blank ND

BS 416

104

400

RPD

0.00

Sample ID: TT-3 SURFACE (H900346-08)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte Result

Method Blank

ND

BS

416

BS

416

% Recovery

104

104

True Value QC

400

**RPD** 0.00 Qualifier

Chloride

Sample ID: TT-3, 1' (H900346-09)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte Result Chloride 1730

Analyzed

02/02/2019

Method Blank

ND

% Recovery

True Value QC

400

RPD

0.00

Qualifier

Cardinal Laboratories

\*=Accredited Analyte

Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



### Analytical Results For:

Safety & Environmental Solutions

Bob Allen

703 East Clinton

Hobbs NM, 88240

Fax To: (575) 393-4388

Received:

01/30/2019

Sampling Date:

01/30/2019

Reported:

02/04/2019

Sampling Type:

Soil

Project Name:

FAS-19-001

Sampling Condition:

Sample Received By:

Cool & Intact Jodi Henson

Project Number: Project Location:

Analyte

Analyte

Analyte

Analyte

SWD #2

NOT GIVEN

Sample ID: TT-4 SURFACE (H900346-10)

Chloride, SM4500Cl-B

Reporting Limit

Analyzed By: AC

BS % Recovery

True Value QC

Qualifier

Chloride

Result 128

Result

02/02/2019 16.0

Analyzed

Analyzed

Method Blank ND

416

104

400

RPD

0.00

0.00

Sample ID: TT-4, 1' (H900346-11)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

BS

% Recovery

Chloride

Reporting Limit 16.0 02/02/2019 112

Reporting Limit

Reporting Limit

16.0

Reporting Limit

16.0

Method Blank ND

416

104

400

True Value QC

RPD Qualifier

Sample ID: TT-4, 2' (H900346-12)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyzed

Method Blank BS % Recovery

True Value QC

RPD

Chloride

Result 272

Result

656

Result

112

02/02/2019 16.0

ND

416

104

400

0.00

Qualifier

Sample ID: TT-5 SURFACE (H900346-13)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

BS % Recovery

True Value QC

**RPD** 

Qualifier

Chloride

Chloride

Analyte

Analyzed By: AC

ND

Method Blank

ND

416

416

104

400

0.00

Qualifier

Sample ID: TT-5, 1' (H900346-14)

Chloride, SM4500Cl-B

mg/kg

Analyzed

02/02/2019

Analyzed

02/02/2019

Method Blank BS

% Recovery

104

True Value QC

400

RPD

0.00

Cardinal Laboratories

\*=Accredited Analyte

Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



### Analytical Results For:

Safety & Environmental Solutions

Bob Allen

703 East Clinton Hobbs NM, 88240

Fax To: (575) 393-4388

Received:

01/30/2019

Sampling Date:

01/30/2019

Reported:

02/04/2019

Sampling Type:

Soil

Project Name:

FAS-19-001

Sampling Condition:

Cool & Intact

Project Number: Project Location: SWD #2 NOT GIVEN Sample Received By:

Jodi Henson

### Sample ID: TT-5, 3' (H900346-15)

Chloride,	SM4500CI-B	

mg/kg

Reporting Limit

16.0

Analyzed By: AC

Analyte Result

Analyzed

BS

% Recovery

True Value QC

Qualifier

RPD

0.00

Chloride

1720

02/02/2019

Method Blank ND

416

104

400

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



### **Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene



# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Safety and Environmental Solutions  Address: 703 East Clinton, PO Box 1613  Same: NM Ziv: 88240  Address: 775 397-0510  Project Mane: Sam John Project Owner:  Project Name: Sal John Project Owner:  Sampler Name: Sal John Name: Sal J
--



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Relinquished By:  Relinquished By:  Time:  Delivered By: (Circle One)  Delivered By: (Circle One)  Sample Condition Cool Intact Cool Intac	Relinquished By:  Relinquished By:  Relinquished By:  Received By:  Received By:  Received By:  Received By:  Received By:  Received By:	PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be finited to the amount paid by the client for the PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising whether based in writing and received by Cardinal within 30 days after completion of the apple analyses. All claims including those for negligence and any other cause whatsover shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the apple analyses. All claims including those for negligence and any other cause whatsover shall be deemed waived unless made in writing and received by Cardinal's expanded in the contract of the apple of the property of the apple of the appl	15 77 6 3	13 47-5 Justace	1247	(G)RAB OR (C)O # CONTAINERS GROUNDWATE WASTEWATER SOIL OIL SLUDGE	DMP.		380 + 1	: $fM_5 -  9 - Obs $ Project Owner:	7-0510 Fax #: 575 393-4388	Hobbs State: NM Zip: 88240	anager: Bob Allen	Safety and Environmental Solutions	57
CHECKED BY:	Fax Result: 1 Yes 13/40   Add'I Fax #:  REMARKS:  OMING: JZONG POZO SCJL, NIM. COM	cable ☐ Yes ☑ No		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1050 1 1050	OTHER: ACID/BASE: ICE / COOL OTHER: DATE	(2) 1 2	Fax #:	Phone #:	State: Zip:	Address:	Attn:	Company: Same	P.O. #:	BILL TO ANALYSIS REQUEST



July 24, 2019

Bob Allen Safety & Environmental Solutions

703 East Clinton Hobbs, NM 88240

RE: FAS-19-001

Enclosed are the results of analyses for samples received by the laboratory on 07/19/19 16:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

Safety & Environmental Solutions

Bob Allen

703 East Clinton

Hobbs NM, 88240

Fax To: (575) 393-4388

Received:

07/19/2019

Sampling Date:

07/18/2019

Reported:

07/24/2019

Sampling Type:

Soil

Project Name: Project Number: FAS-19-001 NONE GIVEN Sampling Condition: Sample Received By: Cool & Intact Tamara Oldaker

Project Location:

LOVINGTON

Sample ID: B - 1, SWD, 0-2' (H902501-01)

Chloride, SM4500Cl-B

Chloride

544

Analyzed By: AC

Analyte

Reporting Limit Result

16.0

Reporting Limit

16.0

16.0

Reporting Limit

16.0

Analyzed Method Blank 07/23/2019

ND

432

BS

% Recovery True Value OC

RPD 3.77

Oualifier

Sample ID: B - 1, SWD, 5-7' (H902501-02)

Chloride, SM4500Cl-B

Analyzed By: AC

108

400

Analyte Chloride

Result 80.0

Analyzed 07/23/2019 Method Blank ND

BS 416

BS

416

% Recovery 104

True Value QC 400

RPD Qualifier

Sample ID: B - 1, SWD, 10-12' (H902501-03)

Chloride, SM4500Cl-B

Analyte

Result

1070

Analyzed By: AC

Reporting Limit Analyzed

07/23/2019

Analyzed

07/23/2019

Method Blank

ND

% Recovery

104

True Value QC 400

RPD 0.00

0.00

Qualifier

Sample ID: B - 1, SWD, 15-17' (H902501-04)

Chloride, SM4500Cl-B

Chloride

mg/kg

Analyzed By: AC

Analyte Result Chloride 608

Method Blank

ND

BS 416 % Recovery 104

True Value QC 400

RPD 0.00 Qualifier

Cardinal Laboratories

\*=Accredited Analyte

Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and In no event shall Cardinal be liable for incidental or consequential damages, any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



### Analytical Results For:

Safety & Environmental Solutions

Bob Allen

703 East Clinton Hobbs NM, 88240

Fax To: (575) 393-4388

Received:

07/19/2019

Sampling Date:

07/18/2019

Reported:

07/24/2019

Sampling Type:

Soil

Project Name:

FAS-19-001 NONE GIVEN Sampling Condition: Sample Received By: Cool & Intact Tamara Oldaker

Project Number: Project Location:

Analyte

Analyte

Analyte

Analyte

LOVINGTON

### Sample ID: B - 1, SWD, 20-22' (H902501-05)

Reporting Limit

Reporting Limit

16.0

Reporting Limit

Reporting Limit

16.0

Analyzed By: AC

% Recovery True Value QC RPD Qualifier

Chloride

Result 320

07/23/2019 16.0

Analyzed

Method Blank ND

BS 416

104

0.00

Sample ID: B - 2, SWD, 0-2' (H902501-06)

Chloride, SM4500Cl-B

Analyzed By: AC

400

True Value QC

400

Chloride

Result 1410

07/23/2019

Analyzed

Method Blank ND

416

BS

RPD 0.00

Qualifier

Sample ID: B - 2, SWD, 5-7' (H902501-07)

Chloride, SM4500Cl-B

Analyzed By: AC

Analyzed

Method Blank

% Recovery

% Recovery

104

True Value QC

RPD

Qualifier

Chloride

368

Result

07/23/2019 16.0

ND

416

BS

104

400

0.00

Sample ID: B - 2, SWD, 10-12' (H902501-08)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Chloride

Result 256

Reporting Limit Analyzed 16.0 07/23/2019 Method Blank ND

BS 416

BS

416

% Recovery 104

% Recovery

104

True Value QC 400

True Value QC

400

RPD 0.00 Qualifier

Sample ID: B - 2, SWD, 15-17' (H902501-09)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte Result Chloride 192

Analyzed

07/23/2019

Method Blank

ND

RPD

0.00

Qualifier

Cardinal Laboratories

\*=Accredited Analyte

Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



### Analytical Results For:

Safety & Environmental Solutions

Bob Allen

703 East Clinton Hobbs NM, 88240

Fax To: (575) 393-4388

Received:

07/19/2019

Sampling Date:

07/18/2019

Reported:

07/24/2019

Sampling Type:

Soil

Project Name:

FAS-19-001 NONE GIVEN

Sampling Condition: Sample Received By: Cool & Intact Tamara Oldaker

Project Number: Project Location:

Analyte

Analyte

Analyte

Analyte

LOVINGTON

### Sample ID: B - 2, SWD, 20-22' (H902501-10)

Chloride, 9	SM4500CI-B
-------------	------------

Analyzed By: AC

Reporting Limit

Reporting Limit

16.0

Reporting Limit

Reporting Limit

16.0

16.0

Analyzed

Method Blank

BS % Recovery True Value QC

Qualifier

Chloride

Result 128

07/23/2019 16.0

ND

416

400

RPD 0.00

### Sample ID: B - 3, SWD, 0-2' (H902501-11)

Analyzed By: AC

BS

% Recovery

104

104

0.00

Chloride

Result 448

Analyzed 07/23/2019

Analyzed

Analyzed

07/23/2019

Analyzed

07/23/2019

Method Blank ND

416

True Value QC 400

RPD Qualifier

Sample ID: B - 3, SWD, 5-7' (H902501-12)

Chloride, SM4500Cl-B

Analyzed By: AC

BS

% Recovery

True Value QC

RPD Qualifier

Chloride

Result 96.0

07/23/2019 16.0

Method Blank ND

416

104

400

Chloride

Chloride

Result

128

272

Method Blank

ND

ND

0.00

Sample ID: B - 3, SWD, 10-12' (H902501-13)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

BS

416

416

% Recovery

104

True Value QC

400

RPD

0.00

0.00

Qualifier

Sample ID: B - 3, SWD, 15-17' (H902501-14)

Chloride, SM4500Cl-B

mg/kg

Analyte Result Reporting Limit Analyzed By: AC

Method Blank BS

% Recovery

104

True Value QC

400

RPD Qualifier

Cardinal Laboratories

\*=Accredited Analyte

Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



### Analytical Results For:

Safety & Environmental Solutions

Bob Allen

703 East Clinton Hobbs NM, 88240

Fax To: (575) 393-4388

Received:

07/19/2019

Sampling Date:

07/18/2019

Reported:

07/24/2019

Sampling Type:

Soil

Project Name: Project Number: FAS-19-001 NONE GIVEN Sampling Condition: Sample Received By: Cool & Intact Tamara Oldaker

RPD

0.00

Qualifier

Project Location:

LOVINGTON

Sample ID: B - 3, SWD, 20-22' (H902501-15)

Chloride, SM4500Cl-B

ma/ka

Analyzed By: AC

Analyte Result Reporting Limit Analyzed Method Blank BS % Recovery True Value QC Chloride 112 16.0 07/23/2019 ND 416 104 400

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene



### **Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Delivered By: (Circle One) 3.6 c #97 cool intact (Initials)  Sampler - UPS - Bus - Other: 4.0 c	Time:	Relinquished By:  Date: Received By:	Time: 40 Slamata William REMARKS:	□ Yes □ No	+ □ Yes ☑ No	analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after competion of the apparatus analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after competion of the apparatus analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after competion of the apparatus analyses.	PI EASE NOTE: liability and Damages. Cardinal's liability and clerit's exclusive remedy for any claim arising whether based in contract or fort, shall'de limited to the amount paid by the client for the	コートーイング、つのこ	9 1 (00)	8254	5 2-45 SW D. O -A.	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 15-17	10-13'	2 1 5-7' 11 1 7 2	102-1580 051 X X X X X X X X X X X X X X X X X X X	# COI GROI WAS' SOIL OIL SLUE OTHI ACID ICE / OTHI	ER : /BASE: COOL	MATRIX PRESERV, SAMPLING	でのマッグと切りこのア Fax#:	Project Location: how in a Phone #:	ame: State: Zip:	Project #: \\ \Project On Project Owner: City:	Phone #: 575 397-0510 Fax #: 575 393-4388 Address:	City: Hobbs State: NM Zip: 88240 Attn:	Address: 703 East Clinton, PO Box 1613 Company: Same	Project Manager: Bob Allen P.O. #:	Environmental Solutions BIHL 10	
			***	□ Yes □ No	· □ Yes	e adpireane	the/	***										Chl					<u>(</u>					ANALYSIS RECOEST	



# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Project Manager: Address: Company Name: Hobbs 703 East Clinton, PO Box 1613 (575) 393-2326 FAX (575) 393-2476 101 East Marland, Hobbs, NM 88240 Safety and Environmental Solutions Bob Allen State: NM Zip: 88240 P.O. #: Attn: Company: Same BILLIO ANALYSIS REQUEST Care

575 397-0510

Fax #: 575 393-4388

Phone #: 5/5	575 397-0510	Fax #: 575 3	575 393-4388	Address:						
Project #: FAS	5-19-001	Project Owner:	•	City:						
Project Name:				State: Zip:						
Project Location:	LOVIN	2000		Phone #:		2				
Sampler Name:	中立こう	1201C	5	Fax #:	0	K.Q				
FOR LAB USE ONLY		9	MATRIX	PRESERV. SAMI	SAMPLING	R )_				
Lab I.D.	Sample I.D.	D	B OR (C)OMI ITAINERS INDWATER EWATER	R: BASE: COOL	Chlo	\ h60	- (9)			
H92501	2	.e.	# CON	OTHE ACID/I ICE / C OTHE	TIME					
11	19 12 12 12 12 12 12 12 12 12 12 12 12 12	A-0-7,	X	カーン/の	10%	X.				
12		3-21	-	- '	1542					
2		10-12			1047					
A		15-17:	_		1251					
2	E.S. CEB	, te-at	(5 I	8/7	X Dail					
							80			
analyses. All claims including analyses. All claims including service. In no event shall Card affiliates or successors arising	Damages. Cardinal's liability and cliel those for negligence and any other calling the liable for incidental or consequent out of or related to the performance of th	nt's exclusive remedy for an ause whatsoever shall be do juental damages, including was of services hereunder by Ca	T-LCAST NVIE: Liability and Lantages. Cardinals lability and client's exclusive trenety for any claim arising whether based in contract or fort, shall be finited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affigures, or successors arising out of or related to the performance of services thereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.	ot or tort, shall be limited to the amount nd received by Cardinal within 30 days , loss of use, or loss of profits incurred n is based upon any of the above stated	t paid by the client for the after completion of the appli by client, its subsidiaries, d reasons or otherwise.	cable	2			
Relinquished By:	)	Date: //9 //9	Received By:	11111	Phone Result:	1	No Add'	Add'I Phone #:		
Relinquished By:	1000	Time:	Received By:	Maken	REMARKS:	5	21	NUU I I QA #.		×
Delivered By: (Circle One)	in	60	**** Sample Condition Cool Intact	tion CHECKED BY: (Initials)	*			# B	8	
Sampler - UPS - Bus - Other:		Cornetted 4.00	4,02 TYPES TYPES	7						



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 08, 2019

Bob Allen Safety & Environmental Solutions PO Box 1613 Hobbs, NM 88241

TEL: (575) 397-0510 FAX (575) 393-4388

RE: Faskin SWD 2 OrderNo.: 1911010

### Dear Bob Allen:

Hall Environmental Analysis Laboratory received 11 sample(s) on 11/1/2019 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

# Analytical Report Lab Order 1911010

Date Reported: 11/8/2019

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Safety & Environmental Solutions Client Sample ID: SP-1 Surface

 Project:
 Faskin SWD 2
 Collection Date: 10/31/2019 9:30:00 AM

 Lab ID:
 1911010-001
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: CJS
Chloride	980	59	mg/Kg	20	11/5/2019 7:08:16 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	41	9.4	mg/Kg	1	11/6/2019 8:55:32 PM	48573
Motor Oil Range Organics (MRO)	89	47	mg/Kg	1	11/6/2019 8:55:32 PM	48573
Surr: DNOP	101	70-130	%Rec	1	11/6/2019 8:55:32 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	11/5/2019 3:34:54 AM	48548
Surr: BFB	98.5	77.4-118	%Rec	1	11/5/2019 3:34:54 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.023	mg/Kg	1	11/5/2019 3:34:54 AM	48548
Toluene	ND	0.046	mg/Kg	1	11/5/2019 3:34:54 AM	48548
Ethylbenzene	ND	0.046	mg/Kg	1	11/5/2019 3:34:54 AM	48548
Xylenes, Total	ND	0.092	mg/Kg	1	11/5/2019 3:34:54 AM	48548
Surr: 4-Bromofluorobenzene	103	80-120	%Rec	1	11/5/2019 3:34:54 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 15

# **Analytical Report**Lab Order **1911010**

Date Reported: 11/8/2019

# Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Safety & Environmental Solutions

**Project:** Faskin SWD 2

**Lab ID:** 1911010-002

Client Sample ID: SP-2 Surface

**Collection Date:** 10/31/2019 9:45:00 AM

**Received Date:** 11/1/2019 9:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: CJS
Chloride	1800	60	mg/Kg	20	11/5/2019 7:20:36 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	73	9.7	mg/Kg	1	11/6/2019 9:19:37 PM	48573
Motor Oil Range Organics (MRO)	150	48	mg/Kg	1	11/6/2019 9:19:37 PM	48573
Surr: DNOP	107	70-130	%Rec	1	11/6/2019 9:19:37 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/5/2019 3:58:28 AM	48548
Surr: BFB	93.1	77.4-118	%Rec	1	11/5/2019 3:58:28 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	11/5/2019 3:58:28 AM	48548
Toluene	ND	0.047	mg/Kg	1	11/5/2019 3:58:28 AM	48548
Ethylbenzene	ND	0.047	mg/Kg	1	11/5/2019 3:58:28 AM	48548
Xylenes, Total	ND	0.095	mg/Kg	1	11/5/2019 3:58:28 AM	48548
Surr: 4-Bromofluorobenzene	98.1	80-120	%Rec	1	11/5/2019 3:58:28 AM	48548

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 15

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Safety & Environmental Solutions Client Sample ID: SP-3 Surface

 Project:
 Faskin SWD 2
 Collection Date: 10/31/2019 10:05:00 AM

 Lab ID:
 1911010-003
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: CJS
Chloride	1800	60	mg/Kg	20	11/5/2019 7:32:57 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	: BRM
Diesel Range Organics (DRO)	73	9.6	mg/Kg	1	11/6/2019 9:43:31 PM	48573
Motor Oil Range Organics (MRO)	170	48	mg/Kg	1	11/6/2019 9:43:31 PM	48573
Surr: DNOP	104	70-130	%Rec	1	11/6/2019 9:43:31 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/5/2019 4:22:01 AM	48548
Surr: BFB	93.2	77.4-118	%Rec	1	11/5/2019 4:22:01 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	11/5/2019 4:22:01 AM	48548
Toluene	ND	0.048	mg/Kg	1	11/5/2019 4:22:01 AM	48548
Ethylbenzene	ND	0.048	mg/Kg	1	11/5/2019 4:22:01 AM	48548
Xylenes, Total	ND	0.096	mg/Kg	1	11/5/2019 4:22:01 AM	48548
Surr: 4-Bromofluorobenzene	98.3	80-120	%Rec	1	11/5/2019 4:22:01 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 15

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Safety & Environmental Solutions Client Sample ID: TT-3 1.5Ft

 Project:
 Faskin SWD 2
 Collection Date: 10/31/2019 12:25:00 PM

 Lab ID:
 1911010-004
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	CJS
Chloride	270	60		mg/Kg	20	11/5/2019 7:45:17 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst	BRM
Diesel Range Organics (DRO)	170	99		mg/Kg	10	11/5/2019 7:51:08 PM	48573
Motor Oil Range Organics (MRO)	550	500		mg/Kg	10	11/5/2019 7:51:08 PM	48573
Surr: DNOP	0	70-130	S	%Rec	10	11/5/2019 7:51:08 PM	48573
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	11/5/2019 1:41:06 AM	48548
Surr: BFB	93.7	77.4-118		%Rec	1	11/5/2019 1:41:06 AM	48548
EPA METHOD 8021B: VOLATILES						Analyst	: NSB
Benzene	ND	0.025		mg/Kg	1	11/5/2019 1:41:06 AM	48548
Toluene	ND	0.049		mg/Kg	1	11/5/2019 1:41:06 AM	48548
Ethylbenzene	ND	0.049		mg/Kg	1	11/5/2019 1:41:06 AM	48548
Xylenes, Total	ND	0.099		mg/Kg	1	11/5/2019 1:41:06 AM	48548
Surr: 4-Bromofluorobenzene	87.1	80-120		%Rec	1	11/5/2019 1:41:06 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 15

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Safety & Environmental Solutions Client Sample ID: TT-5 1.5Ft

 Project:
 Faskin SWD 2
 Collection Date: 10/31/2019 12:45:00 PM

 Lab ID:
 1911010-005
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	CJS
Chloride	580	60	mg/Kg	20	11/5/2019 7:57:37 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	37	9.6	mg/Kg	1	11/6/2019 10:07:32 PM	48573
Motor Oil Range Organics (MRO)	220	48	mg/Kg	1	11/6/2019 10:07:32 PM	48573
Surr: DNOP	122	70-130	%Rec	1	11/6/2019 10:07:32 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/5/2019 2:04:01 AM	48548
Surr: BFB	95.6	77.4-118	%Rec	1	11/5/2019 2:04:01 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.024	mg/Kg	1	11/5/2019 2:04:01 AM	48548
Toluene	ND	0.047	mg/Kg	1	11/5/2019 2:04:01 AM	48548
Ethylbenzene	ND	0.047	mg/Kg	1	11/5/2019 2:04:01 AM	48548
Xylenes, Total	ND	0.095	mg/Kg	1	11/5/2019 2:04:01 AM	48548
Surr: 4-Bromofluorobenzene	89.5	80-120	%Rec	1	11/5/2019 2:04:01 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 15

Client Sample ID: TT-6 Surface

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Safety & Environmental Solutions

 Project:
 Faskin SWD 2
 Collection Date: 10/31/2019 1:30:00 PM

 Lab ID:
 1911010-006
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: CJS
Chloride	ND	60	mg/Kg	20	11/5/2019 8:09:58 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	11/5/2019 8:09:36 PM	48573
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	11/5/2019 8:09:36 PM	48573
Surr: DNOP	85.1	70-130	%Rec	1	11/5/2019 8:09:36 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/5/2019 2:26:56 AM	48548
Surr: BFB	96.2	77.4-118	%Rec	1	11/5/2019 2:26:56 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	11/5/2019 2:26:56 AM	48548
Toluene	ND	0.047	mg/Kg	1	11/5/2019 2:26:56 AM	48548
Ethylbenzene	ND	0.047	mg/Kg	1	11/5/2019 2:26:56 AM	48548
Xylenes, Total	ND	0.095	mg/Kg	1	11/5/2019 2:26:56 AM	48548
Surr: 4-Bromofluorobenzene	89.9	80-120	%Rec	1	11/5/2019 2:26:56 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 15

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Safety & Environmental Solutions

**Project:** Faskin SWD 2 **Lab ID:** 1911010-007

Matrix: SOIL

Collection Date: 10/31/2019 1:35:00 PM Received Date: 11/1/2019 9:00:00 AM

Client Sample ID: TT-6 1Ft

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: CJS
Chloride	370	60	mg/Kg	20	11/5/2019 8:22:19 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	11/5/2019 8:18:48 PM	48573
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/5/2019 8:18:48 PM	48573
Surr: DNOP	87.1	70-130	%Rec	1	11/5/2019 8:18:48 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/5/2019 2:49:51 AM	48548
Surr: BFB	97.8	77.4-118	%Rec	1	11/5/2019 2:49:51 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	11/5/2019 2:49:51 AM	48548
Toluene	ND	0.049	mg/Kg	1	11/5/2019 2:49:51 AM	48548
Ethylbenzene	ND	0.049	mg/Kg	1	11/5/2019 2:49:51 AM	48548
Xylenes, Total	ND	0.097	mg/Kg	1	11/5/2019 2:49:51 AM	48548
Surr: 4-Bromofluorobenzene	92.2	80-120	%Rec	1	11/5/2019 2:49:51 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range
outing Limit Page 7 of 15

Client Sample ID: TT-7 Surface

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Safety & Environmental Solutions

 Project:
 Faskin SWD 2
 Collection Date: 10/31/2019 1:45:00 PM

 Lab ID:
 1911010-008
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL Q	ual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	CJS
Chloride	ND	60	mg/Kg	20	11/5/2019 8:59:21 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst	: BRM
Diesel Range Organics (DRO)	25	9.4	mg/Kg	1	11/6/2019 10:55:27 PM	48573
Motor Oil Range Organics (MRO)	90	47	mg/Kg	1	11/6/2019 10:55:27 PM	48573
Surr: DNOP	92.3	70-130	%Rec	1	11/6/2019 10:55:27 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/5/2019 3:12:43 AM	48548
Surr: BFB	93.3	77.4-118	%Rec	1	11/5/2019 3:12:43 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	11/5/2019 3:12:43 AM	48548
Toluene	ND	0.047	mg/Kg	1	11/5/2019 3:12:43 AM	48548
Ethylbenzene	ND	0.047	mg/Kg	1	11/5/2019 3:12:43 AM	48548
Xylenes, Total	ND	0.095	mg/Kg	1	11/5/2019 3:12:43 AM	48548
Surr: 4-Bromofluorobenzene	87.6	80-120	%Rec	1	11/5/2019 3:12:43 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

e pH Not In Range ting Limit Page 8 of 15

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Safety & Environmental Solutions Client Sample ID: TT-7 1Ft

**Project:** Faskin SWD 2
 Collection Date: 10/31/2019 1:50:00 PM

 **Lab ID:** 1911010-009
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL (	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: CJS
Chloride	330	60	mg/Kg	20	11/5/2019 9:11:42 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst	BRM
Diesel Range Organics (DRO)	15	9.3	mg/Kg	1	11/6/2019 11:19:22 PM	48573
Motor Oil Range Organics (MRO)	47	46	mg/Kg	1	11/6/2019 11:19:22 PM	48573
Surr: DNOP	92.0	70-130	%Rec	1	11/6/2019 11:19:22 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/5/2019 3:35:34 AM	48548
Surr: BFB	95.2	77.4-118	%Rec	1	11/5/2019 3:35:34 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	11/5/2019 3:35:34 AM	48548
Toluene	ND	0.049	mg/Kg	1	11/5/2019 3:35:34 AM	48548
Ethylbenzene	ND	0.049	mg/Kg	1	11/5/2019 3:35:34 AM	48548
Xylenes, Total	ND	0.099	mg/Kg	1	11/5/2019 3:35:34 AM	48548
Surr: 4-Bromofluorobenzene	90.0	80-120	%Rec	1	11/5/2019 3:35:34 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 15

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Safety & Environmental Solutions Client Sample ID: TT-8 Surface

**Project:** Faskin SWD 2
 Collection Date: 10/31/2019 1:55:00 PM

 **Lab ID:** 1911010-010
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: CJS
Chloride	ND	60	mg/Kg	20	11/5/2019 9:24:02 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	15	9.4	mg/Kg	1	11/6/2019 11:43:23 PM	48573
Motor Oil Range Organics (MRO)	63	47	mg/Kg	1	11/6/2019 11:43:23 PM	48573
Surr: DNOP	99.4	70-130	%Rec	1	11/6/2019 11:43:23 PM	48573
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/5/2019 9:59:08 AM	48548
Surr: BFB	101	77.4-118	%Rec	1	11/5/2019 9:59:08 AM	48548
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	11/5/2019 9:59:08 AM	48548
Toluene	ND	0.048	mg/Kg	1	11/5/2019 9:59:08 AM	48548
Ethylbenzene	ND	0.048	mg/Kg	1	11/5/2019 9:59:08 AM	48548
Xylenes, Total	ND	0.095	mg/Kg	1	11/5/2019 9:59:08 AM	48548
Surr: 4-Bromofluorobenzene	105	80-120	%Rec	1	11/5/2019 9:59:08 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 15

Date Reported: 11/8/2019

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Safety & Environmental Solutions Client Sample ID: TT-8 1Ft

**Project:** Faskin SWD 2
 Collection Date: 10/31/2019 2:05:00 PM

 **Lab ID:** 1911010-011
 Matrix: SOIL
 Received Date: 11/1/2019 9:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: CJS
Chloride	260	60		mg/Kg	20	11/5/2019 9:36:23 PM	48597
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS					Analyst	BRM
Diesel Range Organics (DRO)	160	96		mg/Kg	10	11/5/2019 8:55:32 PM	48573
Motor Oil Range Organics (MRO)	560	480		mg/Kg	10	11/5/2019 8:55:32 PM	48573
Surr: DNOP	0	70-130	S	%Rec	10	11/5/2019 8:55:32 PM	48573
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	11/5/2019 10:22:53 AM	48548
Surr: BFB	97.6	77.4-118		%Rec	1	11/5/2019 10:22:53 AM	48548
EPA METHOD 8021B: VOLATILES						Analyst	: NSB
Benzene	ND	0.024		mg/Kg	1	11/5/2019 10:22:53 AM	48548
Toluene	ND	0.048		mg/Kg	1	11/5/2019 10:22:53 AM	48548
Ethylbenzene	ND	0.048		mg/Kg	1	11/5/2019 10:22:53 AM	48548
Xylenes, Total	ND	0.097		mg/Kg	1	11/5/2019 10:22:53 AM	48548
Surr: 4-Bromofluorobenzene	98.1	80-120		%Rec	1	11/5/2019 10:22:53 AM	48548

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 15

## **QC SUMMARY REPORT**

### Hall Environmental Analysis Laboratory, Inc.

WO#: **1911010** 

08-Nov-19

Client: Safety & Environmental Solutions

**Project:** Faskin SWD 2

Sample ID: MB-48597 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 48597 RunNo: 64258

Prep Date: 11/5/2019 Analysis Date: 11/5/2019 SeqNo: 2199039 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-48597 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 48597 RunNo: 64258

Prep Date: 11/5/2019 Analysis Date: 11/5/2019 SeqNo: 2199040 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 15 1.5 15.00 0 98.3 90 110

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 15

### **OC SUMMARY REPORT**

### Hall Environmental Analysis Laboratory, Inc.

WO#: **1911010** 

08-Nov-19

Client: Safety & Environmental Solutions

**Project:** Faskin SWD 2

Sample ID: LCS-48544 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 48544 RunNo: 64236

Prep Date: 11/1/2019 Analysis Date: 11/5/2019 SeqNo: 2198276 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: DNOP 4.6 5.000 91.7 70 130

Sample ID: MB-48544 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 48544 RunNo: 64236

Prep Date: 11/1/2019 Analysis Date: 11/5/2019 SeqNo: 2198277 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: DNOP 10 10.00 99.5 70 130

Sample ID: LCS-48573 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 48573 RunNo: 64236

Prep Date: 11/4/2019 Analysis Date: 11/5/2019 SeqNo: 2199139 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 45 10 50.00 0 90.7 63.9 124 5.000 Surr: DNOP 2.8 56.6 70 130 S

Sample ID: MB-48573 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 48573 RunNo: 64236

Prep Date: 11/4/2019 Analysis Date: 11/5/2019 SeqNo: 2199141 Units: mq/Kq

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10

Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 7.1 10.00 71.1 70 130

### Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 15

### **OC SUMMARY REPORT**

### Hall Environmental Analysis Laboratory, Inc.

WO#: 1911010 08-Nov-19

Client:

Safety & Environmental Solutions

**Project:** 

Faskin SWD 2

Sample ID: RB

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS

Batch ID: G64209

RunNo: 64209

Prep Date: Analysis Date: 11/4/2019

SeqNo: 2197088 Units: %Rec

77.4

Analyte Surr: BFB Result 1000 SPK value SPK Ref Val %REC 102

LowLimit HighLimit

%RPD **RPDLimit** Qual

Sample ID: 2.5UG GRO LCS

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS

Batch ID: G64209

RunNo: 64209

Analysis Date: 11/4/2019

SeqNo: 2197089 Units: %Rec

LowLimit

Analyte

Prep Date:

SPK value SPK Ref Val Result PQL

%REC

%RPD HighLimit

118

**RPDLimit** 

Surr: BFB

1100

Result

ND

930

1000

1000

114

77.4 118

Qual

Sample ID: MB-48548

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

77.4

Prep Date: 11/1/2019

Client ID: PBS

Batch ID: 48548 Analysis Date: 11/4/2019 RunNo: 64208 SeqNo: 2197177

Units: mg/Kg HighLimit

Qual

Analyte Gasoline Range Organics (GRO) PQL 5.0 SPK value SPK Ref Val %REC LowLimit

1000

1000

1000

1000

%RPD

%RPD

**RPDLimit** 

**RPDLimit** 

Sample ID: LCS-48548

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS

Prep Date: 11/1/2019

Batch ID: 48548

RunNo: 64208

93.3

118

Surr: BFB

Analysis Date: 11/4/2019

SeqNo: 2197179

Units: mg/Kg

Analyte

PQL SPK value SPK Ref Val Result 23 5.0 25.00

%REC 91.2

HighLimit LowLimit 80

Gasoline Range Organics (GRO) Surr: BFB

1100

77.4

120 118

Sample ID: MB-48579

SampType: MBLK Batch ID: 48579

RunNo: 64244

106

TestCode: EPA Method 8015D: Gasoline Range

Client ID: Prep Date:

PRS 11/4/2019

Analysis Date: 11/5/2019

SeqNo: 2198527

%REC

Units: %Rec HighLimit

Qual

Qual

Surr: BFB

Analyte

Sample ID: LCS-48579

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

SPK value SPK Ref Val

103 77.4

LowLimit

**RPDLimit** 

Client ID: LCSS

Batch ID: 48579

Result

1000

RunNo: 64244

77.4

Units: %Rec

HighLimit

118

Analyte

Prep Date: 11/4/2019

PQL Result

1100

Analysis Date: 11/5/2019 SPK value SPK Ref Val %REC

SeqNo: 2198528 LowLimit

106

%RPD

%RPD

**RPDLimit** Qual

Surr: BFB

Qualifiers:

Value exceeds Maximum Contaminant Level D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded Н Not Detected at the Reporting Limit

Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits Sample pH Not In Range Reporting Limit

RL

Page 14 of 15

PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

## **QC SUMMARY REPORT**

## Hall Environmental Analysis Laboratory, Inc.

WO#: **1911010** 

08-Nov-19

Client: Safety & Environmental Solutions

**Project:** Faskin SWD 2

Sample ID: <b>MB-48548</b>	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batch	n ID: 48	548	F	tunNo: 6	4208				
Prep Date: 11/1/2019	Analysis D	Analysis Date: 11/4/2019 SeqNo: 2197220 Units: mg/Kg				(g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.97		1.000		97.0	80	120			

Sample ID: LCS-48548	Sampl	ype: <b>LC</b>	S	Tes						
Client ID: LCSS	Batcl	h ID: 48	548	F	RunNo: 6	4208				
Prep Date: 11/1/2019	Analysis Date: 11/4/2019			S	SeqNo: 2	197221	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	100	80	120			
Toluene	1.0	0.050	1.000	0	103	80	120			
Ethylbenzene	1.0	0.050	1.000	0	101	80	120			
Xylenes, Total	3.1	0.10	3.000	0	102	80	120			
Surr: 4-Bromofluorobenzene	0.99		1.000		99.2	80	120			

Sample ID: MB-48579	SampT	ype: Mi	BLK	Test	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batch	ID: 48	579	R	RunNo: 64	4244				
Prep Date: 11/4/2019	Analysis D	ate: <b>1</b> ′	1/5/2019	S	SeqNo: 2	198574	Units: %Rec	;		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120			

Sample ID: LCS-48579	SampT	ype: LC	cs	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch	n ID: 48	579	F	RunNo: 6	4244						
Prep Date: 11/4/2019	Analysis D	ate: 1	1/5/2019	S	SeqNo: 2	198575	Units: %Red	;				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Surr. 4-Bromofluorobenzene	1 1		1 000		100	80	120					

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 15



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

## Sample Log-In Check List

Client Name:	Safety Env Solutions	Work Order Nun	nber: 1911010		RcptNo:	1
Received By:	Juan Raias	11/1/2019 9:00:00	АМ			
Completed By:	Erin Melendrez	11/1/2019 10:36:0	1 AM	ing		
Reviewed By:	DAD 11/1/19					
Chain of Cus	stody					
1. Is Chain of C	Custody complete?		Yes 🗸	No 🗌	Not Present	
2. How was the	e sample delivered?		Courier			
Log In						
	mpt made to cool the sample	es?	Yes 🗸	No 🗌	NA 🗌	
4. Were all sam	ples received at a temperate	ure of >0° C to 6.0°C	Yes 🗸	No 🗌	NA 🗆	
5. Sample(s) in	proper container(s)?		Yes 🗸	No 🗌		
6. Sufficient san	nple volume for indicated tes	st(s)?	Yes 🗸	No 🗌		
7. Are samples	(except VOA and ONG) prop	perly preserved?	Yes 🗸	No 🗌		
8. Was preserva	ative added to bottles?		Yes	No 🗸	NA 🗆	
9. VOA vials hav	ve zero headspace?		Yes	No 🗌	No VOA Vials 🗹	
0. Were any sar	mple containers received bro	oken?	Yes	No 🗹		
					# of preserved bottles checked	
	ork match bottle labels?		Yes 🗸	No 🗆	for pH:	
	ancies on chain of custody) correctly identified on Chain	of Custodis	v .		(<2 or Adjusted?	>12 unless noted)
	it analyses were requested?	of Custody?	Yes 🗹	No 🗌	Adjusted:	
	ing times able to be met?		Yes 🗸	No □ No □	Checked by:	MALLER
	ustomer for authorization.)		Yes 🗹	No 📙	Offecked by.	
pecial Handl	ling (if applicable)					
5. Was client no	otified of all discrepancies wi	th this order?	Yes	No 🗌	NA 🗹	
Person	Notified:	Date	. I was a superior and the superior and			
By Who	om:	Via:		hone  Fax	In Person	
Regard	ing:	TARIS STATE OF THE PROPERTY AND ADDRESS OF THE PROPERTY OF THE		No. of Contrast of		
Client I	nstructions:			Mary Company of the C	CONTRACTOR OF CO	
6. Additional re	marks:				**************************************	
7. Cooler Infor	mation					
Cooler No		Seal Intact   Seal No	Seal Date	Signed By		
1		res	934, Data	eigniou by		

Received by OCD: 4/15/2020	1:07:51 PM		Page 51 of 60
HALL ENVIRONMENTAL ANALYSIS LABORATORY www.hallenvironmental.com 4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107 Analysis Request	EDB (Method 504.1) PAHs by 8310 or 8270SIMS RCRA 8 Metals CI, F, Br, NO <sub>3</sub> , NO <sub>2</sub> , PO <sub>4</sub> , SO <sub>4</sub> 8260 (VOA) B270 (Semi-VOA) Total Coliform (Present/Absent)	8	b-contracted data will be clearly notated on the analytical report.
4901 H	8081 Pesticides/8082 PCB's		. Any su
4	BTEX / MTBE / TMB's (8021) (OAM / OAO / OAD)03:N91		ossibility
Id Time: Aush  rd Rush  ne: AMSKN  NO # 2  S- 19-00 1		-007 -007 -007 -007 -009 -009 -009 -009	Via: 10/3/19 Here of Via: Date Time of Time of this raccredited laboratories. This serves as notice of this
Turn-Around Time:  Standard  Project Name:  Project #:	Sampler:  Sampler:  On Ice:  Cooler Temp(inct)  Container  Twe and #  Twe and #  Twe	I ype and #	Received by
Client: Selection Client: Selection Client: Selection Wearing Address: 703 C. Charles Hone #: 575-397-0510	email or Fax#:  QA/QC Package:  CAStandard  Accreditation:	Time: Religiushe	Date: Time: Relinquished by:   Received by:   Rec

## PERMIAN BASIN ENVIRONMENTAL LAB, LP 1400 Rankin Hwy Midland, TX 79701



# Analytical Report

### **Prepared for:**

Aaron Pachlhofer
Fasken Oil & Ranch, Ltd.
6101 Holiday Hill Road
Midland, TX 79707

Project: Denton NO.2 SWD
Project Number: [none]
Location: Lovington, NM

Lab Order Number: 0D06001



NELAP/TCEQ # T104704516-18-9

Report Date: 04/13/20

Fax: 43-687-1570

Fasken Oil & Ranch, Ltd. Project: Denton NO.2 SWD

6101 Holiday Hill Road Project Number: [none]

Midland TX, 79707 Project Manager: Aaron Pachlhofer

### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TT-5a	0D06001-01	Soil	04/02/20 13:01	04-03-2020 16:00

6101 Holiday Hill Road Project Number: [none]

Midland TX, 79707 Project Manager: Aaron Pachlhofer

TT-5a 0D06001-01 (Soil)

		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

#### Permian Basin Environmental Lab, L.P.

**General Chemistry Parameters by EPA / Standard Methods** 

Chloride	499	1.22	mg/kg dry	1	P0D0705	04/07/20	04/07/20	EPA 300.0
% Moisture	18.0	0.1	%	1	P0D0703	04/07/20	04/07/20	ASTM D2216

Fasken Oil & Ranch, Ltd. Project: Denton NO.2 SWD

6101 Holiday Hill Road Project Number: [none]

Midland TX, 79707 Project Manager: Aaron Pachlhofer

Fax: 43-687-1570

# General Chemistry Parameters by EPA / Standard Methods - Quality Control Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes	
	100011	Ziiiit	- Cimio	20.01	100011	,,,,,,,,	2		2	110100	
Batch P0D0703 - *** DEFAULT PREP ***											
Blank (P0D0703-BLK1)				Prepared &	k Analyzed:	04/07/20					
% Moisture	ND	0.1	%								
Duplicate (P0D0703-DUP1)	Sour	rce: 0D06004-	20	Prepared & Analyzed: 04/07/20							
% Moisture	10.0		10.0			0.00	20				
Duplicate (P0D0703-DUP2)	Sour	rce: 0D06005-	30	Prepared &	& Analyzed:	04/07/20					
% Moisture	12.0	0.1	%		11.0			8.70	20		
Duplicate (P0D0703-DUP3)	Sour	rce: 0D06005-	.03	Prepared & Analyzed		: 04/07/20					
% Moisture	9.0	0.1	%			0.00	20				
Duplicate (P0D0703-DUP4)	Sour	rce: 0D06006-	14	Prepared &	& Analyzed:	: 04/07/20					
% Moisture	7.0	0.1	%		7.0			0.00	20		
Duplicate (P0D0703-DUP5)	Sour	rce: 0D06007-	-13	Prepared &	Prepared & Analyzed: 04/07/20						
% Moisture	12.0	0.1	%		9.0			28.6	20	R	
Duplicate (P0D0703-DUP6)	Sour	rce: 0D06012-	05	Prepared &	& Analyzed:	: 04/07/20					
% Moisture	1.0	0.1	%		1.0			0.00	20		
Duplicate (P0D0703-DUP7)	Sour	rce: 0D06012-	14	Prepared &	& Analyzed:	: 04/07/20					
% Moisture	ND	0.1	%		ND				20		
Batch P0D0705 - *** DEFAULT PREP ***											
Blank (P0D0705-BLK1)				Prepared &	& Analyzed:	: 04/07/20					
Chloride	ND	0.100	mg/kg we	et							

6101 Holiday Hill Road Project Number: [none]

Midland TX, 79707 Project Manager: Aaron Pachlhofer

General Chemistry Parameters by EPA / Standard Methods - Quality Control Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P0D0705 - *** DEFAULT PREP ***										
LCS (P0D0705-BS1)				Prepared &	Analyzed:	04/07/20				
Chloride	402	1.00	mg/kg wet	400		101	80-120			
LCS Dup (P0D0705-BSD1)				Prepared &	Analyzed:	04/07/20				
Chloride	411	1.00	mg/kg wet	400		103	80-120	2.23	20	
Calibration Blank (P0D0705-CCB1)				Prepared &	z Analyzed:	04/07/20				
Chloride	0.00		mg/kg wet							
Calibration Blank (P0D0705-CCB2)				Prepared &	Analyzed:	04/07/20				
Chloride	0.00		mg/kg wet							
Calibration Check (P0D0705-CCV1)				Prepared &	Analyzed:	04/07/20				
Chloride	20.8		mg/kg	20.0		104	0-200			
Calibration Check (P0D0705-CCV2)				Prepared &	Analyzed:	04/07/20				
Chloride	20.5		mg/kg	20.0		103	0-200			
Calibration Check (P0D0705-CCV3)				Prepared: (	04/07/20 A	nalyzed: 04	/08/20			
Chloride	20.7		mg/kg	20.0		104	0-200			
Matrix Spike (P0D0705-MS1)	Sou	rce: 0D03009	9-29	Prepared &	Analyzed:	04/07/20				
Chloride	2440	5.68	mg/kg dry	568	1670	137	80-120			QM-07
Matrix Spike (P0D0705-MS2)	Sou	rce: 0D06003	3-01	Prepared &	Analyzed:	04/07/20				
Chloride	73.8	10.2	mg/kg dry	1020	1890	NR	80-120			QM-07
Matrix Spike Dup (P0D0705-MSD1)	Sou	rce: 0D03009	9-29	Prepared &	z Analyzed:	04/07/20				
Chloride	2390	5.68	mg/kg dry	568	1670	126	80-120	2.42	20	QM-07

6101 Holiday Hill Road Project Number: [none]

Midland TX, 79707 Project Manager: Aaron Pachlhofer

# General Chemistry Parameters by EPA / Standard Methods - Quality Control Permian Basin Environmental Lab, L.P.

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch P0D0705 - \*\*\* DEFAULT PREP \*\*\*

Matrix Spike Dup (P0D0705-MSD2)	Source	e: 0D06003-01	Prepared &	Analyzed:	04/07/20				
Chloride	2680	10.2 mg/kg dry	1020	1890	77 1	80-120	189	20	OM-07

6101 Holiday Hill Road Project Number: [none]

Midland TX, 79707 Project Manager: Aaron Pachlhofer

#### **Notes and Definitions**

ROI Received on Ice

R2 The RPD exceeded the acceptance limit.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS

recovery.

BULK Samples received in Bulk soil containers

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

LCS Laboratory Control Spike

MS Matrix Spike

Dup Duplicate

	Drew	Darron			
Report Approved By:			Date:	4/13/2020	

Brent Barron, Laboratory Director/Technical Director

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-686-7235.

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

6101 Holiday Hill Road Project Number: [none]

Midland TX, 79707 Project Manager: Aaron Pachlhofer

The second secon	Relinquished by:	Keinquisned by:	Ma and Motor	Special instructions:									77-50	EAS # (lab use only)	(lab use only)  ORDER #; 0\000(\phi000)	Sampler Signature:	Telephone No:	City/State/Zip:	Company Address:	Company Name	Project Manager:	128335213
	Date	Date	#3/20	TO THE PARTY OF TH										m		1				Tasken	Ancon	CHAIN O
	Time	Time	16:00							_				Beginning Depth		M				7	00	F CUST
200	Reveryed by PBE1:	Received by:											4/2/20	Ending Depth  Date Sampled		M				2.1 + 12	1 1/2 of	CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST Permian Bas 1400 Reprin
	$\hat{\zeta}$												13:01	Time Sampled		e-mail:	Fax No:	, market		anch	1	DANALYS
	ر	:				_	$\top$	╁	$\vdash$	$\vdash$	-	╁	-	Field Filtered	-	Ħ.	9				₹.	SIS A
S														Total #, of Containers	┪	1.	1				Midland, Texas 79701	REQUEST Permian Basin Environmo
Shirt Park	\		i										X	Ice	$\Box$	20					nd,	
						_	_		_	<u> </u>	L	<u> </u>		HNO <sub>3</sub>	Preservation & # of (	1					Texa	
X 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	200				_	$\perp$	_	-		<b> </b>		<u> </u>		HOI	rvatio	3	1				š :	
		ı			$\dashv$	-	+	┼	├			_	<u> </u>	H <sub>2</sub> SO <sub>4</sub>		6					970	` <u>                                    </u>
25000		-				$\dashv$		+	<del> </del>	-	_	ļ		NaOH		2					_	me
200	7.					+		+	├	-	<u> </u>	├		Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	ontainers	$\sum$	İ					ental Lab, LP
	3 5	D	٥		_	$\dashv$	_	+-	$\vdash$	-		<del> </del> -	H	Other (Specify)	-   <sup>©</sup>	62						<del>a</del>
	, ä	Date	Date					1						DW=Drinking Water SL=Sludge	+-	1	í					5
CU	all ore												M	GW = Groundwater S=Soli/Solid	Matrix	6	Rep					
70	3	╛	⊒		-+	+	_	-						NP=Non-Potable Specify Other	<u>                                     </u>	79	Report Format:		<u>ত</u>		0	
	3 8	Time	Time		-+	+		+	-	H		-		TPH: TX 1005 TX 1006 Anions (C) SO4, Alkalinity)		γ	E C	•	<u>o</u>	Po	<u>o</u>	r
H	ੜਾਵਾ	ပ္သ	995	585	-+	$\dashv$		1:		Н			$\Delta$	Anions (C) SO4, Alkalinity) BTEX 60218/5030 or BTEX 820	80		ř.	PO #:	Project Loc:	Project#:	Project Name:	
Adjusted	Temperatur Received 5	ample Hand D by Sampled	g g F	0 <b>4</b> 5	7	~+	╁	$\vdash$							— <u> </u> _			; <del>**</del> 	Ω	.# 	<u>P</u>	
9	He H			g & g			T								TOTAL:						7	
Ų	\is		7 t 8	⊊∰β[													Standard		Ž		6	身
V	Temperature Upon Receipt Received '4' 3' °C	nple Hand Delivered by Sample / Clent Rep.	8	Laboratory Comments: Sample Containers imast? VOCs Free of Headspace?											Analy	-	ā		),		4	one
	- E	7 7 E		₹ ₹	4	_ _	$\bot$								7			1	2 70%	:	ځ	<u></u>
°C Facto	o g	-5	abes on container(s) Custody seals on container(s) Custody seals on container(s)	8 8	_		_								1 1 1				,	Į		?-68
O.	$\mathbf{R}$					+											TRRP	1	•		2	Phone: 432-686-7235
g	Ψ.	اليارا			$\dashv$	+	+		$\dashv$	$\vdash \vdash$			-				<b>ס</b> ר				0,	မ္
		$\langle \langle \cdot \rangle$	< < <	₹ <b>%</b> 5	$\dashv$	- -	+	╀┈┤									_	<b> </b>	1		8	
á	E				+	+	+			$\dashv$			-				NPDES		_	1		
	đ C	, <b>z</b> z ;	222	22	十	$\neg$	1			-	$\dashv$			RUSH TAT (Pre-Schedule) 24,	48, 72 hrs	1	PDE			]5	<u>ک</u>	
		3.4							$\dashv$			寸	_	Standard TAT		#	o				(	
																	ı	I	۲	Pa	ge 9 c	f 9