



Souder, Miller & Associates ♦ 201 S. Halagueno St. ♦ Carlsbad, NM 88220
(575) 689-8801

May 25, 2020

#5E28980-BG4

NMOCD District 1
1625 N. French Drive
Hobbs, New Mexico 88240

SUBJECT: Remediation Closure Report for the Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB Release (NRM2006340822) in Lea County, New Mexico

To Whom it May Concern:

On behalf of Marathon Oil Permian LLC, Souder, Miller & Associates (SMA) has prepared this Remediation Closure Report that describes the remediation of a release of liquids related to oil and gas production activities at the Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB site. The site is in Unit A, Section 26, Township 24S Range 34E, Lea County, New Mexico, on Private land. Figure 1 illustrates the vicinity and site location on an USGS 7.5 minute quadrangle map.

Table 1 summarizes release information and Closure Criteria.

Table 1: Release Information and Closure Criteria			
Name	Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB	Company	Marathon Oil Permian LLC
API Number	N/A	Location	32.19502018 -103.43590735
Incident Number	NRM2006340822		
Estimated Date of Release	February 27, 2020	Date Reported to NMOCD	February 27, 2020
Landowner	Private	Reported To	NMOCD
Source of Release	Gasket failure on heater treater		
Released Volume	91.58 bbls	Released Material	Crude Oil
Recovered Volume	85	Net Release	6.58
NMOCD Closure Criteria	>100 feet to groundwater		
SMA Response Dates	4/27-5/1/2020		

1.0 Background

On February 27, 2020, a release was discovered at the Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB site due to a gasket failure on the heater treater. Initial response activities were conducted by Wescom, and included the scraping of 2-3 inches of material off of the impacted pad and pasture, recovery of approximately 85 barrels of fluid. Figure 1 illustrates the vicinity and site location; Figure 2 illustrates the release location. The C-141 form is included in Appendix A.

2.0 Site Information and Closure Criteria

The Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB is located approximately 15 miles northwest of Jal, New Mexico on privately-owned land at an elevation of approximately 3447 feet above mean sea level (amsl).

Based upon New Mexico Office of the State Engineer and United States Geological Survey (Appendix B), depth to groundwater in the area is estimated to be 345 feet below grade surface (bgs). There are no known water sources within ½-mile of the location, according to the New Mexico Office of the State Engineer (NMOSE) online water well database (https://gis.ose.state.nm.us/gisapps/ose_pod_locations/; accessed 5/23/2020). There are six water wells with depth to groundwater (CP-00839, C-03943, C-02401, 321039103243401, 320934103253901, 321025103263601) data within 2.8 miles of the release. Water well CP-00839 is located southeast at 1.81 miles from the release with a depth to groundwater recorded at 155 feet, water well C-03943 is located northwest at 1.94 miles from the release with a depth to groundwater at 431 feet, water well C-02401 is located south at 2.13 miles from the release with a depth to groundwater recorded at 260 feet, USGS water well 321039103243401 is located southeast at 1.94 miles from the release with a depth to groundwater recorded at 140 feet, USGS water well 320934103253901 is located south at 2.49 miles from the release with a depth to groundwater recorded at 224 feet, USGS water well 321025103263601 is located southwest at 1.17 miles from the release with a depth to groundwater recorded at 218 feet. Based on this data, the potential depth to groundwater at the site is estimated to be 285.16 feet bgs (see Table 4 for calculation). The nearest significant watercourse is an unnamed channel that feeds into Antelope Draw, located approximately 4,373 feet to the northeast. Figure 2 illustrates the site with 200 and 300-foot radii to indicate that it does not lie within a sensitive area as described in 19.15.29.12.C(4) NMAC.

Based on the information presented herein, the applicable NMOCD Closure Criteria for this site is for a groundwater depth of greater than 100 feet bgs. The site has been restored to meet the standards of Table I of 19.15.29.12 NMAC.

Table 2 demonstrates the Closure Criteria applicable to this location. Pertinent well data is attached in Appendix B.

3.0 Release Characterization and Remediation Activities

On February 27, 2020, Wescom personnel arrived on site in response to the release associated with Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB. Wescom performed site delineation activities by collecting soil samples around the release site and throughout the visibly stained area. A total of eight (8) sample locations (SP01-SP07, BG01) were investigated using a hand-auger, to depths up to one foot bgs. A minimum of two samples were collected at each sampling location. A total of seventeen (17) samples were collected for laboratory analysis for total chloride using EPA Method 300.0; benzene, toluene, ethylbenzene and total xylenes (BTEX) using EPA Method 8021B; and motor, diesel and gasoline range organics (MRO, DRO, and GRO) by EPA Method 8015D (Table 3a).

Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB Remediation Report (NRM2006340822)
May 25, 2020

Page 3 of 4

Between April 27 and May 1, 2020, SMA guided the excavation of contaminated soil, as determined by the initial delineation results. SMA further guided the excavation activities by collecting soil samples for field screening. Samples were screened for chloride using an electrical conductivity (EC) meter and for hydrocarbon impacts using a calibrated MiniRAE 2000 photoionization detector (PID) equipped with a 10.6 eV lamp. The walls and base were excavated until field screening results indicated that the NMOCD Closure Criteria would be met. NMOCD was notified on April 26, 2020 that closure samples were expected to be collected in two (2) business days.

On May 1, 2020, SMA conducted confirmation sampling of the walls and base of the excavation. The area around sample point (SP07) was excavated to a depth of one-half-foot bgs, the area surrounding sample points (SP06-SP04) was excavated to a depth of one foot bgs, and the area around sample points (SP03, SP 02, and SP 01) were excavated to one-half-foot bgs.

The confirmation samples were collected from within the excavated areas in accordance with a systematic sampling approach, as defined by SW846 using Gilbert, 1987 equation 5.2.3 for Stratified Random Sampling (Appendix C). This systematic method meets the EPAs data quality assessment standards (DQA) for composite sampling. Confirmation samples were compromised of five-point composites of the base (CS1- CS9) and walls (SW1-SW14). A photo log of the open excavation can be found in Appendix C.

A total of twenty-three (23) samples were collected for laboratory analysis for total chloride using EPA Method 300.0; benzene, toluene, ethylbenzene and total xylenes (BTEX) using EPA Method 8021B; and motor, diesel and gasoline range organics (MRO, DRO, and GRO) by EPA Method 8015D. Laboratory samples were collected in accordance with the sampling protocol included in Appendix C. Samples were placed into laboratory supplied glassware, labeled, and maintained on ice until delivery to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico (Appendix D).

Figure 3 shows the extent of the excavation and confirmation sample locations. Laboratory results from this event are summarized in Table 3b. Laboratory reports are included in Appendix D.

SMA recommends no further action for the referenced release, and requests closure of incident NRM2006340822.

Contaminated soils were removed and replaced with clean backfill material to return the surface to previous contours. The contaminated soil was transported and disposed of at R360 Environmental Solutions near Hobbs, NM, an NMOCD permitted disposal facility.

Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB Remediation Report (NRM2006340822)
May 25, 2020

Page 4 of 4

4.0 Scope and Limitations

The scope of our services included: assessment sampling; verifying release stabilization; regulatory liaison; remediation; and preparing this closure report. All work has been performed in accordance with generally accepted professional environmental consulting practices for oil and gas releases in the Permian Basin in New Mexico.

If there are any questions regarding this report, please contact either Ashley Maxwell at 505-320-8975 or Shawna Chubbuck at 505-325-7535.

Submitted by:
SOUDER, MILLER & ASSOCIATES



Ashley Maxwell
Project Scientist

Reviewed by:



Shawna Chubbuck
Senior Scientist

ATTACHMENTS:

Figures:

Figure 1: Vicinity and Well Head Protection Map
Figure 2: Surface Water Radius Map
Figure 3: Initial Site and Sample Location Map
Figure 3A: Confirmation Sample Location Map


Tables:

Table 2: NMOCD Closure Criteria Justification
Table 3a: Summary of Initial Sample Results
Table 3b: Summary of Confirmation Sampling
Table 4: Depth to Groundwater Calculation

Appendices:

Appendix A: Form C141
Appendix B: NMOSE Wells Report
Appendix C: VSP Sampling Protocol, Photo Log & Field Notes
Appendix D: Laboratory Analytical Reports

FIGURES



Site Map
 Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB- Marathon Oil
 UL: A S: 26 T: 24S R: 34E, Lea County, New Mexico

Figure 1

P:\5-Marathon MSA 2020 (5F28980).GIS\MARATHON MSA 2020.aux
 Date Saved:
 4/21/2020


Revisions		
By: _____	Date: _____	Descr: _____
By: _____	Date: _____	Descr: _____

© Souder, Miller & Associates, 2020, All Rights Reserved

Drawn	Lynn A. Acosta
Date	5/23/2020
Checked	_____
Approved	_____



201 South Halaguena Street
 Carlsbad, New Mexico 88221
 (575) 689-7040
 Serving the Southwest & Rocky Mountains



Surface Water Protection Map
 Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB- Marathon Oil Permian LLC
 UL: A S: 26 T: 24S R: 34E, Lea County, New Mexico

Figure 2

P:\5-Marathon MSA 2020 (5F28980).RC4 - Dee Boot Fee 3H 6H 7H 19H CTB\CAD\Figures\Dee boot.mxd
 Date Saved: 5/23/2020


Revisions
 By: _____ Date: _____ Descr: _____
 By: _____ Date: _____ Descr: _____

© Souder, Miller & Associates, 2020, All Rights Reserved

Drawn Lynn A. Acosta
 Date 5/23/2020
 Checked _____
 Approved _____



201 South Halaguena Street
 Carlsbad, New Mexico 88221
 (575) 689-7040
 Serving the Southwest & Rocky Mountains



Site and Sample Location Map
 Dee Boot 3H 6H 7H 19H CTB - Marathon Oil
 UL: A S: 26 T: 24S R: 34E Lea County, New Mexico

Figure 3

Revisions


By: _____ Date: _____ Descr: _____
 By: _____ Date: _____ Descr: _____

Drawn
 Date
 Checked
 Approved

Lynn A. Acosta
 3/19/2020




201 South Halaguena Street
 Carlsbad, New Mexico 88221
 (575) 689-7040
 Serving the Southwest & Rocky Mountains



Legend

- ◆ Point of Release
- Lease Boundary
- 0.5' Excavation
- 1' Excavation
- Sidewall Sample
- Soil Sample



Confirmation Sample Location Map
 Dee Boot 3H 6H 7H 19H CTB - Marathon Oil
 UL: A S: 26 T: 24S R: 34E Lea County, New Mexico

Figure 3A

Revisions

By: _____ Date: _____ Descr: _____
 By: _____ Date: _____ Descr: _____

Drawn
 Date
 Checked
 Approved

Lynn A. Acosta
 5/23/2020



201 South Halaguena Street
 Carlsbad, New Mexico 88221
 (575) 689-7040
 Serving the Southwest & Rocky Mountains

TABLES

Table 2:
NMOCD Closure CriteriaMarathon Oil Permian LLC
Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB
NRM2006340822

Site Information (19.15.29.11.A(2, 3, and 4) NMAC)		Source/Notes
Depth to Groundwater (feet bgs)	345	New Mexico Office of the State Engineer
Horizontal Distance From All Water Sources Within 1/2 Mile (ft)	NA	United States Geological Survey Topo Map
Horizontal Distance to Nearest Significant Watercourse (ft)	4,373	United States Geological Survey Topo Map

Closure Criteria (19.15.29.12.B(4) and Table 1 NMAC)						
Depth to Groundwater		Closure Criteria (units in mg/kg)				
		Chloride *numerical limit or background, whichever is greater	TPH	GRO + DRO	BTEX	Benzene
< 50' BGS		600	100		50	10
51' to 100'		10000	2500	1000	50	10
>100'	X	20000	2500	1000	50	10
Surface Water	yes or no	if yes, then				
<300' from continuously flowing watercourse or other significant watercourse?	No	600	100		50	10
<200' from lakebed, sinkhole or playa lake?	No					
Water Well or Water Source						
<500 feet from spring or a private, domestic fresh water well used by less than 5 households for domestic or stock watering purposes?	No					
<1000' from fresh water well or spring?	No					
Human and Other Areas						
<300' from an occupied permanent residence, school, hospital, institution or church?	No					
within incorporated municipal boundaries or within a defined municipal fresh water well field?	No					
<100' from wetland?	No					
within area overlying a subsurface mine	No					
within an unstable area?	No					
within a 100-year floodplain?	No					

SMA #

Table 3a:
Summary of Sample Results

Marathon Oil Permian LLC
Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB
NRM2006340822

Table 1. Laboratory Analysis Results: Initial Spill Characterization							
Dee Boot Fee 3H 6H 7H 19H CTB - Heater 1 Spill							
Sample Description				Petroleum Hydrocarbons		Inorganic	
Sample ID	Depth (ft.)	Area	Date	Volatile		Extractable TPH (mg/kg)	Chloride (mg/kg)
				Benzene (mg/kg)	BTEX (total) (mg/kg)		
Closure Criteria				10	50	2500	20000
Lab Order:2003176 Hall Environmental Analysis Laboratory							
SP01	0	Overspray	2/27/2020	ND	ND	52	ND
	0.5	Overspray	2/27/2020	ND	ND	175	ND
SP02	0	Overspray	2/27/2020	ND	ND	17	ND
	0.5	Overspray	2/27/2020	ND	ND	ND	ND
SP03	0	Overspray	2/27/2020	ND	ND	ND	ND
	0.5	Overspray	2/27/2020	ND	ND	ND	ND
SP04	0	Spill - off lease	2/27/2020	ND	2.38	8860	ND
	0.5	Spill - off lease	2/27/2020	ND	0.32	466	ND
SP05	0	Spill - on-lease	2/27/2020	2.3	242	55600	370
	1	Spill - on-lease	2/27/2020	ND	11	1770	ND
SP06	0	Spill - on-lease	2/27/2020	41	751	51000	920
	1	Spill - on-lease	2/27/2020	0.05	2.12	883	ND
SP07	0	Spill - on-lease	2/27/2020	7	288	48600	120
	0.5	Spill - on-lease	2/27/2020	0.23	16.53	850	ND
BG01	0	Background	2/27/2020	ND	ND	ND	ND
	0.5	Background	2/27/2020	ND	ND	ND	ND
	1	Background	2/27/2020	ND	ND	ND	ND

Table 3b:
Summary of Sample Results

Marathon Oil Permian LLC
Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB
NRM2006340822

Sample ID	Sample Date	BTEX mg/Kg	Benzene mg/Kg	GRO mg/Kg	DRO mg/Kg	GRO + DRO mg/Kg	MRO mg/Kg	Total TPH mg/Kg	Cl- mg/Kg
NMOCD Closure		50	10			1000		2500	20000
Well Pad Release									
CS4	5/1/2020	<0.225	<0.025	<5.0	470	470	250	720	<60
CS5		<0.221	<0.025	<4.9	<9.5	<14.4	<48	<62.4	<59
SW11		<0.222	<0.025	<4.9	24	24	<48	24	<60
SW12		<0.224	<0.025	<5.0	36	36	<48	36	<60
SW13		<0.225	<0.025	<5.0	25	25	<46	25	<60
SW14		<0.225	<0.025	<5.0	22	22	<50	22	<60
Pasture Release*									
CS1	5/1/2020	<0.225	<0.025	<5.0	<9.3	<14.3	<46	<60.3	<60
CS2		<0.225	<0.025	<5.0	20	20	<49	20	70
CS3		<0.221	<0.025	<4.9	73	73	<47	73	<60
CS6		<0.220	<0.024	<4.9	<9.7	<14.6	<49	<63.6	<60
SW8		<0.225	<0.025	<5.0	17	17	<48	17	<60
SW9		<0.222	<0.025	<4.9	24	24	<47	24	<60
SW10		<0.224	<0.025	<5.0	23	23	<48	23	<60
Overspray*									
CS7	5/1/2020	<0.221	<0.025	<4.9	16	16	<48	16	<60
CS8		<0.225	<0.025	<5.0	14	14	<48	14	<60
CS9		<0.224	<0.025	<5.0	12	12	<44	12	<60
SW1		<0.224	<0.025	<5.0	<9.6	<14.6	<48	<62.6	<60
SW2		<0.225	<0.025	<5.0	<9.9	<14.9	<49	<63.9	<60
SW3		<0.220	<0.024	<4.9	<9.4	<14.3	<47	<61.3	<60
SW4		<0.225	<0.025	<5.0	12	12	<47	12	<60
SW5		<0.225	<0.025	<5.0	17	17	<46	17	<60
SW6		<0.225	<0.025	<5.0	20	20	<48	20	<59
SW7	<0.225	<0.025	<5.0	18	18	<49	18	<60	

"--" = Not Analyzed

* = per Reclamation Standard (19.15.29.13.D(1) NMAC)



Table 4:
Potential Depth to Groundwater

Marathon Oil Permian LLC
Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB

Depth To Groundwater			Calculations	
Location Elevation (ft):		3447		
Well Name	Well Elevation (ft)	Well Depth to GW	Groundwater Elevation	Depth to GW at Location
CP 00839 POD 1	3330	155	3175	272
C 03932 POD 13	3515	Dry		
C 03943 POD 1	3541	431	3110	337
C 02401	3381	260	3121	326
321039103243401	3348	140	3208	239
320934103253901	3386	224	3162	285
321025103263601	3413	218	3195	252
				3447
Total # of Wells	6			1711

Potential Depth to GW at Release:	285.166666666667
-----------------------------------	------------------

APPENDIX A

FORM C141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NRM2006340822
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Marathon Oil Permian LLC	OGRID 372098
Contact Name Melodie Sanjari	Contact Telephone 575-988-8753
Contact email msanjari@marathonoil.com	Incident # (assigned by OCD)
Contact mailing address 4111 S. Tidwell Rd., Carlsbad, NM 8220	

Location of Release Source

Latitude 32.19502018

Longitude -103.43590735
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: Dee Boot Fee 24 34 26 #3 #6 #7 #19 CTB	Site Type Central Tank Battery
Date Release Discovered 2/26/2020	API# (if applicable) N/A

Unit Letter	Section	Township	Range	County
A	26	24S	34E	Lea

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☒ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls) 91.58	Volume Recovered (bbls) 85
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

A gasket failure caused the release of approximately 91.58 bbls crude oil from the heater treater on the edge of containment, onto the engineered pad, across the entrance to the facility and an overspray to the pasture to the south. Initial response included source isolation and elimination, the recovery of approx. 85 bbls and the surficial scrape of the release area.

Incident ID	NRM2006340822
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? >25 bbls
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Yes by Melodie Sanjari (MOC) on 2/27/2020 via email to District II	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped.	
<input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment.	
<input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
<input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Melodie Sanjari</u>	Title: <u>Environmental Professional</u>
Signature: <u>Melodie Sanjari</u>	Date: <u>3/2/2020</u>
email: <u>msanjari@marathonoil.com</u>	Telephone: <u>575-988-8753</u>
<u>OCD Only</u>	
Received by: <u>Ramona Marcus</u>	Date: <u>3/3/2020</u>

Incident ID	NRM2006340822
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>345</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	NRM2006340822
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Melodie Sanjari

Title: Environmental Professional

Signature: *Melodie Sanjari*

Date: 5/26/2020

email: msanjari@marathonoil.com

Telephone: 575-988-8753

OCD Only

Received by: _____

Date: _____

Incident ID	NRM2006340822
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Melodie Sanjari

Title: Environmental Professional

Signature: *Melodie Sanjari*

Date: 5/26/2020

email: msanjari@marathonoil.com

Telephone: 575-988-8753

OCD Only

Received by: _____

Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____

Title: _____



Spill Calculation Tool

Standing Liquid Inputs:

	Length (ft.)	Width (ft.)	Avg. Liquid Depth (in.)	% Oil	Total Volume (bbls)	Water Volume (bbls)	Oil Volume (bbls)
Rectangle Area #1	125	50	0.5		46.38	46.38	0.00
Rectangle Area #2					0.00	0.00	0.00
Rectangle Area #3					0.00	0.00	0.00
Rectangle Area #4					0.00	0.00	0.00
Rectangle Area #5					0.00	0.00	0.00
Rectangle Area #6					0.00	0.00	0.00
Rectangle Area #7					0.00	0.00	0.00
Rectangle Area #8					0.00	0.00	0.00
Liquid Volume:					46.38	46.38	0.00

Saturated Soil Inputs:

Soil Type: Gravel Loam

	Area (ft.)	Avg. Saturated Depth (in.)	% Oil	Total Volume (bbls)	Water Volume (bbls)	Oil Volume (bbls)
Rectangle Area #1	18750	0.5	0%	19.48	19.48	0.00
Rectangle Area #2	17000	0.125	0%	4.42	4.42	0.00
Rectangle Area #3	102500	0.1	0%	21.30	21.30	0.00
Rectangle Area #4			0%	0.00	0.00	0.00
Rectangle Area #5			0%	0.00	0.00	0.00
Rectangle Area #6			0%	0.00	0.00	0.00
Rectangle Area #7				0.00	0.00	0.00
Rectangle Area #8				0.00	0.00	0.00
Saturated Volume				45.19	45.19	0.00

Volume Recovered and not included in Standing Liquid Inputs:

% Oil	Total Volume (bbls)	Water Volume (bbls)	Oil Volume (bbls)

	Total Volume (bbls)	Water Volume (bbls)	Oil Volume (bbls)
Total Spill Volume (bbls):	91.58	91.58	0.00



NOVA TRUCKING, LLC
5800 NOVA DRIVE • HOBBS, NM 88240
OFFICE: (575) 393-8786
FAX: (575) 397-0042

INVOICE # 65832

COMPANY Marathon Oil

DATE 2-26-20

LEASE Dee Boot Tr. 243426 UXY 54

REP/PO# 30-025 4415

START TIME 11:00 AM ☒ PM ☐

STOP TIME _____ AM ☐ PM ☐ TOP GAUGE _____

TOTAL HOURS _____ BOTTOM GAUGE _____

LOADING TANK # U-8

BBLS LOADED 85

SWD COMPANY MPA

SWD/LOCATION _____

SWD TICKET # 6582

TRANSFER 2-26-20

TRUCK NUMBER 183

DRIVER (PRINT) Cesar Almaguer

DRIVER (SIGNATURE) Cesar Almaguer

COMPANY REPRESENTATIVE (PRINT) _____

COMPANY REPRESENTATIVE (SIGNATURE) _____

OIL BASE MUD ☐

FRESH WATER ☐

PRODUCED WATER ☐

ACID ☐

R BASE MUD ☐

BRINE WATER ☐

WASH OUT ☐

LIQUID KCL ☐

REMARKS Work on location P44 oil field
to water tank battery and ground. Reset Ph

TIME ON LOCATION

REASON

TIME AT SWD

REASON

APPENDIX B

NMOSE WELLS REPORT



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,

C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	Code	POD Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column
CP 00839 POD1		CP	LE	4	3	30	24S	35E		650017	3561833*	2890	175		
C 03932 POD13		CUB	LE	4	2	3	15	24S	34E	645314	3565203	2966	90		
C 03943 POD1		CUB	LE	2	4	2	21	24S	34E	644523	3564266	3124	610	431	179
C 02401		CUB	LE	2	2	1	01	25S	34E	648534	3559896*	3411	275	260	15

Average Depth to Water: **345 feet**

Minimum Depth: **260 feet**

Maximum Depth: **431 feet**

Record Count:4

UTMNAD83 Radius Search (in meters):

Easting (X): 647431.33

Northing (Y): 3563124.88

Radius: 4500

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

5/23/20 9:58 AM

WATER COLUMN/ AVERAGE DEPTH TO
WATER

MISC 582 PAGE 679

51277

Revised May 1993

IMPORTANT — READ INSTRUCTIONS ON BACK BEFORE FILLING OUT THIS FORM.

Declaration of Owner of Underground Water Right

Capitan
~~XXXXXXXX~~ Water Basin
 BASIN NAME

Declaration No. CP-839

Date received March 21, 1994

STATEMENT

1. Name of Declarant Rubert Madera
 Mailing Address Box 1224, Jal, N.M. 88252
 County of Lea, State of New Mexico
2. Source of water supply shallow water aquifer
 (artesian or shallow water aquifer)
3. Describe well location under one of the following subheadings:
 a. $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 30 Twp. 24 S Rge. 35 E N.M.P.M., in P21
 b. Tract No. _____ of Map No. _____ of the _____
 c. X = _____ fee, Y = _____ feet, N.M. Coordinate System _____ Zone _____
 in the _____ Grant.
 On land owned by Rubert Madera
4. Description of well: date drilled 1963 driller Otis Fruit depth 175 feet.
 outside diameter of casing 6 inches; original capacity 9 gal. per min.; present capacity 9 gal. per min.; pumping lift 165 feet; static water level 155 feet (above) (below) land surface;
 make and type of pump Electric under water pump
 make, type, horsepower, etc., of power plant one third horsepower electric
 Fractional or percentage interest claimed in well all
5. Quantity of water appropriated and beneficially used 3
 (acre feet per acre) (acre feet per annum)
 for two houses and livestock watering purposes.
6. Acreage actually irrigated na acres, located and described as follows (describe only lands actually irrigated):

Subdivision	Sec.	Twp.	Range	Acres Irrigated	Owner

(Note: location of well and acreage actually irrigated must be shown on plat on reverse side.)

Water was first applied to beneficial use May 1963 and since that time
 month day year
 has been used fully and continuously on all of the above described lands or for the above described purposes except as follows: _____

8. Additional statements or explanations The Cox place well is known as the Cox well

I, Rubert Madera being first duly sworn upon my oath, depose and say that the above is a full and complete statement prepared in accordance with the instructions on the reverse side of this form and submitted in evidence of ownership of a valid underground water right, that I have carefully read each and all of the items contained therein and that the same are true to the best of my knowledge and belief.

Rubert Madera, declarant.

by: _____

Subscribed and sworn to before me this 22nd day of February, A.D. 19 94

My commission expires 7/25/94 Cruzita Acéves Notary Public

UNDER NEW MEXICO LAW A DECLARATION IS ONLY A STATEMENT OF DECLARANT'S CLAIM.
 ACCEPTANCE FOR FILING DOES NOT CONSTITUTE APPROVAL OR REJECTION OF THE CLAIM.

550681

POD Renumbered

From: CP-839

To: CP-839 (old)

Locate well and areas actually irrigated as accurately as possible and following plat:

Section(s) _____, Township _____, Range _____ N.M.P.M.

INSTRUCTIONS

Declaration shall be executed (preferably typewritten) in triplicate and must be accompanied by a \$1.00 filing fee. Each of triplicate copies must be properly signed and attested.

A separate declaration must be filed for each well in use.

All blanks shall be filled out fully. Required information which cannot be sworn to by declarant shall be supplied by affidavit of person or persons familiar with the facts and shall be submitted herewith.

Secs. 1-3. Complete all blanks.

Sec. 4. Fill out all blanks applicable as fully as possible.

Sec. 5. Irrigation use shall be stated in acre feet of water per acre per year applied on the land. If used for domestic, municipal, or other purposes, state total quantity in acre feet used annually.

Sec. 6. Describe only the acreage actually irrigated. When necessary to clearly define irrigated acreages, describe to nearest 2½ acre subdivision. If located on unsurveyed lands, describe by legal subdivision "as projected" from the nearest government survey corners, or describe by metes and bounds and tie survey to some permanent, easily-located natural object.

Sec. 7. Explain and give dates as nearly as possible of any years when all or part of acreage claimed was not irrigated.

Sec. 8. If well irrigates or supplies supplemental water to any other land than that described above, or if land is also irrigated from any other source, explain under this section. Give any other data necessary to fully describe water right.

If additional space is necessary, use a separate sheet or sheets and attach securely hereto.

51277

**STATE OF NEW MEXICO
COUNTY OF LEA
FILED**

FEB 22 1994

at 10:30 o'clock A M
and recorded in Book 582
Page 679
Pat Chappatic, Lea County Clerk
By [Signature] Deputy





'94 MAR 28 AM 10 35
STATE ENGINEER OFFICE
STATE OF NEW MEXICO
ELUID MARTINEZ
STATE ENGINEER

STATE ENGINEER OFFICE

ROSWELL

March 24, 1994

DISTRICT II
1900 West Second St.
Roswell, New Mexico 88201
(505) 622-6521

FILE: CP-839

Rubert Madera
Box 1224
Jal. NM 88252

Dear Mr. Madera:

Enclosed is your copy of Declaration of Owner of Underground Water Right as numbered above, which has been filed for record in the office of the State Engineer.

Please refer to the number in all future correspondence concerning the declaration.



The filing of the declaration does not indicate affirmation or rejection of the statements contained therein.

Yours truly,

A handwritten signature in cursive script, appearing to read "Johnny R. Hernandez".
Johnny R. Hernandez
Basin Supervisor

JRH/rpa
encl.
cc: Santa Fe ✓

FILE NAME: I:\Data\Projects\2015\0585.19\BIM_CAD\01_CIVIL\BORING-PLAN3.dwg LAYOUT NAME: OVERALL PRINTED: Thursday, January 07, 2016 - 11:04am USER: TKrueger




Robert H. Holder



PARKHILL SMITH & COOPER


PROPOSED
DELAWARE BASIN SITE
SECTION 8
2016 JAN - 8
STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
01/07/2016



NO.	DATE	DESCRIPTION	PROJECT NO.
1	01/07/2016	PROPOSED SOIL BORING LOCATION	200018

SECTION 8
SOIL BORING PLAN

FILE NAME: I:\Data\Projects\2015\0585.15\BIM_CAD\01_CV\LIBORING-PLAN3.dwg LAYOUT NAME: C-102 PRINTED: Thursday, January 07, 2016 - 9:57am USER: TKueger




SECTION 5	
NO.	DESCRIPTION
1	SOIL BORING PLAN
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	

PROPOSED
DELAWARE BASIN SITE
SECTION 5

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
2016 JAN - 8 AM 11: 53

PSC
PARKHILL SMITH & COOPER

FILE NAME: I:\Data\Projects\2015\0565\19\BH_CAD01_CIVIL\BORING-PLAN3.dwg LAYOUT NAME: C-101 PRINTED: Thursday, January 07, 2016 - 9:48am USER: TKrueger




**PROPOSED
DELAWARE BASIN SITE
SECTION 8**

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
2016 JAN -8 AM 11:52

PSC
PARKHILL SMITH & COOPER


FILE NAME: \\Data1\Projects\2019\0585.15\BIM_CAD\01_CIVIL\BORING-PLAN3.dwg LAYOUT NAME: C-103 PRINTED: Thursday, January 07, 2016 - 9:51am USER: TKosager



PARKHILL SMITH & COOPER

2016 JAN -8 AM 11:55
STATE ENGINEER OFFICE
ROSSELL, NEW MEXICO
PROPOSED
DELAWARE BASIN SITE

SECTION 15



NO. DATE DESCRIPTION PROJECT NO. 200018
SECTION 15
SOIL BORING PLAN



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) S5-BH-03				OSE FILE NUMBER(S) C 03932				
	WELL OWNER NAME(S) Bryce Krager % Parkhill, Smith & Cooper Attention: R.H. Holder				PHONE (OPTIONAL)				
	WELL OWNER MAILING ADDRESS 4222 85th Street				CITY Lubbock		STATE TX		
					ZIP 79423				
	WELL LOCATION (FROM GPS)		DEGREES 32	MINUTES 14	SECONDS 48.24	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
		LONGITUDE 103	29	16.72	W	* DATUM REQUIRED: WGS 84			
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE SE 1/2 of SE 1/4 of SW 1/4 of NE 1/2 of Section 05, Township 24S, Range 34E									
2. DRILLING & CASING INFORMATION	LICENSE NUMBER WD-1222		NAME OF LICENSED DRILLER Lee Peterson				NAME OF WELL DRILLING COMPANY Peterson Drilling & Testing, Inc.		
	DRILLING STARTED 02/09/16		DRILLING ENDED 02/10/16		DEPTH OF COMPLETED WELL (FT)		BORE HOLE DEPTH (FT) 100'		DEPTH WATER FIRST ENCOUNTERED (FT)
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)								STATIC WATER LEVEL IN COMPLETED WELL (FT)
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:								
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:								
	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)	
	FROM	TO							
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT			
	FROM	TO							


FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 10/29/15)

FILE NUMBER C-3932	POD NUMBER 3	TRN NUMBER 581433
LOCATION 24S.34E.5.2.3.4		EXPL PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0	3	3	Reddish Brown Silty Sand	Y ✓ N	
	3	5	2	Light Reddish Brown Sand	Y ✓ N	
	5	7	2	Tan to White Caliche with Sand	Y ✓ N	
	7	25	18	Tan-White Caliche, Light Reddish Brown Sand	Y ✓ N	
	25	30	5	Light Reddish Brown Sand	Y ✓ N	
	30	50	20	Light Reddish Brown Fine Sand with Caliche Pebbles	Y ✓ N	
	50	58	8	Light Reddish Brown Sand	Y ✓ N	
	58	94	36	Light Reddish Brown Sand with Sandstone Pebbles	Y ✓ N	
	94	95	1	Reddish Brown Sandy Gravel	Y ✓ N	
	95	96	1	Green to Gray Shaley Claystone	Y ✓ N	
	96	99	1	Dark Reddish Brown Silty Sand	Y ✓ N	
	99	100	1	Green to Gray Clayey Shale	Y ✓ N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	

5. TEST, RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION: Boring location drilled only as a soil boring and plugged after completion per well plugging plan.	
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:		

6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:	
	SIGNATURE OF DRILLER / PRINT SIGNED NAME	DATE
	 LRR Peterson	2/26/16

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER	C-3932	POD NUMBER	3	TRN NUMBER	581433
LOCATION	24S.34E.5.2-3-4			EXPL	PAGE 2 OF 2

Tom Blaine, P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 581433
File Nbr: C 03932
Well File Nbr: C 03932 POD3

Mar. 28, 2016

ROBERT H HOLDER
BRYCE KRAGER
4222 85TH ST
LUBBOCK, TX 79423

Greetings:


The above numbered permit was issued in your name on 01/27/2016.

The Well Record was received in this office on 03/01/2016, stating that it had been completed on 02/10/2016, and was a dry well. The well is to be plugged or capped or otherwise maintained in a manner satisfactory to the State Engineer.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 01/14/2017.

If you have any questions, please feel free to contact us.

Sincerely,


Deborah Dunaway
(575) 622-6521

drywell



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) S5-BH-03				OSE FILE NUMBER(S) C 03932			
	WELL OWNER NAME(S) Bryce Krager % Parkhill, Smith & Cooper Attention: R.H. Holder				PHONE (OPTIONAL)			
	WELL OWNER MAILING ADDRESS 4222 85th Street				CITY Lubbock		STATE TX	ZIP 79423
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE		MINUTES 32	SECONDS 14	48.24	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84
		LONGITUDE		103	29	16.72	W	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE SE 1/2 of SE 1/4 of SW 1/4 of NE 1/2 of Section 05, Township 24S, Range 34E								
2. DRILLING & CASING INFORMATION	LICENSE NUMBER WD-1222		NAME OF LICENSED DRILLER Lee Peterson				NAME OF WELL DRILLING COMPANY Peterson Drilling & Testing, Inc.	
	DRILLING STARTED 02/09/16		DRILLING ENDED 02/10/16		DEPTH OF COMPLETED WELL (FT)		BORE HOLE DEPTH (FT) 100'	DEPTH WATER FIRST ENCOUNTERED (FT)
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)							STATIC WATER LEVEL IN COMPLETED WELL (FT)
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 10/29/15)

FILE NUMBER	C-3932	POD NUMBER	3	TRN NUMBER	581433
LOCATION	24S.34E.5.2.3.4			EXPL	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0	3	3	Reddish Brown Silty Sand	Y ✓ N	
	3	5	2	Light Reddish Brown Sand	Y ✓ N	
	5	7	2	Tan to White Caliche with Sand	Y ✓ N	
	7	25	18	Tan-White Caliche, Light Reddish Brown Sand	Y ✓ N	
	25	30	5	Light Reddish Brown Sand	Y ✓ N	
	30	50	20	Light Reddish Brown Fine Sand with Caliche Pebbles	Y ✓ N	
	50	58	8	Light Reddish Brown Sand	Y ✓ N	
	58	94	36	Light Reddish Brown Sand with Sandstone Pebbles	Y ✓ N	
	94	95	1	Reddish Brown Sandy Gravel	Y ✓ N	
	95	96	1	Green to Gray Shaley Claystone	Y ✓ N	
	96	99	1	Dark Reddish Brown Silty Sand	Y ✓ N	
	99	100	1	Green to Gray Clayey Shale	Y ✓ N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION: Boring location drilled only as a soil boring and plugged after completion per well plugging plan.	
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:	

6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:	
	SIGNATURE OF DRILLER / PRINT SIGNEE NAME	DATE

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER	C-3932	POD NUMBER	3	TRN NUMBER	581433
LOCATION	24S.34E.5.2.3.4			EXPL	PAGE 2 OF 2

Tom Blaine, P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 581433
File Nbr: C 03932
Well File Nbr: C 03932 POD3

Apr. 12, 2016

ROBERT H. HOLDER
BRYCE KARGER
4222 85TH ST.
LUBBOCK, TX 79423

Greetings:

The above numbered permit was issued in your name on 01/27/2016.

The Well Record was received in this office on 03/01/2016, stating that it had been completed on 02/10/2016, and was a dry well. The well is to be plugged or capped or otherwise maintained in a manner satisfactory to the State Engineer.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 01/14/2017.

If you have any questions, please feel free to contact us.

Sincerely,

Deborah Dunaway
(575) 622-6521

drywell



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER


www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) S8-BH-03				OSE FILE NUMBER(S) C 03932				
	WELL OWNER NAME(S) Bryce Krager % Parkhill, Smith & Cooper Attention: R.H. Holder				PHONE (OPTIONAL)				
	WELL OWNER MAILING ADDRESS 4222 85th Street				CITY Lubbock		STATE Texas	ZIP 79423	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32		MINUTES 13	SECONDS 43.3	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
		LONGITUDE 103		30	8.3	W	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE SW 1/4 of SE 1/4 of NE 1/4 of SE 1/4 of Section 15, Township 24S, Range 34E									
2. DRILLING & CASING INFORMATION	LICENSE NUMBER WD-1222		NAME OF LICENSED DRILLER Lee Peterson			NAME OF WELL DRILLING COMPANY Peterson Drilling & Testing, Inc.			
	DRILLING STARTED 02/08/16		DRILLING ENDED 02/09/16		DEPTH OF COMPLETED WELL (FT)		BORE HOLE DEPTH (FT) 72'	DEPTH WATER FIRST ENCOUNTERED (FT)	
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)							STATIC WATER LEVEL IN COMPLETED WELL (FT)	
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:								
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:								
	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)		CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
3. ANNULAR MATERIAL	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL		AMOUNT (cubic feet)		METHOD OF PLACEMENT	

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 10/29/15)

FILE NUMBER C-3932	POD NUMBER 8	TRN NUMBER 581433
LOCATION EXPL		PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0	7	7	Light Reddish Brown Fine Sand	Y ✓ N	
	7	17	10	Tannish White to Light Reddish Brown Caliche With Fine Sand	Y ✓ N	
	17	25	8	Tan-White Caliche	Y ✓ N	
	25	30	5	Light Reddish Brown Sand	Y ✓ N	
	30	32	2	Light Reddish Brown Sand	Y ✓ N	
	32	40	8	Light Tan to White Sand	Y ✓ N	
	40	45	5	Light Reddish Brown Sand with Sandstone Pebbles	Y ✓ N	
	45	48	3	Light Reddish Brown Sand with Caliche	Y ✓ N	
	48	50	2	Light Reddish Brown Sand	Y ✓ N	
	50	54	4	Light Reddish Brown Sand with Caliche	Y ✓ N	
	54	60	6	Red Sand	Y ✓ N	
	60	61	1	Light Reddish Brown Sandy Gravel	Y ✓ N	
	61	75	14	Dark Reddish brown Silty Clayey Sand	Y ✓ N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	
5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.				
	MISCELLANEOUS INFORMATION: Boring location drilled only as a soil boring and plugged after completion per well plugging plan.					
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:						
6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:					
	 SIGNATURE OF DRILLER / PRINT SIGNEE NAME 2/26/16 DATE					

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER	POD NUMBER	TRN NUMBER
LOCATION		PAGE 2 OF 2

Tom Blaine, P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 581433
File Nbr: C 03932
Well File Nbr: C 03932 POD8

Mar. 09, 2016

ROBERT H HOLDER
BRYCE KRAGER
4222 85TH ST
LUBBOCK, TX 79423

Greetings:

The above numbered permit was issued in your name on 01/27/2016.

The Well Record was received in this office on 03/01/2016, stating that it had been completed on 02/09/2016, and was a dry well. The well is to be plugged or capped or otherwise maintained in a manner satisfactory to the State Engineer.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 01/14/2017.

If you have any questions, please feel free to contact us.

Sincerely,

Deborah Dunaway
(575) 622-6521

drywell



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER)				OSE FILE NUMBER(S)			
	S15-BH-03				C 03932			
	WELL OWNER NAME(S)				PHONE (OPTIONAL)			
	Bryce Krager % Parkhill, Smith & Cooper Attention: R.H. Holder							
	WELL OWNER MAILING ADDRESS				CITY STATE ZIP			
4222 85th Street				Lubbock Texas 79423				
WELL LOCATION (FROM GPS)	DEGREES	MINUTES	SECONDS	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84				
	LATITUDE	32	12					50.55 N
	LONGITUDE	103	27	28.96 W				
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE								
SW 1/4 of SW 1/4 of NW 1/4 of SE 1/4 of Section 15, Township 24S, Range 34E								
2. DRILLING & CASING INFORMATION	LICENSE NUMBER		NAME OF LICENSED DRILLER			NAME OF WELL DRILLING COMPANY		
	WD-1222		Lee Peterson			Peterson Drilling & Testing, Inc.		
	DRILLING STARTED		DRILLING ENDED		DEPTH OF COMPLETED WELL (FT)		BORE HOLE DEPTH (FT)	
	02/10/16		02/11/16				90'	
	COMPLETED WELL IS:		STATIC WATER LEVEL IN COMPLETED WELL (FT)					
	<input type="checkbox"/> ARTESIAN		<input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)					
	DRILLING FLUID:		ADDITIVES - SPECIFY:					
	<input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD							
	DRILLING METHOD:		OTHER - SPECIFY:					
	<input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL							
DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)	
FROM	TO							
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						


FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 10/29/15)

FILE NUMBER	C-3932	POD NUMBER	13	TRN NUMBER	581433
LOCATION	24S.34E.15.4.2.3			EXPL	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0	6	6	Light Reddish Brown Fine Sand	Y ✓ N	
	6	13	7	Light Reddish Brown Sand with Caliche	Y ✓ N	
	13	19	6	Light Reddish Brown Fine Sand	Y ✓ N	
	19	29	10	Tan-White Caliche with Light Reddish Brown Sand	Y ✓ N	
	29	39	10	Light Reddish Brown Sand	Y ✓ N	
	39	45	6	Gray to Dark Gray Sand	Y ✓ N	
	45	54	9	Gray-Dark Gray Sand with Sandstone Pebbles	Y ✓ N	
	54	55	1	Dark Reddish Brown to Light Reddish Brown Silty Claystone	Y ✓ N	
	55	58	3	Green to Gray Shale	Y ✓ N	
	58	62	4	Dark Reddish Brown Silty Claystone	Y ✓ N	
	62	74	12	Dark Reddish Brown Claystone	Y ✓ N	
	74	75	1	Light Brown to Gray Silty Clay	Y ✓ N	
	75	77	2	Dark Reddish Brown Claystone	Y ✓ N	
	77	79	2	Light Brown to Gray Silty Clay	Y ✓ N	
	79	80	1	Dark Reddish Brown Claystone	Y ✓ N	
	80	82	2	Light Brown to Gray Sandy Silt	Y ✓ N	
	82	87	5	Dark Reddish Brown Clayey Silt	Y ✓ N	
	87	90	3	Light Brown to Gray Silty Sand	Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION: Boring location drilled only as a soil boring and plugged after completion per well plugging plan.	
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:		

6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:
 SIGNATURE OF DRILLER / PRINT SIGNEE NAME	2/26/16 DATE

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER	C-3932	POD NUMBER	13	TRN NUMBER	581433
LOCATION	24S.34E.13.4-2-3			EXPL.	PAGE 2 OF 2

Tom Blaine, P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 581433
File Nbr: C 03932
Well File Nbr: C 03932 POD13

Mar. 28, 2016

ROBERT H HOLDER
BRYCE KRAGER
4222 85TH ST
LUBBOCK, TX 79423

Greetings:

The above numbered permit was issued in your name on 01/27/2016.

The Well Record was received in this office on 03/01/2016, stating that it had been completed on 02/11/2016, and was a dry well. The well is to be plugged or capped or otherwise maintained in a manner satisfactory to the State Engineer.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 01/14/2017.

If you have any questions, please feel free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read "D. Dunaway".

Deborah Dunaway
(575) 622-6521

drywell



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER


www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) S15-BH-03				OSE FILE NUMBER(S) C 03932				
	WELL OWNER NAME(S) Bryce Krager % Parkhill, Smith & Cooper Attention: R.H. Holder				PHONE (OPTIONAL)				
	WELL OWNER MAILING ADDRESS 4222 85th Street				CITY Lubbock		STATE Texas	ZIP 79423	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE		MINUTES 32	SECONDS 12	50.55	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84	
		LONGITUDE		103	27	28.96	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE SW 1/4 of SW 1/4 of NW 1/4 of SE 1/4 of Section 15, Township 24S, Range 34E									
2. DRILLING & CASING INFORMATION	LICENSE NUMBER WD-1222		NAME OF LICENSED DRILLER Lee Peterson				NAME OF WELL DRILLING COMPANY Peterson Drilling & Testing, Inc.		
	DRILLING STARTED 02/10/16		DRILLING ENDED 02/11/16		DEPTH OF COMPLETED WELL (FT)		BORE HOLE DEPTH (FT) 90'		DEPTH WATER FIRST ENCOUNTERED (FT)
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)						STATIC WATER LEVEL IN COMPLETED WELL (FT)		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:								
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:								
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)	
	FROM	TO							
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT			
	FROM	TO							

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 10/29/15)

FILE NUMBER	C-3932	POD NUMBER	13	TRN NUMBER	581433
LOCATION	245.34E 15.3.2.4				EXP/
					PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0	6	6	Light Reddish Brown Fine Sand	Y ✓ N	
	6	13	7	Light Reddish Brown Sand with Caliche	Y ✓ N	
	13	19	6	Light Reddish Brown Fine Sand	Y ✓ N	
	19	29	10	Tan-White Caliche with Light Reddish Brown Sand	Y ✓ N	
	29	39	10	Light Reddish Brown Sand	Y ✓ N	
	39	45	6	Gray to Dark Gray Sand	Y ✓ N	
	45	54	9	Gray-Dark Gray Sand with Sandstone Pebbles	Y ✓ N	
	54	55	1	Dark Reddish Brown to Light Reddish Brown Silty Claystone	Y ✓ N	
	55	58	3	Green to Gray Shale	Y ✓ N	
	58	62	4	Dark Reddish Brown Silty Claystone	Y ✓ N	
	62	74	12	Dark Reddish Brown Claystone	Y ✓ N	
	74	75	1	Light Brown to Gray Silty Clay	Y ✓ N	
	75	77	2	Dark Reddish Brown Claystone	Y ✓ N	
	77	79	2	Light Brown to Gray Silty Clay	Y ✓ N	
	79	80	1	Dark Reddish Brown Claystone	Y ✓ N	
	80	82	2	Light Brown to Gray Sandy Silt	Y ✓ N	
	82	87	5	Dark Reddish Brown Clayey Silt	Y ✓ N	
	87	90	3	Light Brown to Gray Silty Sand	Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	
<input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:						
5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.				
	MISCELLANEOUS INFORMATION: Boring location drilled only as a soil boring and plugged after completion per well plugging plan.					
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:					
6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:					
	 <u>LEE PATTERSON</u> SIGNATURE OF DRILLER / PRINT SIGNEE NAME					<u>2/26/16</u> DATE

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER	C-3932	POD NUMBER	13	TRN NUMBER	581433
LOCATION	24S.34E.13.3-2-4			EXPL	PAGE 2 OF 2

Tom Blaine, P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 581433
File Nbr: C 03932
Well File Nbr: C 03932 POD13

Apr. 12, 2016

ROBERT H. HOLDER
BRYCE KARGER
4222 85TH ST.
LUBBOCK, TX 79423

Greetings:

The above numbered permit was issued in your name on 01/27/2016.

The Well Record was received in this office on 03/01/2016, stating that it had been completed on 02/11/2016, and was a dry well. The well is to be plugged or capped or otherwise maintained in a manner satisfactory to the State Engineer.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 01/14/2017.

If you have any questions, please feel free to contact us.

Sincerely,

Deborah Dunaway
(575) 622-6521

drywell



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category:


Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#) 

Groundwater levels for the Nation

Search Results -- 1 sites found

site_no list =

- 320934103253901

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320934103253901 25S.34E.01.13424

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°09'34", Longitude 103°25'39" NAD27

Land-surface elevation 3,384 feet above NAVD88

The depth of the well is 300 feet below land surface.

This well is completed in the Chinle Formation (231CHNL) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2020-05-23 14:08:33 EDT

0.7 0.59 nadww01



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#) 

Groundwater levels for the Nation

Search Results -- 1 sites found

site_no list =

- 321025103263601

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 321025103263601 24S.34E.35.12411

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°10'44.0", Longitude 103°26'31.2" NAD83

Land-surface elevation 3,409.00 feet above NGVD29

The depth of the well is 257 feet below land surface.

This well is completed in the Ogallala Formation (121OGLL) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2020-05-23 14:10:15 EDT

0.56 0.5 nadww01



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category:

Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#) 

Groundwater levels for the Nation

Search Results -- 1 sites found

site_no list =

- 321039103243401

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 321039103243401 24S.35E.30.34233

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°10'39", Longitude 103°24'34" NAD27

Land-surface elevation 3,343 feet above NAVD88

The depth of the well is 176 feet below land surface.

This well is completed in the Chinle Formation (231CHNL) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2020-05-23 14:09:26 EDT

0.74 0.6 nadww01

APPENDIX C SAMPLING PROTOCOL, PHOTO LOG & FIELD NOTES

VSP Sample Design Report for Using Stratified Sampling to Estimate the Population Proportion


Summary

This report summarizes the stratified sampling design used, associated statistical assumptions, as well as general guidelines for conducting post-sampling data analysis. Sampling plan components presented here include how many sampling locations to choose and where within the sampling area to collect those samples. The type of medium to sample (i.e., soil, groundwater, etc.) and how to analyze the samples (in-situ, fixed laboratory, etc.) are addressed in other sections of the sampling plan. It is important to note that the decision for sample size calculation is determined for the combined strata, rather than any individual strata.

The following table summarizes the proportion stratified sampling design developed. A figure that shows sampling locations in the field and a table that lists sampling location coordinates are also provided below.

SUMMARY OF SAMPLING DESIGN	
Primary Objective of Design	Estimate the population proportion of all strata combined
Criteria for Determining Total Number of Samples	Predetermined Number
Sample Placement (Location) in the Field	Random sampling within grids within each stratum
Formula for calculating number of sampling locations	From Gilbert (1987, page 51)
Method for calculating number of sampling locations in each stratum	Optimal Allocation
Calculated total number of samples	6
Stratum 1	6
Total area of all strata	27104.24 ft ²
Total cost of sampling ^a	

^a Including measurement analyses and fixed overhead costs. See the Cost of Sampling section for an explanation of the costs presented here.



Area: Area 1

X Coord	Y Coord	Label	Value	Type	Historical	Sample Area
818754.3622	435565.4302			Random in Grid		
818667.4914	435628.9439			Random in Grid		
818729.8313	435617.0103			Random in Grid		
818771.8610	435618.2121			Random in Grid		
818687.8873	435711.3739			Random in Grid		
818701.3545	435754.2003			Random in Grid		

Primary Sampling Objective

The primary purpose of sampling at this site is to estimate the proportion for the entire site, i.e., for all strata combined, such that the estimated proportion has the minimum possible standard deviation under the condition that the sampling and measurement costs cannot exceed a specified amount. Preexisting information was used to divide the site into 1 non-overlapping strata that were expected to be more homogeneous internally than for the entire site (all strata combined). The expected variability of values within each stratum was estimated or approximated, and the stratum weights, W_h , were determined so that the total number of samples could be allocated appropriately among the strata.

Number of Total Samples: Calculation Equation and Inputs

The total number of samples, n , has been provided by the user. *It is left to the professional judgment of the user to know if this number is adequate for the intended goal of the sampling design.*

Parameter	Input Value
n	6

Allocation of Samples to Strata

The total number of samples is allocated to the individual strata on an optimal basis using the formula:

$$n_h = n \frac{N_h \sqrt{P_h(1-P_h)} / \sqrt{c_h}}{\sum_{h=1}^L N_h \sqrt{P_h(1-P_h)} / \sqrt{c_h}}$$

where

n_h is the number of samples allocated to stratum h ,

L is the number of strata,

N_h is the total number of units in stratum h ,

P_h is the proportion in stratum h ,

c_h is the cost per population unit in stratum h .

n is the total number of units sampled in all strata,

$$n = \sum_{h=1}^L n_h$$

Using this formula, the number of samples allocated to each stratum is:

Stratum	Number of Samples
1	6
Total Samples	6

Method for Determining Sampling Locations

Five methods for determining sample locations are provided in VSP: 1) simple random sampling, 2) random sampling within grids, 3) systematic sampling with a random start, 4) systematic sampling with a fixed start and 5) adaptive grid sampling. One may use a different method for each stratum, based on the conceptual site model and decision to be made for a given stratum. For this site, sample locations were chosen using random sampling within grids in each stratum.

Locating the sample points using a random sampling within grids method combines appealing aspects of both the random

and the systematic grid methods. It provides data that are separated by many distances, providing information about the spatial structure of the potential contamination. It also ensures good coverage of the entire site, although not as completely as if systematic grid sampling were performed.

Statistical Assumptions

The assumptions associated with the formulas for computing the number of samples are:

1. The estimated stratum proportions, P_h , are reasonable and representative of the stratum populations being sampled.
2. The sampling locations are selected using simple random sampling.
3. The stratum costs, C_h , and the fixed cost C_0 , are accurate.

The first and third assumptions will be assessed in a post data collection analysis. The second assumption, although not strictly valid for strata where systematic grid sampling was used rather than simple random sampling, is not expected to significantly affect conclusions of the study because (1) the gridded sample locations were selected based on a random start and (2) any patterns of contamination in the field that may exist are not expected to coincide with the regularity of the grid sampling pattern.

Cost of Sampling

The total cost of the completed sampling program depends on several cost inputs, some of which are fixed, and others that are based on the number of samples collected and measured. Based on the numbers of samples determined above, the estimated total cost of sampling and analysis at this site is \$4,000.00, which averages out to a per sample cost of \$666.67. The following table summarizes the inputs and resulting cost estimates.

COST INFORMATION				
Stratum	Samples	Collection Cost Per Sample	Analytic Cost Per Sample	Total Cost
1	6			
Total Samples:	6		Subtotal:	
			Fixed Startup Cost:	
			Grand Total:	

Recommended Data Analysis Activities

Post data collection activities generally follow those outlined in EPA's Guidance for Data Quality Assessment (EPA, 2000). The data analysts will become familiar with the context of the problem and goals for data collection and assessment. The data will be verified and validated before being subjected to statistical or other analyses. Graphical and analytical tools will be used to verify to the extent possible the assumptions of any statistical analyses that are performed as well as to achieve a general understanding of the data. The data will be assessed to determine whether they are adequate in both quality and quantity to support the primary objective of sampling.

Estimates for the proportion of the population values will be calculated using the formulas appropriate for stratified sampling; these formulas are found in EPA QA/G-5S (EPA, 2001). Results of the exploratory and quantitative assessments of the data will be reported, along with conclusions that may be supported by them.

This report was automatically produced* by Visual Sample Plan (VSP) software version 7.11b.

This design was last modified 4/16/2020 1:08:20 PM.

Software and documentation available at <http://vsp.pnnl.gov>

Software copyright (c) 2020 Battelle Memorial Institute. All rights reserved.

* - The report contents may have been modified or reformatted by end-user of software.

VSP Sample Design Report for Using Stratified Sampling to Estimate the Population Proportion


Summary

This report summarizes the stratified sampling design used, associated statistical assumptions, as well as general guidelines for conducting post-sampling data analysis. Sampling plan components presented here include how many sampling locations to choose and where within the sampling area to collect those samples. The type of medium to sample (i.e., soil, groundwater, etc.) and how to analyze the samples (in-situ, fixed laboratory, etc.) are addressed in other sections of the sampling plan. It is important to note that the decision for sample size calculation is determined for the combined strata, rather than any individual strata.

The following table summarizes the proportion stratified sampling design developed. A figure that shows sampling locations in the field and a table that lists sampling location coordinates are also provided below.

SUMMARY OF SAMPLING DESIGN	
Primary Objective of Design	Estimate the population proportion of all strata combined
Criteria for Determining Total Number of Samples	Predetermined Number
Sample Placement (Location) in the Field	Random sampling within grids within each stratum
Formula for calculating number of sampling locations	From Gilbert (1987, page 51)
Method for calculating number of sampling locations in each stratum	Optimal Allocation
Calculated total number of samples	4
Stratum 1	4
Total area of all strata	120191.06 m ²
Total cost of sampling ^a	

^a Including measurement analyses and fixed overhead costs. See the Cost of Sampling section for an explanation of the costs presented here.



Area: Area 1

X Coord	Y Coord	Label	Value	Type	Historical	Sample Area
818827.8374	435349.7110			Random in Grid		
819006.7662	435279.6857			Random in Grid		
818917.5743	435474.3785			Random in Grid		
818751.8486	435569.1123			Random in Grid		

Primary Sampling Objective

The primary purpose of sampling at this site is to estimate the proportion for the entire site, i.e., for all strata combined, such that the estimated proportion has the minimum possible standard deviation under the condition that the sampling and measurement costs cannot exceed a specified amount. Preexisting information was used to divide the site into 1 non-overlapping strata that were expected to be more homogeneous internally than for the entire site (all strata combined). The expected variability of values within each stratum was estimated or approximated, and the stratum weights, W_h , were determined so that the total number of samples could be allocated appropriately among the strata.

Number of Total Samples: Calculation Equation and Inputs

The total number of samples, n , has been provided by the user. *It is left to the professional judgment of the user to know if this number is adequate for the intended goal of the sampling design.*

Parameter	Input Value
n	4

Allocation of Samples to Strata

The total number of samples is allocated to the individual strata on an optimal basis using the formula:

$$n_h = n \frac{N_h \sqrt{P_h(1-P_h)} / \sqrt{c_h}}{\sum_{h=1}^L N_h \sqrt{P_h(1-P_h)} / \sqrt{c_h}}$$

where

- n_h is the number of samples allocated to stratum h ,
- L is the number of strata,
- N_h is the total number of units in stratum h ,
- P_h is the proportion in stratum h ,
- c_h is the cost per population unit in stratum h .

n is the total number of units sampled in all strata,

$$n = \sum_{h=1}^L n_h$$

Using this formula, the number of samples allocated to each stratum is:

Stratum	Number of Samples
1	4
Total Samples	4

Method for Determining Sampling Locations

Five methods for determining sample locations are provided in VSP: 1) simple random sampling, 2) random sampling within grids, 3) systematic sampling with a random start, 4) systematic sampling with a fixed start and 5) adaptive grid sampling. One may use a different method for each stratum, based on the conceptual site model and decision to be made for a given stratum. For this site, sample locations were chosen using random sampling within grids in each stratum.

Locating the sample points using a random sampling within grids method combines appealing aspects of both the random and the systematic grid methods. It provides data that are separated by many distances, providing information about the spatial structure of the potential contamination. It also ensures good coverage of the entire site, although not as

completely as if systematic grid sampling were performed.

Statistical Assumptions

The assumptions associated with the formulas for computing the number of samples are:

1. The estimated stratum proportions, P_h , are reasonable and representative of the stratum populations being sampled.
2. The sampling locations are selected using simple random sampling.
3. The stratum costs, C_h , and the fixed cost C_0 , are accurate.

The first and third assumptions will be assessed in a post data collection analysis. The second assumption, although not strictly valid for strata where systematic grid sampling was used rather than simple random sampling, is not expected to significantly affect conclusions of the study because (1) the gridded sample locations were selected based on a random start and (2) any patterns of contamination in the field that may exist are not expected to coincide with the regularity of the grid sampling pattern.

Cost of Sampling

The total cost of the completed sampling program depends on several cost inputs, some of which are fixed, and others that are based on the number of samples collected and measured. Based on the numbers of samples determined above, the estimated total cost of sampling and analysis at this site is \$3,000.00, which averages out to a per sample cost of \$750.00. The following table summarizes the inputs and resulting cost estimates.

COST INFORMATION				
Stratum	Samples	Collection Cost Per Sample	Analytic Cost Per Sample	Total Cost
1	4			
Total Samples:	4		Subtotal:	
			Fixed Startup Cost:	
			Grand Total:	

Recommended Data Analysis Activities

Post data collection activities generally follow those outlined in EPA's Guidance for Data Quality Assessment (EPA, 2000). The data analysts will become familiar with the context of the problem and goals for data collection and assessment. The data will be verified and validated before being subjected to statistical or other analyses. Graphical and analytical tools will be used to verify to the extent possible the assumptions of any statistical analyses that are performed as well as to achieve a general understanding of the data. The data will be assessed to determine whether they are adequate in both quality and quantity to support the primary objective of sampling.

Estimates for the proportion of the population values will be calculated using the formulas appropriate for stratified sampling; these formulas are found in EPA QA/G-5S (EPA, 2001). Results of the exploratory and quantitative assessments of the data will be reported, along with conclusions that may be supported by them.

This report was automatically produced* by Visual Sample Plan (VSP) software version 7.11b.

This design was last modified 4/16/2020 12:24:59 PM.

Software and documentation available at <http://vsp.pnnl.gov>

Software copyright (c) 2020 Battelle Memorial Institute. All rights reserved.

* - The report contents may have been modified or reformatted by end-user of software.























Field Screening

Location Name:

Dee boat

Date:

5-1-2020

Sample Name:	Collection Time:	EC (ms)	Temp (°C)	PID Reading /PF	Soil Color	Primary Soil Type	Moisture Level	Other Remarks/Notes:
CS1	430	0.06	25.2		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	no H.C. odor
CS2	432	0.13	25.4		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	
CS3	433	0.07	25.5		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	
CS4	435	0.10	26.2		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	
CS5	437	0.07 14th	25.9		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	
CS6	4312	0.03	24.1		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	
SW1	1200	0.11	25.4		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	
SW2	1202	0.13	26.1		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	
SW3	1204	0.10	26.3		Light Tan, Gray, Yellow Dark Brown, Olive, Red	Gravel Sand, Rock Silt, Clay	Dry Moist, Wet	



Field Screening

Location Name:

Dee But

Date:

5-1-2020

Sample Name:	Collection Time:	EC (ms)	Temp (°C)	PID Reading /PF	Soil Color	Primary Soil Type	Moisture Level	Other Remarks/Notes:
SW 4	1207	0.12	26.3		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u
SW 5	1223	0.04	27.5		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u
SW 6	1227	0.05	27.5		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u
SW 7	1229	0.04	23.5		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u
SW 8	1232	0.05	27.6		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u
SW 4	1234	0.04	27.7		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u
SW 10	1237	0.03	27.7		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u
SW 4	1240	0.06	27.8		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u
SW 12	1243	0.05	22.9		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	u



Field Screening

Location Name:

Dee But

Date:

5-1-2020

Sample Name:	Collection Time:	EC (mS)	Temp (°C)	PID Reading /PF	Soil Color	Primary Soil Type	Moisture Level	Other Remarks/Notes:
Sw 13	12:46	0.04	27.8		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	11
Sw 14	12:49	0.04	27.9		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	11
CS7	12:57	0.03	28.2		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	11
CS8	13:02	0.07	28.2		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	11
CS9	13:05	0.04	28.3		Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	11
					Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	
					Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	
					Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	
					Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	
					Light Tan Dark Brown Gray Olive Yellow Red	Gravel Sand Rock Silt Clay	Dry Moist Wet	

APPENDIX D

LABORATORY ANALYTICAL REPORTS



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

March 13, 2020

Shar Harvester
Marathon Oil Company
4111 Tidwell Road
Carlsbad, NM 88220
TEL: (575) 297-0956
FAX:

RE: Dee Boot Fee CTB

OrderNo.: 2003176

Dear Shar Harvester:

Hall Environmental Analysis Laboratory received 24 sample(s) on 3/4/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP01 0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 10:30:00 AM

Lab ID: 2003176-001

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	60		mg/Kg	20	3/9/2020 9:40:11 PM	50978
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	52	9.4		mg/Kg	1	3/8/2020 7:56:53 PM	50944
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	3/8/2020 7:56:53 PM	50944
Surr: DNOP	98.1	55.1-146		%Rec	1	3/8/2020 7:56:53 PM	50944
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	3/8/2020 4:45:40 AM	50914
Surr: BFB	83.5	66.6-105		%Rec	1	3/8/2020 4:45:40 AM	50914
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	3/8/2020 4:45:40 AM	50914
Toluene	ND	0.048		mg/Kg	1	3/8/2020 4:45:40 AM	50914
Ethylbenzene	ND	0.048		mg/Kg	1	3/8/2020 4:45:40 AM	50914
Xylenes, Total	ND	0.097		mg/Kg	1	3/8/2020 4:45:40 AM	50914
Surr: 4-Bromofluorobenzene	89.4	80-120		%Rec	1	3/8/2020 4:45:40 AM	50914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP01 0.5'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 10:35:00 AM

Lab ID: 2003176-002

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	61		mg/Kg	20	3/9/2020 10:17:13 PM	50978
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	110	9.6		mg/Kg	1	3/8/2020 8:20:47 PM	50944
Motor Oil Range Organics (MRO)	65	48		mg/Kg	1	3/8/2020 8:20:47 PM	50944
Surr: DNOP	115	55.1-146		%Rec	1	3/8/2020 8:20:47 PM	50944
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	3/8/2020 5:09:31 AM	50914
Surr: BFB	84.8	66.6-105		%Rec	1	3/8/2020 5:09:31 AM	50914
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	3/8/2020 5:09:31 AM	50914
Toluene	ND	0.050		mg/Kg	1	3/8/2020 5:09:31 AM	50914
Ethylbenzene	ND	0.050		mg/Kg	1	3/8/2020 5:09:31 AM	50914
Xylenes, Total	ND	0.099		mg/Kg	1	3/8/2020 5:09:31 AM	50914
Surr: 4-Bromofluorobenzene	91.9	80-120		%Rec	1	3/8/2020 5:09:31 AM	50914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP02 0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 11:20:00 AM

Lab ID: 2003176-004

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	60		mg/Kg	20	3/9/2020 10:29:33 PM	50978
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	17	9.9		mg/Kg	1	3/8/2020 8:44:46 PM	50944
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	3/8/2020 8:44:46 PM	50944
Surr: DNOP	100	55.1-146		%Rec	1	3/8/2020 8:44:46 PM	50944
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	3/8/2020 5:33:23 AM	50914
Surr: BFB	81.5	66.6-105		%Rec	1	3/8/2020 5:33:23 AM	50914
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	3/8/2020 5:33:23 AM	50914
Toluene	ND	0.049		mg/Kg	1	3/8/2020 5:33:23 AM	50914
Ethylbenzene	ND	0.049		mg/Kg	1	3/8/2020 5:33:23 AM	50914
Xylenes, Total	ND	0.098		mg/Kg	1	3/8/2020 5:33:23 AM	50914
Surr: 4-Bromofluorobenzene	87.4	80-120		%Rec	1	3/8/2020 5:33:23 AM	50914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP02 0.5'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 11:25:00 AM

Lab ID: 2003176-005

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	60		mg/Kg	20	3/9/2020 10:41:55 PM	50978
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	3/8/2020 9:08:42 PM	50944
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	3/8/2020 9:08:42 PM	50944
Surr: DNOP	104	55.1-146		%Rec	1	3/8/2020 9:08:42 PM	50944
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	3/8/2020 5:57:03 AM	50914
Surr: BFB	83.2	66.6-105		%Rec	1	3/8/2020 5:57:03 AM	50914
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	3/8/2020 5:57:03 AM	50914
Toluene	ND	0.049		mg/Kg	1	3/8/2020 5:57:03 AM	50914
Ethylbenzene	ND	0.049		mg/Kg	1	3/8/2020 5:57:03 AM	50914
Xylenes, Total	ND	0.098		mg/Kg	1	3/8/2020 5:57:03 AM	50914
Surr: 4-Bromofluorobenzene	88.7	80-120		%Rec	1	3/8/2020 5:57:03 AM	50914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP03 0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 11:45:00 AM

Lab ID: 2003176-007

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	60		mg/Kg	20	3/9/2020 11:18:55 PM	50978
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	3/8/2020 9:32:41 PM	50944
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	3/8/2020 9:32:41 PM	50944
Surr: DNOP	97.3	55.1-146		%Rec	1	3/8/2020 9:32:41 PM	50944
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	3/8/2020 6:20:20 AM	50914
Surr: BFB	84.5	66.6-105		%Rec	1	3/8/2020 6:20:20 AM	50914
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	3/8/2020 6:20:20 AM	50914
Toluene	ND	0.049		mg/Kg	1	3/8/2020 6:20:20 AM	50914
Ethylbenzene	ND	0.049		mg/Kg	1	3/8/2020 6:20:20 AM	50914
Xylenes, Total	ND	0.098		mg/Kg	1	3/8/2020 6:20:20 AM	50914
Surr: 4-Bromofluorobenzene	91.1	80-120		%Rec	1	3/8/2020 6:20:20 AM	50914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP03 0.5'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 11:50:00 AM

Lab ID: 2003176-008

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	61		mg/Kg	20	3/9/2020 11:31:16 PM	50978
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	3/10/2020 5:56:48 PM	50921
Surr: BFB	96.2	70-130		%Rec	1	3/10/2020 5:56:48 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	3/9/2020 11:38:29 PM	50931
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	3/9/2020 11:38:29 PM	50931
Surr: DNOP	95.4	55.1-146		%Rec	1	3/9/2020 11:38:29 PM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	3/10/2020 5:56:48 PM	50921
Toluene	ND	0.050		mg/Kg	1	3/10/2020 5:56:48 PM	50921
Ethylbenzene	ND	0.050		mg/Kg	1	3/10/2020 5:56:48 PM	50921
Xylenes, Total	ND	0.099		mg/Kg	1	3/10/2020 5:56:48 PM	50921
Surr: 1,2-Dichloroethane-d4	90.6	70-130		%Rec	1	3/10/2020 5:56:48 PM	50921
Surr: 4-Bromofluorobenzene	97.0	70-130		%Rec	1	3/10/2020 5:56:48 PM	50921
Surr: Dibromofluoromethane	94.9	70-130		%Rec	1	3/10/2020 5:56:48 PM	50921
Surr: Toluene-d8	100	70-130		%Rec	1	3/10/2020 5:56:48 PM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP04 0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 1:00:00 PM

Lab ID: 2003176-010

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	60		mg/Kg	20	3/9/2020 11:43:35 PM	50978
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	160	4.9		mg/Kg	1	3/10/2020 7:22:07 PM	50921
Surr: BFB	111	70-130		%Rec	1	3/10/2020 7:22:07 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	6300	95		mg/Kg	10	3/10/2020 12:50:50 AM	50931
Motor Oil Range Organics (MRO)	2400	470		mg/Kg	10	3/10/2020 12:50:50 AM	50931
Surr: DNOP	0	55.1-146	S	%Rec	10	3/10/2020 12:50:50 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	3/10/2020 7:22:07 PM	50921
Toluene	0.053	0.049		mg/Kg	1	3/10/2020 7:22:07 PM	50921
Ethylbenzene	0.23	0.049		mg/Kg	1	3/10/2020 7:22:07 PM	50921
Xylenes, Total	2.1	0.099		mg/Kg	1	3/10/2020 7:22:07 PM	50921
Surr: 1,2-Dichloroethane-d4	93.3	70-130		%Rec	1	3/10/2020 7:22:07 PM	50921
Surr: 4-Bromofluorobenzene	51.8	70-130	S	%Rec	1	3/10/2020 7:22:07 PM	50921
Surr: Dibromofluoromethane	95.1	70-130		%Rec	1	3/10/2020 7:22:07 PM	50921
Surr: Toluene-d8	98.9	70-130		%Rec	1	3/10/2020 7:22:07 PM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP04 0.5'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 1:05:00 PM

Lab ID: 2003176-011

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	60		mg/Kg	20	3/9/2020 11:55:57 PM	50978
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	46	5.0		mg/Kg	1	3/11/2020 12:57:24 PM	50921
Surr: BFB	104	70-130		%Rec	1	3/11/2020 12:57:24 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	300	9.1		mg/Kg	1	3/10/2020 1:14:57 AM	50931
Motor Oil Range Organics (MRO)	120	46		mg/Kg	1	3/10/2020 1:14:57 AM	50931
Surr: DNOP	107	55.1-146		%Rec	1	3/10/2020 1:14:57 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	3/10/2020 8:47:34 PM	50921
Toluene	ND	0.050		mg/Kg	1	3/10/2020 8:47:34 PM	50921
Ethylbenzene	ND	0.050		mg/Kg	1	3/10/2020 8:47:34 PM	50921
Xylenes, Total	0.32	0.10		mg/Kg	1	3/10/2020 8:47:34 PM	50921
Surr: 1,2-Dichloroethane-d4	95.0	70-130		%Rec	1	3/10/2020 8:47:34 PM	50921
Surr: 4-Bromofluorobenzene	68.4	70-130	S	%Rec	1	3/10/2020 8:47:34 PM	50921
Surr: Dibromofluoromethane	96.6	70-130		%Rec	1	3/10/2020 8:47:34 PM	50921
Surr: Toluene-d8	103	70-130		%Rec	1	3/10/2020 8:47:34 PM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP05 0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 1:20:00 PM

Lab ID: 2003176-013

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	370	60		mg/Kg	20	3/10/2020 12:08:18 AM	50978
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	4600	240		mg/Kg	50	3/11/2020 2:22:48 PM	50921
Surr: BFB	102	70-130		%Rec	50	3/11/2020 2:22:48 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	37000	940		mg/Kg	100	3/10/2020 1:38:52 AM	50931
Motor Oil Range Organics (MRO)	14000	4700		mg/Kg	100	3/10/2020 1:38:52 AM	50931
Surr: DNOP	0	55.1-146	S	%Rec	100	3/10/2020 1:38:52 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	2.3	0.12		mg/Kg	5	3/10/2020 9:15:58 PM	50921
Toluene	49	2.4		mg/Kg	50	3/11/2020 2:22:48 PM	50921
Ethylbenzene	31	2.4		mg/Kg	50	3/11/2020 2:22:48 PM	50921
Xylenes, Total	160	4.8		mg/Kg	50	3/11/2020 2:22:48 PM	50921
Surr: 1,2-Dichloroethane-d4	95.4	70-130		%Rec	5	3/10/2020 9:15:58 PM	50921
Surr: 4-Bromofluorobenzene	63.1	70-130	S	%Rec	5	3/10/2020 9:15:58 PM	50921
Surr: Dibromofluoromethane	99.1	70-130		%Rec	5	3/10/2020 9:15:58 PM	50921
Surr: Toluene-d8	103	70-130		%Rec	5	3/10/2020 9:15:58 PM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP05 1.0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 1:30:00 PM

Lab ID: 2003176-015

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CJS
Chloride	ND	61		mg/Kg	20	3/10/2020 12:20:37 AM	50978
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	290	4.9		mg/Kg	1	3/10/2020 9:44:18 PM	50921
Surr: BFB	122	70-130		%Rec	1	3/10/2020 9:44:18 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	1100	47		mg/Kg	5	3/10/2020 9:33:43 AM	50931
Motor Oil Range Organics (MRO)	380	230		mg/Kg	5	3/10/2020 9:33:43 AM	50931
Surr: DNOP	103	55.1-146		%Rec	5	3/10/2020 9:33:43 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	3/10/2020 9:44:18 PM	50921
Toluene	1.1	0.049		mg/Kg	1	3/10/2020 9:44:18 PM	50921
Ethylbenzene	1.5	0.049		mg/Kg	1	3/10/2020 9:44:18 PM	50921
Xylenes, Total	8.4	0.098		mg/Kg	1	3/10/2020 9:44:18 PM	50921
Surr: 1,2-Dichloroethane-d4	96.2	70-130		%Rec	1	3/10/2020 9:44:18 PM	50921
Surr: 4-Bromofluorobenzene	55.7	70-130	S	%Rec	1	3/10/2020 9:44:18 PM	50921
Surr: Dibromofluoromethane	96.4	70-130		%Rec	1	3/10/2020 9:44:18 PM	50921
Surr: Toluene-d8	103	70-130		%Rec	1	3/10/2020 9:44:18 PM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP06 0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 1:40:00 PM

Lab ID: 2003176-016

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: JMT
Chloride	920	60		mg/Kg	20	3/10/2020 4:54:51 PM	50988
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	10000	480		mg/Kg	100	3/11/2020 2:51:18 PM	50921
Surr: BFB	101	70-130		%Rec	100	3/11/2020 2:51:18 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	29000	930		mg/Kg	100	3/10/2020 2:26:54 AM	50931
Motor Oil Range Organics (MRO)	12000	4700		mg/Kg	100	3/10/2020 2:26:54 AM	50931
Surr: DNOP	0	55.1-146	S	%Rec	100	3/10/2020 2:26:54 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	41	2.4		mg/Kg	100	3/11/2020 2:51:18 PM	50921
Toluene	250	4.8		mg/Kg	100	3/11/2020 2:51:18 PM	50921
Ethylbenzene	80	4.8		mg/Kg	100	3/11/2020 2:51:18 PM	50921
Xylenes, Total	380	9.6		mg/Kg	100	3/11/2020 2:51:18 PM	50921
Surr: 1,2-Dichloroethane-d4	105	70-130		%Rec	100	3/11/2020 2:51:18 PM	50921
Surr: 4-Bromofluorobenzene	80.0	70-130		%Rec	100	3/11/2020 2:51:18 PM	50921
Surr: Dibromofluoromethane	102	70-130		%Rec	100	3/11/2020 2:51:18 PM	50921
Surr: Toluene-d8	99.2	70-130		%Rec	100	3/11/2020 2:51:18 PM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP06 1.0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 1:50:00 PM

Lab ID: 2003176-018

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: JMT
Chloride	ND	60		mg/Kg	20	3/10/2020 5:31:55 PM	50988
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	53	4.7		mg/Kg	1	3/11/2020 1:25:49 PM	50921
Surr: BFB	105	70-130		%Rec	1	3/11/2020 1:25:49 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	590	9.3		mg/Kg	1	3/10/2020 2:50:59 AM	50931
Motor Oil Range Organics (MRO)	240	46		mg/Kg	1	3/10/2020 2:50:59 AM	50931
Surr: DNOP	97.7	55.1-146		%Rec	1	3/10/2020 2:50:59 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	0.047	0.023		mg/Kg	1	3/11/2020 1:25:49 PM	50921
Toluene	0.52	0.047		mg/Kg	1	3/11/2020 1:25:49 PM	50921
Ethylbenzene	0.25	0.047		mg/Kg	1	3/11/2020 1:25:49 PM	50921
Xylenes, Total	1.3	0.093		mg/Kg	1	3/11/2020 1:25:49 PM	50921
Surr: 1,2-Dichloroethane-d4	91.0	70-130		%Rec	1	3/11/2020 1:25:49 PM	50921
Surr: 4-Bromofluorobenzene	77.4	70-130		%Rec	1	3/11/2020 1:25:49 PM	50921
Surr: Dibromofluoromethane	95.6	70-130		%Rec	1	3/11/2020 1:25:49 PM	50921
Surr: Toluene-d8	103	70-130		%Rec	1	3/11/2020 1:25:49 PM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP07 0'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 2:30:00 PM

Lab ID: 2003176-019

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: JMT
Chloride	120	60		mg/Kg	20	3/10/2020 5:44:16 PM	50988
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	4600	240		mg/Kg	50	3/11/2020 3:19:43 PM	50921
Surr: BFB	106	70-130		%Rec	50	3/11/2020 3:19:43 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	32000	920		mg/Kg	100	3/10/2020 4:02:46 AM	50931
Motor Oil Range Organics (MRO)	12000	4600		mg/Kg	100	3/10/2020 4:02:46 AM	50931
Surr: DNOP	0	55.1-146	S	%Rec	100	3/10/2020 4:02:46 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	7.0	0.12		mg/Kg	5	3/11/2020 1:32:52 AM	50921
Toluene	77	2.4		mg/Kg	50	3/11/2020 3:19:43 PM	50921
Ethylbenzene	34	2.4		mg/Kg	50	3/11/2020 3:19:43 PM	50921
Xylenes, Total	170	4.7		mg/Kg	50	3/11/2020 3:19:43 PM	50921
Surr: 1,2-Dichloroethane-d4	96.1	70-130		%Rec	5	3/11/2020 1:32:52 AM	50921
Surr: 4-Bromofluorobenzene	64.7	70-130	S	%Rec	5	3/11/2020 1:32:52 AM	50921
Surr: Dibromofluoromethane	97.7	70-130		%Rec	5	3/11/2020 1:32:52 AM	50921
Surr: Toluene-d8	103	70-130		%Rec	5	3/11/2020 1:32:52 AM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: SP07 0.5'

Project: Dee Boot Fee CTB

Collection Date: 2/27/2020 2:35:00 PM

Lab ID: 2003176-020

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: JMT
Chloride	ND	60		mg/Kg	20	3/10/2020 5:56:37 PM	50988
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	250	4.7		mg/Kg	1	3/11/2020 1:54:22 PM	50921
Surr: BFB	114	70-130		%Rec	1	3/11/2020 1:54:22 PM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	450	8.9		mg/Kg	1	3/10/2020 4:26:47 AM	50931
Motor Oil Range Organics (MRO)	150	45		mg/Kg	1	3/10/2020 4:26:47 AM	50931
Surr: DNOP	90.5	55.1-146		%Rec	1	3/10/2020 4:26:47 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	0.23	0.024		mg/Kg	1	3/11/2020 2:01:30 AM	50921
Toluene	4.4	0.047		mg/Kg	1	3/11/2020 2:01:30 AM	50921
Ethylbenzene	2.0	0.047		mg/Kg	1	3/11/2020 2:01:30 AM	50921
Xylenes, Total	9.9	0.094		mg/Kg	1	3/11/2020 2:01:30 AM	50921
Surr: 1,2-Dichloroethane-d4	92.2	70-130		%Rec	1	3/11/2020 2:01:30 AM	50921
Surr: 4-Bromofluorobenzene	60.5	70-130	S	%Rec	1	3/11/2020 2:01:30 AM	50921
Surr: Dibromofluoromethane	94.6	70-130		%Rec	1	3/11/2020 2:01:30 AM	50921
Surr: Toluene-d8	108	70-130		%Rec	1	3/11/2020 2:01:30 AM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: BG01 0'

Project: Dee Boot Fee CTB

Collection Date: 2/28/2020 5:29:00 PM

Lab ID: 2003176-022

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: JMT
Chloride	ND	60		mg/Kg	20	3/10/2020 6:08:58 PM	50988
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	3/11/2020 2:30:09 AM	50921
Surr: BFB	99.1	70-130		%Rec	1	3/11/2020 2:30:09 AM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	3/10/2020 4:50:37 AM	50931
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	3/10/2020 4:50:37 AM	50931
Surr: DNOP	86.7	55.1-146		%Rec	1	3/10/2020 4:50:37 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	3/11/2020 2:30:09 AM	50921
Toluene	ND	0.050		mg/Kg	1	3/11/2020 2:30:09 AM	50921
Ethylbenzene	ND	0.050		mg/Kg	1	3/11/2020 2:30:09 AM	50921
Xylenes, Total	ND	0.10		mg/Kg	1	3/11/2020 2:30:09 AM	50921
Surr: 1,2-Dichloroethane-d4	90.9	70-130		%Rec	1	3/11/2020 2:30:09 AM	50921
Surr: 4-Bromofluorobenzene	92.6	70-130		%Rec	1	3/11/2020 2:30:09 AM	50921
Surr: Dibromofluoromethane	99.8	70-130		%Rec	1	3/11/2020 2:30:09 AM	50921
Surr: Toluene-d8	107	70-130		%Rec	1	3/11/2020 2:30:09 AM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: BG01 0.5'

Project: Dee Boot Fee CTB

Collection Date: 2/28/2020 5:35:00 PM

Lab ID: 2003176-023

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: JMT
Chloride	ND	60		mg/Kg	20	3/10/2020 6:21:19 PM	50988
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	3/11/2020 2:58:45 AM	50921
Surr: BFB	98.0	70-130		%Rec	1	3/11/2020 2:58:45 AM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	3/10/2020 5:14:31 AM	50931
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	3/10/2020 5:14:31 AM	50931
Surr: DNOP	85.0	55.1-146		%Rec	1	3/10/2020 5:14:31 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.023		mg/Kg	1	3/11/2020 2:58:45 AM	50921
Toluene	ND	0.047		mg/Kg	1	3/11/2020 2:58:45 AM	50921
Ethylbenzene	ND	0.047		mg/Kg	1	3/11/2020 2:58:45 AM	50921
Xylenes, Total	ND	0.093		mg/Kg	1	3/11/2020 2:58:45 AM	50921
Surr: 1,2-Dichloroethane-d4	90.2	70-130		%Rec	1	3/11/2020 2:58:45 AM	50921
Surr: 4-Bromofluorobenzene	95.3	70-130		%Rec	1	3/11/2020 2:58:45 AM	50921
Surr: Dibromofluoromethane	95.8	70-130		%Rec	1	3/11/2020 2:58:45 AM	50921
Surr: Toluene-d8	103	70-130		%Rec	1	3/11/2020 2:58:45 AM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2003176

Date Reported: 3/13/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Marathon Oil Company

Client Sample ID: BG01 1.0'

Project: Dee Boot Fee CTB

Collection Date: 2/28/2020 5:40:00 PM

Lab ID: 2003176-024

Matrix: SOIL

Received Date: 3/4/2020 9:50:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: JMT
Chloride	ND	60		mg/Kg	20	3/10/2020 6:33:39 PM	50988
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	3/11/2020 3:27:27 AM	50921
Surr: BFB	94.7	70-130		%Rec	1	3/11/2020 3:27:27 AM	50921
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	ND	9.4		mg/Kg	1	3/10/2020 5:38:23 AM	50931
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	3/10/2020 5:38:23 AM	50931
Surr: DNOP	85.5	55.1-146		%Rec	1	3/10/2020 5:38:23 AM	50931
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	3/11/2020 3:27:27 AM	50921
Toluene	ND	0.050		mg/Kg	1	3/11/2020 3:27:27 AM	50921
Ethylbenzene	ND	0.050		mg/Kg	1	3/11/2020 3:27:27 AM	50921
Xylenes, Total	ND	0.10		mg/Kg	1	3/11/2020 3:27:27 AM	50921
Surr: 1,2-Dichloroethane-d4	85.9	70-130		%Rec	1	3/11/2020 3:27:27 AM	50921
Surr: 4-Bromofluorobenzene	94.4	70-130		%Rec	1	3/11/2020 3:27:27 AM	50921
Surr: Dibromofluoromethane	97.6	70-130		%Rec	1	3/11/2020 3:27:27 AM	50921
Surr: Toluene-d8	101	70-130		%Rec	1	3/11/2020 3:27:27 AM	50921

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003176

13-Mar-20

Client: Marathon Oil Company**Project:** Dee Boot Fee CTB

Sample ID: MB-50978	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 50978	RunNo: 67121								
Prep Date: 3/9/2020	Analysis Date: 3/9/2020	SeqNo: 2312564	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-50978	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 50978	RunNo: 67121								
Prep Date: 3/9/2020	Analysis Date: 3/9/2020	SeqNo: 2312565	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	92.0	90	110			

Sample ID: MB-50988	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 50988	RunNo: 67156								
Prep Date: 3/10/2020	Analysis Date: 3/10/2020	SeqNo: 2313818	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-50988	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 50988	RunNo: 67156								
Prep Date: 3/10/2020	Analysis Date: 3/10/2020	SeqNo: 2313819	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.1	90	110			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003176

13-Mar-20

Client: Marathon Oil Company**Project:** Dee Boot Fee CTB

Sample ID: LCS-50944	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 50944	RunNo: 67097								
Prep Date: 3/6/2020	Analysis Date: 3/8/2020	SeqNo: 2310267 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	58	10	50.00	0	115	70	130			
Surr: DNOP	5.5		5.000		111	55.1	146			

Sample ID: MB-50944	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 50944	RunNo: 67097								
Prep Date: 3/6/2020	Analysis Date: 3/8/2020	SeqNo: 2310268 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	11		10.00		109	55.1	146			

Sample ID: 2003176-008AMS	SampType: MS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: SP03 0.5'	Batch ID: 50931	RunNo: 67107								
Prep Date: 3/6/2020	Analysis Date: 3/10/2020	SeqNo: 2312071 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	48	9.4	46.99	2.411	97.0	47.4	136			
Surr: DNOP	3.8		4.699		81.4	55.1	146			

Sample ID: 2003176-008AMSD	SampType: MSD	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: SP03 0.5'	Batch ID: 50931	RunNo: 67107								
Prep Date: 3/6/2020	Analysis Date: 3/10/2020	SeqNo: 2312072 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	9.2	46.04	2.411	97.6	47.4	136	1.28	43.4	
Surr: DNOP	3.5		4.604		77.0	55.1	146	0	0	

Sample ID: LCS-50931	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 50931	RunNo: 67107								
Prep Date: 3/6/2020	Analysis Date: 3/9/2020	SeqNo: 2312091 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	94.8	70	130			
Surr: DNOP	4.3		5.000		85.8	55.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003176

13-Mar-20

Client: Marathon Oil Company**Project:** Dee Boot Fee CTB

Sample ID: MB-50931	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 50931	RunNo: 67107								
Prep Date: 3/6/2020	Analysis Date: 3/9/2020	SeqNo: 2312093	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.1		10.00		91.5	55.1	146			

Sample ID: LCS-50974	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 50974	RunNo: 67107								
Prep Date: 3/9/2020	Analysis Date: 3/10/2020	SeqNo: 2314296	Units: %Rec							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	4.1		5.000		81.6	55.1	146			

Sample ID: MB-50974	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 50974	RunNo: 67107								
Prep Date: 3/9/2020	Analysis Date: 3/10/2020	SeqNo: 2314297	Units: %Rec							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	10		10.00		100	55.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003176

13-Mar-20

Client: Marathon Oil Company**Project:** Dee Boot Fee CTB

Sample ID: mb-50914	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: PBS	Batch ID: 50914	RunNo: 67094								
Prep Date: 3/5/2020	Analysis Date: 3/7/2020	SeqNo: 2310114			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	830		1000		82.9	66.6	105			

Sample ID: lcs-50914	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch ID: 50914	RunNo: 67094								
Prep Date: 3/5/2020	Analysis Date: 3/7/2020	SeqNo: 2310115			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	5.0	25.00	0	88.3	80	120			
Surr: BFB	910		1000		91.3	66.6	105			

Sample ID: MB-50932	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: PBS	Batch ID: 50932	RunNo: 67094								
Prep Date: 3/6/2020	Analysis Date: 3/8/2020	SeqNo: 2310138			Units: %Rec					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	860		1000		85.8	66.6	105			

Sample ID: LCS-50932	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch ID: 50932	RunNo: 67094								
Prep Date: 3/6/2020	Analysis Date: 3/8/2020	SeqNo: 2310139			Units: %Rec					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	920		1000		92.1	66.6	105			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003176

13-Mar-20

Client: Marathon Oil Company**Project:** Dee Boot Fee CTB

Sample ID: mb-50914	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 50914	RunNo: 67094								
Prep Date: 3/5/2020	Analysis Date: 3/7/2020	SeqNo: 2310229 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.91		1.000		91.2	80	120			

Sample ID: LCS-50914	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 50914	RunNo: 67094								
Prep Date: 3/5/2020	Analysis Date: 3/7/2020	SeqNo: 2310230 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.92	0.025	1.000	0	91.6	80	120			
Toluene	0.97	0.050	1.000	0	96.7	80	120			
Ethylbenzene	0.99	0.050	1.000	0	99.1	80	120			
Xylenes, Total	3.0	0.10	3.000	0	100	80	120			
Surr: 4-Bromofluorobenzene	0.92		1.000		92.5	80	120			

Sample ID: MB-50932	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 50932	RunNo: 67094								
Prep Date: 3/6/2020	Analysis Date: 3/8/2020	SeqNo: 2310287 Units: %Rec								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.93		1.000		92.7	80	120			

Sample ID: LCS-50932	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 50932	RunNo: 67094								
Prep Date: 3/6/2020	Analysis Date: 3/8/2020	SeqNo: 2310288 Units: %Rec								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.92		1.000		91.6	80	120			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003176

13-Mar-20

Client: Marathon Oil Company**Project:** Dee Boot Fee CTB

Sample ID: 2003176-010ams	SampType: MS	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: SP04 0'	Batch ID: 50921	RunNo: 67169								
Prep Date: 3/5/2020	Analysis Date: 3/10/2020	SeqNo: 2313913	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.025	0.9990	0.009133	95.4	70	130			
Toluene	1.0	0.050	0.9990	0.05259	95.8	70	130			
Ethylbenzene	1.3	0.050	0.9990	0.2290	105	70	130			
Xylenes, Total	5.8	0.10	2.997	2.126	123	70	130			
Surr: 1,2-Dichloroethane-d4	0.47		0.4995		94.6	70	130			
Surr: 4-Bromofluorobenzene	0.25		0.4995		51.0	70	130			S
Surr: Dibromofluoromethane	0.51		0.4995		102	70	130			
Surr: Toluene-d8	0.50		0.4995		99.6	70	130			

Sample ID: 2003176-010amsd	SampType: MSD	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: SP04 0'	Batch ID: 50921	RunNo: 67169								
Prep Date: 3/5/2020	Analysis Date: 3/10/2020	SeqNo: 2313914	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.87	0.024	0.9407	0.009133	91.2	70	130	10.4	20	
Toluene	0.99	0.047	0.9407	0.05259	99.2	70	130	2.37	20	
Ethylbenzene	1.3	0.047	0.9407	0.2290	113	70	130	1.42	0	
Xylenes, Total	6.2	0.094	2.822	2.126	145	70	130	6.62	0	S
Surr: 1,2-Dichloroethane-d4	0.44		0.4704		93.9	70	130	0	0	
Surr: 4-Bromofluorobenzene	0.23		0.4704		49.7	70	130	0	0	S
Surr: Dibromofluoromethane	0.46		0.4704		97.2	70	130	0	0	
Surr: Toluene-d8	0.48		0.4704		103	70	130	0	0	

Sample ID: Ics-50921	SampType: LCS	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: LCSS	Batch ID: 50921	RunNo: 67169								
Prep Date: 3/5/2020	Analysis Date: 3/10/2020	SeqNo: 2313925	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	102	70	130			
Toluene	1.1	0.050	1.000	0	105	70	130			
Ethylbenzene	1.1	0.050	1.000	0	106	70	130			
Xylenes, Total	3.2	0.10	3.000	0	107	70	130			
Surr: 1,2-Dichloroethane-d4	0.45		0.5000		89.1	70	130			
Surr: 4-Bromofluorobenzene	0.48		0.5000		95.3	70	130			
Surr: Dibromofluoromethane	0.48		0.5000		96.9	70	130			
Surr: Toluene-d8	0.50		0.5000		101	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003176

13-Mar-20

Client: Marathon Oil Company**Project:** Dee Boot Fee CTB

Sample ID: mb-50921	SampType: MBLK	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: PBS	Batch ID: 50921	RunNo: 67169								
Prep Date: 3/5/2020	Analysis Date: 3/10/2020	SeqNo: 2313926	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.46		0.5000		92.0	70	130			
Surr: 4-Bromofluorobenzene	0.48		0.5000		95.8	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		98.1	70	130			
Surr: Toluene-d8	0.51		0.5000		103	70	130			

Sample ID: mb-51006	SampType: MBLK	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: PBS	Batch ID: 51006	RunNo: 67211								
Prep Date: 3/10/2020	Analysis Date: 3/11/2020	SeqNo: 2315674	Units: %Rec							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	0.45		0.5000		90.2	70	130			
Surr: 4-Bromofluorobenzene	0.47		0.5000		94.3	70	130			
Surr: Dibromofluoromethane	0.48		0.5000		96.7	70	130			
Surr: Toluene-d8	0.50		0.5000		99.4	70	130			

Sample ID: lcs-51006	SampType: LCS	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: LCSS	Batch ID: 51006	RunNo: 67211								
Prep Date: 3/10/2020	Analysis Date: 3/11/2020	SeqNo: 2316391	Units: %Rec							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	0.45		0.5000		89.5	70	130			
Surr: 4-Bromofluorobenzene	0.47		0.5000		93.9	70	130			
Surr: Dibromofluoromethane	0.46		0.5000		92.7	70	130			
Surr: Toluene-d8	0.49		0.5000		98.9	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003176

13-Mar-20

Client: Marathon Oil Company**Project:** Dee Boot Fee CTB

Sample ID: 2003176-008ams	SampType: MS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: SP03 0.5'	Batch ID: 50921	RunNo: 67169								
Prep Date: 3/5/2020	Analysis Date: 3/10/2020	SeqNo: 2313955	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	4.8	23.95	0	90.2	70	130			
Surr: BFB	460		478.9		96.6	70	130			

Sample ID: 2003176-008amsd	SampType: MSD	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: SP03 0.5'	Batch ID: 50921	RunNo: 67169								
Prep Date: 3/5/2020	Analysis Date: 3/10/2020	SeqNo: 2313956	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	20	4.9	24.51	0	83.5	70	130	5.32	20	
Surr: BFB	460		490.2		94.8	70	130	0	0	

Sample ID: lcs-50921	SampType: LCS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: LCSS	Batch ID: 50921	RunNo: 67169								
Prep Date: 3/5/2020	Analysis Date: 3/10/2020	SeqNo: 2313969	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	5.0	25.00	0	88.0	70	130			
Surr: BFB	490		500.0		97.6	70	130			

Sample ID: mb-50921	SampType: MBLK	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: PBS	Batch ID: 50921	RunNo: 67169								
Prep Date: 3/5/2020	Analysis Date: 3/10/2020	SeqNo: 2313970	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	480		500.0		96.7	70	130			


Sample ID: lcs-51006	SampType: LCS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: LCSS	Batch ID: 51006	RunNo: 67211								
Prep Date: 3/10/2020	Analysis Date: 3/11/2020	SeqNo: 2315729	Units: %Rec							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	490		500.0		98.0	70	130			

Sample ID: mb-51006	SampType: MBLK	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: PBS	Batch ID: 51006	RunNo: 67211								
Prep Date: 3/10/2020	Analysis Date: 3/11/2020	SeqNo: 2315730	Units: %Rec							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	480		500.0		95.1	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: **MARATHON OIL COMPA**Work Order Number: **2003176**

RcptNo: 1

Received By: *Serylna P*

3/4/2020 9:50:00 AM

Completed By: **Leah Baca**

3/4/2020 4:06:02 PM

Reviewed By: **ENM**

3/5/20

Leah Baca

Chain of Custody

1. Is Chain of Custody sufficiently complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:
(<2 or >12 unless noted)

Adjusted?

Checked by: *JR*
3/5/20

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via:

☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions:

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.2	Good				

Chain-of-Custody Record

Client:

MARATHON OIL

Turn-Around Time:

5 DAY TAT

☒ Standard ☐ Rush

Project Name:

DEE BOOT FEE CTB

Project #:

Mailing Address: 4111 S Tidwell Rd

CARLSBAD NM 88220

Phone #: 575-388-8753

email or Fax#: MSA@JAR1@MARATHON OIL-CORP

QA/QC Package:

☐ Standard☐ Level 4 (Full Validation)Accreditation: ☐ Az Compliance☐ NELAC ☐ Other☐ EDD (Type)

Project Manager:

SHAR HARVESTER

SHAR.HARVESTER@WESCOMINC.COM

Sampler: BRANDON SILVA

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CP): 5.0 + 0.2 = 5.2 (°C)

Date Time Matrix Sample Name

2/27 1030 S SP01 0'

1035 0.5'

1040 1.0'

1120 SP02 0'

1125 0.5'

1130 1.0'

1145 SP03 0'

1150 0.5'

1155 1.0'

1300 SP04 0'

1305 0.5'

1310 1.0'

Date: 5/2

Time: 1100

Relinquished by:

Via:

Received by:

Date: 3/30

Time: 1100

Relinquished by:

Via:

Received by:

Date: 3/30

Time: 1900

Remarks:

J. Potez Carrier 03/04/20 0950


**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

TPH:8015D(GRO / DRO / MRO) ☒

8081 Pesticides/8082 PCBs ☒

EDB (Method 504.1) ☒

PAHs by 8310 or 8270SIMS ☒

RCRA 8 Metals ☒

(Cl, F, Br, NO₃, NO₂, PO₄, SO₄) ☒

8260 (VOA) ☒

8270 (Semi-VOA) ☒

Total Coliform (Present/Absent) ☒

BTX / MTBE / TMBs (8021) ☒

HEAL No. 2003176

Container Type and # JAR 1 ICE

Preservative Type

Cooler Temp (including CP): 5.0 + 0.2 = 5.2 (°C)

Date Time Matrix Sample Name

2/27 1030 S SP01 0'

1035 0.5'

1040 1.0'

1120 SP02 0'

1125 0.5'

1130 1.0'

1145 SP03 0'

1150 0.5'

1155 1.0'

1300 SP04 0'

1305 0.5'

1310 1.0'

Date: 5/2

Time: 1100

Relinquished by:

Via:

Received by:

Date: 3/30

Time: 1100

Remarks:

J. Potez Carrier 03/04/20 0950

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

If necessary, samples submitted to Hall Environmental may be sub-



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

May 08, 2020

Ashley Maxwell
Souder, Miller & Associates
201 S Halagueno
Carlsbad, NM 88221
TEL:
FAX:

RE: Dee Boot

OrderNo.: 2005057

Dear Ashley Maxwell:

Hall Environmental Analysis Laboratory received 23 sample(s) on 5/2/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS1

Project: Dee Boot

Collection Date: 5/1/2020 9:30:00 AM

Lab ID: 2005057-001

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	ND	60		mg/Kg	20	5/7/2020 3:51:23 AM	52317
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 6:56:33 PM	52228
Surr: BFB	94.2	70-130		%Rec	1	5/4/2020 6:56:33 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	5/5/2020 12:18:44 PM	52242
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	5/5/2020 12:18:44 PM	52242
Surr: DNOP	136	55.1-146		%Rec	1	5/5/2020 12:18:44 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/4/2020 6:56:33 PM	52228
Toluene	ND	0.050		mg/Kg	1	5/4/2020 6:56:33 PM	52228
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 6:56:33 PM	52228
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 6:56:33 PM	52228
Surr: 1,2-Dichloroethane-d4	93.3	70-130		%Rec	1	5/4/2020 6:56:33 PM	52228
Surr: 4-Bromofluorobenzene	97.6	70-130		%Rec	1	5/4/2020 6:56:33 PM	52228
Surr: Dibromofluoromethane	102	70-130		%Rec	1	5/4/2020 6:56:33 PM	52228
Surr: Toluene-d8	99.6	70-130		%Rec	1	5/4/2020 6:56:33 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS2

Project: Dee Boot

Collection Date: 5/1/2020 9:32:00 AM

Lab ID: 2005057-002

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	70	60		mg/Kg	20	5/7/2020 4:03:44 AM	52317
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 7:25:04 PM	52228
Surr: BFB	92.5	70-130		%Rec	1	5/4/2020 7:25:04 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	20	9.8		mg/Kg	1	5/5/2020 12:42:44 PM	52242
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	5/5/2020 12:42:44 PM	52242
Surr: DNOP	123	55.1-146		%Rec	1	5/5/2020 12:42:44 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/4/2020 7:25:04 PM	52228
Toluene	ND	0.050		mg/Kg	1	5/4/2020 7:25:04 PM	52228
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 7:25:04 PM	52228
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 7:25:04 PM	52228
Surr: 1,2-Dichloroethane-d4	92.3	70-130		%Rec	1	5/4/2020 7:25:04 PM	52228
Surr: 4-Bromofluorobenzene	96.0	70-130		%Rec	1	5/4/2020 7:25:04 PM	52228
Surr: Dibromofluoromethane	101	70-130		%Rec	1	5/4/2020 7:25:04 PM	52228
Surr: Toluene-d8	97.7	70-130		%Rec	1	5/4/2020 7:25:04 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS3

Project: Dee Boot

Collection Date: 5/1/2020 9:33:00 AM

Lab ID: 2005057-003

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	ND	60		mg/Kg	20	5/7/2020 4:16:04 AM	52317
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	5/4/2020 7:53:33 PM	52228
Surr: BFB	93.7	70-130		%Rec	1	5/4/2020 7:53:33 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	73	9.3		mg/Kg	1	5/5/2020 1:06:46 PM	52242
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	5/5/2020 1:06:46 PM	52242
Surr: DNOP	115	55.1-146		%Rec	1	5/5/2020 1:06:46 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/4/2020 7:53:33 PM	52228
Toluene	ND	0.049		mg/Kg	1	5/4/2020 7:53:33 PM	52228
Ethylbenzene	ND	0.049		mg/Kg	1	5/4/2020 7:53:33 PM	52228
Xylenes, Total	ND	0.098		mg/Kg	1	5/4/2020 7:53:33 PM	52228
Surr: 1,2-Dichloroethane-d4	91.1	70-130		%Rec	1	5/4/2020 7:53:33 PM	52228
Surr: 4-Bromofluorobenzene	95.0	70-130		%Rec	1	5/4/2020 7:53:33 PM	52228
Surr: Dibromofluoromethane	102	70-130		%Rec	1	5/4/2020 7:53:33 PM	52228
Surr: Toluene-d8	96.8	70-130		%Rec	1	5/4/2020 7:53:33 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS4

Project: Dee Boot

Collection Date: 5/1/2020 9:35:00 AM

Lab ID: 2005057-004

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	ND	60		mg/Kg	20	5/7/2020 4:28:24 AM	52317
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 8:22:04 PM	52228
Surr: BFB	95.0	70-130		%Rec	1	5/4/2020 8:22:04 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	470	9.8		mg/Kg	1	5/5/2020 1:30:50 PM	52242
Motor Oil Range Organics (MRO)	250	49		mg/Kg	1	5/5/2020 1:30:50 PM	52242
Surr: DNOP	117	55.1-146		%Rec	1	5/5/2020 1:30:50 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/4/2020 8:22:04 PM	52228
Toluene	ND	0.050		mg/Kg	1	5/4/2020 8:22:04 PM	52228
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 8:22:04 PM	52228
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 8:22:04 PM	52228
Surr: 1,2-Dichloroethane-d4	92.3	70-130		%Rec	1	5/4/2020 8:22:04 PM	52228
Surr: 4-Bromofluorobenzene	90.8	70-130		%Rec	1	5/4/2020 8:22:04 PM	52228
Surr: Dibromofluoromethane	105	70-130		%Rec	1	5/4/2020 8:22:04 PM	52228
Surr: Toluene-d8	98.9	70-130		%Rec	1	5/4/2020 8:22:04 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS5

Project: Dee Boot

Collection Date: 5/1/2020 9:37:00 AM

Lab ID: 2005057-005

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: CAS
Chloride	ND	59		mg/Kg	20	5/7/2020 4:40:44 AM	52317
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	5/4/2020 8:50:31 PM	52228
Surr: BFB	95.0	70-130		%Rec	1	5/4/2020 8:50:31 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	5/5/2020 1:54:53 PM	52242
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 1:54:53 PM	52242
Surr: DNOP	142	55.1-146		%Rec	1	5/5/2020 1:54:53 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/4/2020 8:50:31 PM	52228
Toluene	ND	0.049		mg/Kg	1	5/4/2020 8:50:31 PM	52228
Ethylbenzene	ND	0.049		mg/Kg	1	5/4/2020 8:50:31 PM	52228
Xylenes, Total	ND	0.098		mg/Kg	1	5/4/2020 8:50:31 PM	52228
Surr: 1,2-Dichloroethane-d4	92.8	70-130		%Rec	1	5/4/2020 8:50:31 PM	52228
Surr: 4-Bromofluorobenzene	96.6	70-130		%Rec	1	5/4/2020 8:50:31 PM	52228
Surr: Dibromofluoromethane	103	70-130		%Rec	1	5/4/2020 8:50:31 PM	52228
Surr: Toluene-d8	99.9	70-130		%Rec	1	5/4/2020 8:50:31 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS6

Project: Dee Boot

Collection Date: 5/1/2020 1:12:00 PM

Lab ID: 2005057-006

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 10:37:37 AM	52321
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	5/4/2020 9:19:19 PM	52228
Surr: BFB	92.9	70-130		%Rec	1	5/4/2020 9:19:19 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	5/5/2020 2:19:01 PM	52242
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	5/5/2020 2:19:01 PM	52242
Surr: DNOP	96.0	55.1-146		%Rec	1	5/5/2020 2:19:01 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	5/4/2020 9:19:19 PM	52228
Toluene	ND	0.049		mg/Kg	1	5/4/2020 9:19:19 PM	52228
Ethylbenzene	ND	0.049		mg/Kg	1	5/4/2020 9:19:19 PM	52228
Xylenes, Total	ND	0.098		mg/Kg	1	5/4/2020 9:19:19 PM	52228
Surr: 1,2-Dichloroethane-d4	92.7	70-130		%Rec	1	5/4/2020 9:19:19 PM	52228
Surr: 4-Bromofluorobenzene	93.8	70-130		%Rec	1	5/4/2020 9:19:19 PM	52228
Surr: Dibromofluoromethane	106	70-130		%Rec	1	5/4/2020 9:19:19 PM	52228
Surr: Toluene-d8	100	70-130		%Rec	1	5/4/2020 9:19:19 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS7

Project: Dee Boot

Collection Date: 5/1/2020 12:57:00 PM

Lab ID: 2005057-007

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 11:14:41 AM	52321
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	5/4/2020 9:48:04 PM	52228
Surr: BFB	96.5	70-130		%Rec	1	5/4/2020 9:48:04 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	16	9.5		mg/Kg	1	5/5/2020 2:43:05 PM	52242
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 2:43:05 PM	52242
Surr: DNOP	119	55.1-146		%Rec	1	5/5/2020 2:43:05 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/4/2020 9:48:04 PM	52228
Toluene	ND	0.049		mg/Kg	1	5/4/2020 9:48:04 PM	52228
Ethylbenzene	ND	0.049		mg/Kg	1	5/4/2020 9:48:04 PM	52228
Xylenes, Total	ND	0.098		mg/Kg	1	5/4/2020 9:48:04 PM	52228
Surr: 1,2-Dichloroethane-d4	91.5	70-130		%Rec	1	5/4/2020 9:48:04 PM	52228
Surr: 4-Bromofluorobenzene	95.4	70-130		%Rec	1	5/4/2020 9:48:04 PM	52228
Surr: Dibromofluoromethane	103	70-130		%Rec	1	5/4/2020 9:48:04 PM	52228
Surr: Toluene-d8	102	70-130		%Rec	1	5/4/2020 9:48:04 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS8

Project: Dee Boot

Collection Date: 5/1/2020 1:02:00 PM

Lab ID: 2005057-008

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 11:27:01 AM	52321
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 10:16:56 PM	52228
Surr: BFB	95.3	70-130		%Rec	1	5/4/2020 10:16:56 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	14	9.5		mg/Kg	1	5/5/2020 3:07:10 PM	52242
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 3:07:10 PM	52242
Surr: DNOP	120	55.1-146		%Rec	1	5/5/2020 3:07:10 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/4/2020 10:16:56 PM	52228
Toluene	ND	0.050		mg/Kg	1	5/4/2020 10:16:56 PM	52228
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 10:16:56 PM	52228
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 10:16:56 PM	52228
Surr: 1,2-Dichloroethane-d4	91.4	70-130		%Rec	1	5/4/2020 10:16:56 PM	52228
Surr: 4-Bromofluorobenzene	96.0	70-130		%Rec	1	5/4/2020 10:16:56 PM	52228
Surr: Dibromofluoromethane	103	70-130		%Rec	1	5/4/2020 10:16:56 PM	52228
Surr: Toluene-d8	101	70-130		%Rec	1	5/4/2020 10:16:56 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: CS9

Project: Dee Boot

Collection Date: 5/1/2020 1:05:00 PM

Lab ID: 2005057-009

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 11:39:22 AM	52321
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 10:45:45 PM	52228
Surr: BFB	93.3	70-130		%Rec	1	5/4/2020 10:45:45 PM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	12	8.9		mg/Kg	1	5/5/2020 3:31:20 PM	52242
Motor Oil Range Organics (MRO)	ND	44		mg/Kg	1	5/5/2020 3:31:20 PM	52242
Surr: DNOP	128	55.1-146		%Rec	1	5/5/2020 3:31:20 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/4/2020 10:45:45 PM	52228
Toluene	ND	0.050		mg/Kg	1	5/4/2020 10:45:45 PM	52228
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 10:45:45 PM	52228
Xylenes, Total	ND	0.099		mg/Kg	1	5/4/2020 10:45:45 PM	52228
Surr: 1,2-Dichloroethane-d4	91.1	70-130		%Rec	1	5/4/2020 10:45:45 PM	52228
Surr: 4-Bromofluorobenzene	95.0	70-130		%Rec	1	5/4/2020 10:45:45 PM	52228
Surr: Dibromofluoromethane	104	70-130		%Rec	1	5/4/2020 10:45:45 PM	52228
Surr: Toluene-d8	99.2	70-130		%Rec	1	5/4/2020 10:45:45 PM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW1

Project: Dee Boot

Collection Date: 5/1/2020 12:00:00 PM

Lab ID: 2005057-010

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 11:51:43 AM	52321
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/5/2020 1:38:18 AM	52228
Surr: BFB	95.2	70-130		%Rec	1	5/5/2020 1:38:18 AM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	5/5/2020 3:55:21 PM	52242
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 3:55:21 PM	52242
Surr: DNOP	117	55.1-146		%Rec	1	5/5/2020 3:55:21 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/5/2020 1:38:18 AM	52228
Toluene	ND	0.050		mg/Kg	1	5/5/2020 1:38:18 AM	52228
Ethylbenzene	ND	0.050		mg/Kg	1	5/5/2020 1:38:18 AM	52228
Xylenes, Total	ND	0.099		mg/Kg	1	5/5/2020 1:38:18 AM	52228
Surr: 1,2-Dichloroethane-d4	90.1	70-130		%Rec	1	5/5/2020 1:38:18 AM	52228
Surr: 4-Bromofluorobenzene	93.4	70-130		%Rec	1	5/5/2020 1:38:18 AM	52228
Surr: Dibromofluoromethane	104	70-130		%Rec	1	5/5/2020 1:38:18 AM	52228
Surr: Toluene-d8	102	70-130		%Rec	1	5/5/2020 1:38:18 AM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW2

Project: Dee Boot

Collection Date: 5/1/2020 12:02:00 PM

Lab ID: 2005057-011

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 12:04:04 PM	52321
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/5/2020 2:07:02 AM	52228
Surr: BFB	95.4	70-130		%Rec	1	5/5/2020 2:07:02 AM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	5/5/2020 4:19:29 PM	52242
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	5/5/2020 4:19:29 PM	52242
Surr: DNOP	109	55.1-146		%Rec	1	5/5/2020 4:19:29 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	5/5/2020 2:07:02 AM	52228
Toluene	ND	0.050		mg/Kg	1	5/5/2020 2:07:02 AM	52228
Ethylbenzene	ND	0.050		mg/Kg	1	5/5/2020 2:07:02 AM	52228
Xylenes, Total	ND	0.10		mg/Kg	1	5/5/2020 2:07:02 AM	52228
Surr: 1,2-Dichloroethane-d4	92.2	70-130		%Rec	1	5/5/2020 2:07:02 AM	52228
Surr: 4-Bromofluorobenzene	92.7	70-130		%Rec	1	5/5/2020 2:07:02 AM	52228
Surr: Dibromofluoromethane	105	70-130		%Rec	1	5/5/2020 2:07:02 AM	52228
Surr: Toluene-d8	102	70-130		%Rec	1	5/5/2020 2:07:02 AM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW3

Project: Dee Boot

Collection Date: 5/1/2020 12:04:00 PM

Lab ID: 2005057-012

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 12:41:07 PM	52321
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	5/5/2020 2:35:47 AM	52228
Surr: BFB	94.7	70-130		%Rec	1	5/5/2020 2:35:47 AM	52228
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: CLP
Diesel Range Organics (DRO)	ND	9.4		mg/Kg	1	5/5/2020 4:43:29 PM	52242
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	5/5/2020 4:43:29 PM	52242
Surr: DNOP	141	55.1-146		%Rec	1	5/5/2020 4:43:29 PM	52242
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	5/5/2020 2:35:47 AM	52228
Toluene	ND	0.049		mg/Kg	1	5/5/2020 2:35:47 AM	52228
Ethylbenzene	ND	0.049		mg/Kg	1	5/5/2020 2:35:47 AM	52228
Xylenes, Total	ND	0.098		mg/Kg	1	5/5/2020 2:35:47 AM	52228
Surr: 1,2-Dichloroethane-d4	89.3	70-130		%Rec	1	5/5/2020 2:35:47 AM	52228
Surr: 4-Bromofluorobenzene	91.3	70-130		%Rec	1	5/5/2020 2:35:47 AM	52228
Surr: Dibromofluoromethane	103	70-130		%Rec	1	5/5/2020 2:35:47 AM	52228
Surr: Toluene-d8	99.9	70-130		%Rec	1	5/5/2020 2:35:47 AM	52228

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW4

Project: Dee Boot

Collection Date: 5/1/2020 12:07:00 PM

Lab ID: 2005057-013

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 12:53:27 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	12	9.4		mg/Kg	1	5/5/2020 11:29:46 AM	52254
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	5/5/2020 11:29:46 AM	52254
Surr: DNOP	92.6	55.1-146		%Rec	1	5/5/2020 11:29:46 AM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 2:27:21 PM	52230
Surr: BFB	103	66.6-105		%Rec	1	5/4/2020 2:27:21 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 2:27:21 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 2:27:21 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 2:27:21 PM	52230
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 2:27:21 PM	52230
Surr: 4-Bromofluorobenzene	98.9	80-120		%Rec	1	5/4/2020 2:27:21 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW5

Project: Dee Boot

Collection Date: 5/1/2020 12:23:00 PM

Lab ID: 2005057-014

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 1:05:48 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	17	9.2		mg/Kg	1	5/5/2020 11:54:04 AM	52254
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	5/5/2020 11:54:04 AM	52254
Surr: DNOP	96.0	55.1-146		%Rec	1	5/5/2020 11:54:04 AM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 3:37:53 PM	52230
Surr: BFB	104	66.6-105		%Rec	1	5/4/2020 3:37:53 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 3:37:53 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 3:37:53 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 3:37:53 PM	52230
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 3:37:53 PM	52230
Surr: 4-Bromofluorobenzene	102	80-120		%Rec	1	5/4/2020 3:37:53 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW6

Project: Dee Boot

Collection Date: 5/1/2020 12:27:00 PM

Lab ID: 2005057-015

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	59		mg/Kg	20	5/7/2020 1:18:09 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	20	9.5		mg/Kg	1	5/5/2020 12:18:26 PM	52254
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 12:18:26 PM	52254
Surr: DNOP	86.8	55.1-146		%Rec	1	5/5/2020 12:18:26 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 5:58:45 PM	52230
Surr: BFB	103	66.6-105		%Rec	1	5/4/2020 5:58:45 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 5:58:45 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 5:58:45 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 5:58:45 PM	52230
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 5:58:45 PM	52230
Surr: 4-Bromofluorobenzene	100	80-120		%Rec	1	5/4/2020 5:58:45 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW7

Project: Dee Boot

Collection Date: 5/1/2020 12:29:00 PM

Lab ID: 2005057-016

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	59		mg/Kg	20	5/7/2020 1:30:29 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	18	9.8		mg/Kg	1	5/5/2020 12:42:39 PM	52254
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	5/5/2020 12:42:39 PM	52254
Surr: DNOP	88.5	55.1-146		%Rec	1	5/5/2020 12:42:39 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 6:22:06 PM	52230
Surr: BFB	102	66.6-105		%Rec	1	5/4/2020 6:22:06 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 6:22:06 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 6:22:06 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 6:22:06 PM	52230
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 6:22:06 PM	52230
Surr: 4-Bromofluorobenzene	98.4	80-120		%Rec	1	5/4/2020 6:22:06 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW8

Project: Dee Boot

Collection Date: 5/1/2020 12:32:00 PM

Lab ID: 2005057-017

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 1:42:50 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	17	9.6		mg/Kg	1	5/5/2020 1:07:06 PM	52254
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 1:07:06 PM	52254
Surr: DNOP	83.2	55.1-146		%Rec	1	5/5/2020 1:07:06 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 6:45:48 PM	52230
Surr: BFB	101	66.6-105		%Rec	1	5/4/2020 6:45:48 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 6:45:48 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 6:45:48 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 6:45:48 PM	52230
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 6:45:48 PM	52230
Surr: 4-Bromofluorobenzene	97.4	80-120		%Rec	1	5/4/2020 6:45:48 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW9

Project: Dee Boot

Collection Date: 5/1/2020 12:34:00 PM

Lab ID: 2005057-018

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 1:55:10 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	24	9.4		mg/Kg	1	5/5/2020 1:31:35 PM	52254
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	5/5/2020 1:31:35 PM	52254
Surr: DNOP	77.9	55.1-146		%Rec	1	5/5/2020 1:31:35 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	5/4/2020 7:09:14 PM	52230
Surr: BFB	102	66.6-105		%Rec	1	5/4/2020 7:09:14 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 7:09:14 PM	52230
Toluene	ND	0.049		mg/Kg	1	5/4/2020 7:09:14 PM	52230
Ethylbenzene	ND	0.049		mg/Kg	1	5/4/2020 7:09:14 PM	52230
Xylenes, Total	ND	0.099		mg/Kg	1	5/4/2020 7:09:14 PM	52230
Surr: 4-Bromofluorobenzene	98.9	80-120		%Rec	1	5/4/2020 7:09:14 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW10

Project: Dee Boot

Collection Date: 5/1/2020 12:37:00 PM

Lab ID: 2005057-019

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 2:07:31 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	23	9.6		mg/Kg	1	5/5/2020 11:54:28 PM	52254
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 11:54:28 PM	52254
Surr: DNOP	70.4	55.1-146		%Rec	1	5/5/2020 11:54:28 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 7:32:34 PM	52230
Surr: BFB	104	66.6-105		%Rec	1	5/4/2020 7:32:34 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 7:32:34 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 7:32:34 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 7:32:34 PM	52230
Xylenes, Total	ND	0.099		mg/Kg	1	5/4/2020 7:32:34 PM	52230
Surr: 4-Bromofluorobenzene	102	80-120		%Rec	1	5/4/2020 7:32:34 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW11

Project: Dee Boot

Collection Date: 5/1/2020 12:40:00 PM

Lab ID: 2005057-020

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 2:19:52 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	24	9.6		mg/Kg	1	5/5/2020 2:20:20 PM	52254
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 2:20:20 PM	52254
Surr: DNOP	82.5	55.1-146		%Rec	1	5/5/2020 2:20:20 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	5/4/2020 7:55:56 PM	52230
Surr: BFB	102	66.6-105		%Rec	1	5/4/2020 7:55:56 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 7:55:56 PM	52230
Toluene	ND	0.049		mg/Kg	1	5/4/2020 7:55:56 PM	52230
Ethylbenzene	ND	0.049		mg/Kg	1	5/4/2020 7:55:56 PM	52230
Xylenes, Total	ND	0.099		mg/Kg	1	5/4/2020 7:55:56 PM	52230
Surr: 4-Bromofluorobenzene	101	80-120		%Rec	1	5/4/2020 7:55:56 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW12

Project: Dee Boot

Collection Date: 5/1/2020 12:43:00 PM

Lab ID: 2005057-021

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 2:32:13 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	36	9.6		mg/Kg	1	5/5/2020 3:09:10 PM	52254
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	5/5/2020 3:09:10 PM	52254
Surr: DNOP	86.8	55.1-146		%Rec	1	5/5/2020 3:09:10 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 8:19:28 PM	52230
Surr: BFB	102	66.6-105		%Rec	1	5/4/2020 8:19:28 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 8:19:28 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 8:19:28 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 8:19:28 PM	52230
Xylenes, Total	ND	0.099		mg/Kg	1	5/4/2020 8:19:28 PM	52230
Surr: 4-Bromofluorobenzene	101	80-120		%Rec	1	5/4/2020 8:19:28 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW13

Project: Dee Boot

Collection Date: 5/1/2020 12:46:00 PM

Lab ID: 2005057-022

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	60		mg/Kg	20	5/7/2020 3:09:16 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	25	9.2		mg/Kg	1	5/5/2020 3:33:47 PM	52254
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	5/5/2020 3:33:47 PM	52254
Surr: DNOP	74.0	55.1-146		%Rec	1	5/5/2020 3:33:47 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 9:06:52 PM	52230
Surr: BFB	102	66.6-105		%Rec	1	5/4/2020 9:06:52 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 9:06:52 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 9:06:52 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 9:06:52 PM	52230
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 9:06:52 PM	52230
Surr: 4-Bromofluorobenzene	99.0	80-120		%Rec	1	5/4/2020 9:06:52 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2005057

Date Reported: 5/8/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: SW14

Project: Dee Boot

Collection Date: 5/1/2020 12:49:00 PM

Lab ID: 2005057-023

Matrix: SOIL

Received Date: 5/2/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	61		mg/Kg	20	5/7/2020 3:21:37 PM	52321
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: BRM
Diesel Range Organics (DRO)	22	9.9		mg/Kg	1	5/5/2020 3:58:15 PM	52254
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	5/5/2020 3:58:15 PM	52254
Surr: DNOP	78.2	55.1-146		%Rec	1	5/5/2020 3:58:15 PM	52254
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/4/2020 9:30:56 PM	52230
Surr: BFB	108	66.6-105	S	%Rec	1	5/4/2020 9:30:56 PM	52230
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	5/4/2020 9:30:56 PM	52230
Toluene	ND	0.050		mg/Kg	1	5/4/2020 9:30:56 PM	52230
Ethylbenzene	ND	0.050		mg/Kg	1	5/4/2020 9:30:56 PM	52230
Xylenes, Total	ND	0.10		mg/Kg	1	5/4/2020 9:30:56 PM	52230
Surr: 4-Bromofluorobenzene	104	80-120		%Rec	1	5/4/2020 9:30:56 PM	52230

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2005057

08-May-20

Client: Souder, Miller & Associates**Project:** Dee Boot

Sample ID: MB-52317	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 52317	RunNo: 68713								
Prep Date: 5/6/2020	Analysis Date: 5/6/2020	SeqNo: 2377596	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-52317	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 52317	RunNo: 68713								
Prep Date: 5/6/2020	Analysis Date: 5/6/2020	SeqNo: 2377597	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.6	90	110			

Sample ID: MB-52321	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 52321	RunNo: 68745								
Prep Date: 5/7/2020	Analysis Date: 5/7/2020	SeqNo: 2378332	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-52321	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 52321	RunNo: 68745								
Prep Date: 5/7/2020	Analysis Date: 5/7/2020	SeqNo: 2378333	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	91.8	90	110			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2005057

08-May-20

Client: Souder, Miller & Associates**Project:** Dee Boot

Sample ID: LCS-52254	SampType: LCS		TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: LCSS	Batch ID: 52254		RunNo: 68634							
Prep Date: 5/4/2020	Analysis Date: 5/5/2020		SeqNo: 2375312		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	43	10	50.00	0	86.5	70	130			
Surr: DNOP	3.8		5.000		75.0	55.1	146			

Sample ID: MB-52254	SampType: MBLK		TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: PBS	Batch ID: 52254		RunNo: 68634							
Prep Date: 5/4/2020	Analysis Date: 5/5/2020		SeqNo: 2375313		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.4		10.00		94.4	55.1	146			

Sample ID: MB-52242	SampType: MBLK		TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: PBS	Batch ID: 52242		RunNo: 68637							
Prep Date: 5/4/2020	Analysis Date: 5/5/2020		SeqNo: 2375356		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	11		10.00		109	55.1	146			

Sample ID: LCS-52242	SampType: LCS		TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: LCSS	Batch ID: 52242		RunNo: 68637							
Prep Date: 5/4/2020	Analysis Date: 5/5/2020		SeqNo: 2375357		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	52	10	50.00	0	104	70	130			
Surr: DNOP	5.3		5.000		107	55.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2005057

08-May-20

Client: Souder, Miller & Associates**Project:** Dee Boot

Sample ID: mb-52230	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: PBS	Batch ID: 52230	RunNo: 68625								
Prep Date: 5/3/2020	Analysis Date: 5/4/2020	SeqNo: 2374937 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		102	66.6	105			

Sample ID: lcs-52230	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch ID: 52230	RunNo: 68625								
Prep Date: 5/3/2020	Analysis Date: 5/4/2020	SeqNo: 2374938 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	5.0	25.00	0	90.7	80	120			
Surr: BFB	1100		1000		112	66.6	105			S

Sample ID: 2005057-014ams	SampType: MS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: SW5	Batch ID: 52230	RunNo: 68625								
Prep Date: 5/3/2020	Analysis Date: 5/4/2020	SeqNo: 2374941 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	24.88	0	98.3	80	120			
Surr: BFB	1100		995.0		114	66.6	105			S

Sample ID: 2005057-014amsd	SampType: MSD	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: SW5	Batch ID: 52230	RunNo: 68625								
Prep Date: 5/3/2020	Analysis Date: 5/4/2020	SeqNo: 2374942 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	5.0	24.78	0	94.8	80	120	3.96	20	
Surr: BFB	1100		991.1		114	66.6	105	0	0	S

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2005057

08-May-20

Client: Souder, Miller & Associates**Project:** Dee Boot

Sample ID: mb-52230	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 52230	RunNo: 68625								
Prep Date: 5/3/2020	Analysis Date: 5/4/2020	SeqNo: 2374972			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.98		1.000		98.4	80	120			

Sample ID: LCS-52230	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 52230	RunNo: 68625								
Prep Date: 5/3/2020	Analysis Date: 5/4/2020	SeqNo: 2374973			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	1.000	0	97.5	80	120			
Toluene	1.0	0.050	1.000	0	101	80	120			
Ethylbenzene	1.0	0.050	1.000	0	101	80	120			
Xylenes, Total	3.0	0.10	3.000	0	100	80	120			
Surr: 4-Bromofluorobenzene	0.98		1.000		98.4	80	120			

Sample ID: 2005057-013ams	SampType: MS	TestCode: EPA Method 8021B: Volatiles								
Client ID: SW4	Batch ID: 52230	RunNo: 68625								
Prep Date: 5/3/2020	Analysis Date: 5/4/2020	SeqNo: 2374975			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	107	78.5	119			
Toluene	1.1	0.050	1.000	0.01870	113	75.7	123			
Ethylbenzene	1.2	0.050	1.000	0	116	74.3	126			
Xylenes, Total	3.4	0.10	3.000	0	115	72.9	130			
Surr: 4-Bromofluorobenzene	1.0		1.000		103	80	120			

Sample ID: 2005057-013amsd	SampType: MSD	TestCode: EPA Method 8021B: Volatiles								
Client ID: SW4	Batch ID: 52230	RunNo: 68625								
Prep Date: 5/3/2020	Analysis Date: 5/4/2020	SeqNo: 2374976			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	107	78.5	119	0.618	20	
Toluene	1.1	0.050	1.000	0.01870	110	75.7	123	2.04	20	
Ethylbenzene	1.1	0.050	1.000	0	114	74.3	126	1.54	20	
Xylenes, Total	3.4	0.10	3.000	0	113	72.9	130	1.42	20	
Surr: 4-Bromofluorobenzene	1.0		1.000		99.9	80	120	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2005057

08-May-20

Client: Souder, Miller & Associates**Project:** Dee Boot

Sample ID: mb-52228	SampType: MBLK	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: PBS	Batch ID: 52228	RunNo: 68629								
Prep Date: 5/2/2020	Analysis Date: 5/4/2020	SeqNo: 2375082	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.47		0.5000		94.0	70	130			
Surr: 4-Bromofluorobenzene	0.51		0.5000		101	70	130			
Surr: Dibromofluoromethane	0.51		0.5000		101	70	130			
Surr: Toluene-d8	0.48		0.5000		97.0	70	130			

Sample ID: lcs-52228	SampType: LCS	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: LCSS	Batch ID: 52228	RunNo: 68629								
Prep Date: 5/2/2020	Analysis Date: 5/4/2020	SeqNo: 2375083	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.025	1.000	0	94.8	70	130			
Toluene	1.0	0.050	1.000	0	101	70	130			
Ethylbenzene	1.1	0.050	1.000	0	105	70	130			
Xylenes, Total	3.2	0.10	3.000	0	107	70	130			
Surr: 1,2-Dichloroethane-d4	0.47		0.5000		93.4	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		97.4	70	130			
Surr: Dibromofluoromethane	0.52		0.5000		103	70	130			
Surr: Toluene-d8	0.49		0.5000		97.5	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2005057

08-May-20

Client: Souder, Miller & Associates**Project:** Dee Boot

Sample ID: mb-52228	SampType: MBLK	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: PBS	Batch ID: 52228	RunNo: 68629								
Prep Date: 5/2/2020	Analysis Date: 5/4/2020	SeqNo: 2375104 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	480		500.0		95.9	70	130			

Sample ID: lcs-52228	SampType: LCS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: LCSS	Batch ID: 52228	RunNo: 68629								
Prep Date: 5/2/2020	Analysis Date: 5/4/2020	SeqNo: 2375105 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	5.0	25.00	0	89.5	70	130			
Surr: BFB	480		500.0		96.8	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: SMA-CARLSBAD

Work Order Number: 2005057

RcptNo: 1

Received By: Juan Rojas

5/2/2020 8:25:00 AM

Juan Rojas

Completed By: Juan Rojas

5/2/2020 9:31:32 AM

*Juan Rojas*Reviewed By: *LB**5/2/20*

Chain of Custody

1. Is Chain of Custody sufficiently complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☐ No ☒ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐ Not required
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4$ " for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH: _____
(<2 or >12 unless noted)
Adjusted? _____
Checked by: *JR 5/2/20*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.8	Good				
2	8.9	Good				

Chain-of-Custody Record

Client: SMA-Catsbad

Mailing Address:

Phone #:

email or Fax#:

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)Accreditation: ☐ Az Compliance☐ NELAC ☐ Other☐ EDD (Type)Turn-Around Time: ☐ Standard ☒ Rush 5 dayProject Name: Dee boat

Project #:

TA. 20.00630


Project Manager:

Ashley MaxwellSampler: CAAOn Ice: ☒ Yes ☐ No# of Coolers: 2Cooler Temp (including CF): 5.7 + 0.1 = 5.8 (°C)

Container Type and #

Preservative Type

HEAL No.

8.8 + 0.1 = 8.97005057-013-014-015-016-017-018-019020-021-022-023Received by: ChapmanVia: GoDate: 5/1/19Time: 1930Received by: ChapmanVia: carDate: 5/26/20Time: 8:15

HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

TPH: 8015D (GRO / DRO / MRO)

8081 Pesticides/8082 PCBs

EDB (Method 504.1)

PAHs by 8310 or 8270SIMS

RCRA 8 Metals

Cl, F, Br, NO₃, NO₂, PO₄, SO₄

8260 (VOA)

8270 (Semi-VOA)

Total Coliform (Present/Absent)

BTX / MTBE / TMBs (8021)

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

Remarks:

Direct Bill: Marathon Oil