Submit To Appropriate	District Office	<u> </u>		State of New M	1exico						Forr	n C-105
State Lease - 6 copies Fee Lease - 5 copies		Ene	Energy, Minerals and Natural Resources				Revised June 10, 2003					
	<u>strict I</u> 25 N. French Dr., Hobbs, NM 88240						WELL API NO.					
District II 1301 W. Grand Avenu						}	30-015-33012 5. Indicate Type of Lease					
District III 1000 Rio Brazos Rd., A	Aztec NM 87410			20 South St. Fra		r.		STAT	E X	FEE		
District IV			,	Santa Fe, NM	87505			State Oil & C	Gas Lea	se No. _V	Δ <u>-</u> 4920	
1220 S. St. Francis Dr.		OR RECO	MPLI	ETION REPOR	RT AND	LOG	200		E TIPLY CONTROL OF	Taubhell 1999	R-4720	
la. Type of Well:	L 🔀 GAS WEL							7. Lease Name	or Unit A	greement N	ame	
b. Type of Comple NEW X W		N 🗀 PLUC	□ PLUG □ DIFF.									
WELL OVER BACK RESVR. OTHER 440 9 0 2					R 2 8 200	4	WILLO' 8. Well No.	W STA	TE			
2. Name of Operator			- AD ADTEC									
MARBOB E 3. Address of Opera	ENERGY CORP	ORATION			000)-ADIL	-	1 9. Pool name or Wildcat				
· •												
PO ROX 7 4. Well Location	27, ARTES	IA, NM	<u>8821</u>	1-0227		***************************************		WILLOW	LAKE	; DELA	WARE,	SW
Unit Letter _		80 Feet Fro		SOUTH	Lin	e and	2.4	163Fee		ne	EAST	Line
Section	3	Townshi			nge	28E		MPM		DDY		County
10. Date Spudded 11/28/03			Date Con 3/4	npl. (Ready to Prod.) /04	13	Elevations (RKB, RT, GR,	cic.)	14. Elev.	Casinghead	
15. Total Depth	16. Plug Ba		17. If I	Multiple Compl. How	Many	18. Interv	als	Rotary Tools		Cable 7	Tools	
6700 '	664	7 1	20	nes?		Drilled By	У	0 - 670	0'			
19. Producing Interv			tom, Na	me		•		20). Was D		ırvey Made	
5251' - 21. Type Electric an	- 6640 DE	LAWARE						22. Was Well	Cored	NO		
DLL, CS	_							ZZ. Was Wen	00104	NO		
23.			CAS	SING RECOR	RD (Re	port all s	trir	gs set in w	ell)			
CASING SIZE		T LB./FT.		DEPTH SET	Н	DLE SIZE		CEMENTING	RECOR		MOUNT PU	JLLED
9 5/8"		6# ·	512' 6700'			12 1/4" 7 7/8"		300 SX			NONE	
5 1/2		7#	 	6700		118		2200 SX	, CIK		NONE	
24. SIZE	ТОР	ВОТТОМ	LIN	ER RECORD SACKS CEMENT	SCREE	NT	25 SI2		JBING I DEPTH	RECORD	PACKER	CET
SIZE	101	BOTTOM		SACKS CEMENT	SCREE	.N	312	2 7/8 "		351'	FACKER	, SEI
							<u> </u>					
26. Perforation re	cord (interval, size,	and number)						ACTURE, CE				
					}	INTERVAL 1-6640		FRAC W/				1784
5251	- 6640 ' (28 SAND	JETT	ED HOLES)	<u></u>	-0040						NEFE AC
								J., J.,				1707. 24, 220
28					ODUC'							
Date First Production	on	Production Me	thod (Flo	owing, gas lift, pumpir	ng - Size a	nd type pump)	Well Status	(Prod. or	Shut-in)		
3/7/04		PUME		,					ROD			
Date of Test	Hours Tested	Choke Size	;	Prod'n For Test Period	Oil - Bh	1	Ga I	s - MCF	Water -	Bbl.	Gas - Oil	Ratio
3/10/04	24					19		VENTING	20			
Flow Tubing Press.	Casing Pressure	Calculated Hour Rate	24-	Oil - Bbl.	Gas I	- MCF	1	Water - Bbl.	Oi	I Gravity - A	API - (Corr.)	,
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By												
VENTED TITO AGUIRRE												
30. List Attachments LOGS, DEVIATION SURVEY												
31 .I hereby certif	ty that the informa	tion shown of	n both s	ides of this form as	true and	complete to	o the	best of my kno	wledge d	and belief		
Signature		Anna	\sim	Printed DIANA	J. CA	ANNON Tit	tle	PRODUCTI	ON AN	ALYST	Date	3/25/04
	J	- W. VI W.				11		=			Date	
E-mail Address	produc	tion@mar	bob.	COM	E-mail Address production@marbob.com							

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeas	stern New Mexico	Northwestern New Mexico			
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"		
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"		
B. Salt 2367'	T. Atoka	T. Pictured Cliffs	T. Penn. "D"		
T. Yates	T. Miss	T. Cliff House	T. Leadville		
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison		
T. Queen	T. Silurian	T. Point Lookout	T. Elbert		
T. Grayburg	T. Montoya	T. Mancos	T. McCracken		
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte		
T. Glorieta	T. McKee	Base Greenhorn	T. Granite		
T. Paddock	T. Ellenburger	T. Dakota	T		
T. Blinebry	T. Gr. Wash	T. Morrison	T.		
T.Tubb_	T. Delaware Sand	T.Todilto	T		
T. Drinkard	T. Bone Springs	T. Entrada	T.		
T. Abo	T. BELL CANYON 2560'	T. Wingate	T		
T. Wolfcamp	T. CHERRY CANYON 3473'	T. Chinle	Т.		
T. Penn	T	T. Permian	T.		
T. Cisco (Bough C)	T.	T. Penn "A"	T.		
			OIL OR GAS		

			SANDS OR Z	ONE
No. 1, from	to	No. 3, from	to	
No. 2, from	to	No. 4, from	to	<i></i>
	IMPORTANT	WATER SANDS		
Include data on rate of	water inflow and elevation to which wat	er rose in hole.		
No. 1, from	to	feet		
	to			
	to			

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
					,		
					i		
						1	

L&M DRILLING, ING.

OIL WELL DRILLING CONTRACTORS

PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

December 22, 2003

DEC 23 2003

Marbob Energy Corporation PO Drawer 227 Artesia, NM 88211-0227

RE:

Willow State #1

1980' FSL & 2463' FEL Sec. 3, T25S, R28E Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION	DEPTH	DEVIATION	
574'	1°	2231'	3 1/2°	
805'	2°	2418'	3 °	RECEIVED
1051'	1 3/4°	2667'	1 1/4°	IILOLIVED
1300'	1 1/ 4 °	3167'	1°	MAR 2 9 2004
1548'	1°	3667'	3/4°	MAIL 2 0 71114
1796'	1 1/2°	4167'	1°	OCD-ARTESIA
2106'	2 1/2°	4664'	1 1/2°	

Very truly yours,

Eddie C. LaRue Vice President

STATE OF NEW MEXICO COUNTY OF EDDY

The foregoing was acknowledged before me

this 22nd day of December, 2003.

Notary Public

