Form 3160-5 (September 2001)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

RECEIVED

OMB No. 1004-0135

SUNDRY NOTICES AND REPORTS ON WELLS

JUN 1 4 2004

Expires January 31, 2004

5. Lease Serial No.

nis form for proposals to drill or re enter an 📉 😡 🗚 🗚 📙	IA L					
abandoned well. Use Form 3160-3 (APD) for such proposals.						
SUBMIT IN TRIPLICATE - Other instructions on reverse side						
	NMNM84614					
is Well Other	8. Well Name and No.					
	Ceniza AGZ Com #4					
1	9. API Well No.					
3b. Phone No. (include area code)	30-015-26689					
88210 505-748-1471	10. Field and Pool, or Exploratory Area					
., OR Survey Description)	Dagger Draw Upper Penn					
	11. County or Parish, State					
1,980' FSL & 660' FWL SECTION 12-T20S-R24E UNIT L						
PRIATE BOX(ES) TO INDICATE NATURE OF NOTIC	CE, REPORT, OR OTHER DATA					
TYPE OF AC	TION					
	oduction (Start/Resume) Water Shut-Off Clamation Well Integrity					
	emporarily Abandon					
Convert to Injection Plug Back	ater Disposal					
clearly state all pertinent details, including estimated starting date of any proposed w complete horizontally, give subsurface locations and measured and true vertical depite performed or provide the Bond No. on file with BLM/BIA. Required subsequent ins. If the operation results in a multiple completion or recompletion in a new intervinent Notices shall be filed only after all requirements, including reclamation, have tection.) On respectfully requests to temporarily abandon this The estimated date will depend on economic conditing ty trailer as necessary & TOH w/ rods & pump. ND w/ gauge ring & junk basket to +6,750'. POH. 6,744' dumping 35' cement on top of CIBP. POH.	this of all pertinent markers and zones. reports shall be filed within 30 days. al, a Form 3160-4 shall be filed once open completed, and the operator has well for possible future use as a Canyon tions and production in the water flood are					
	ICATE - Other instructions on reverse side s Well Other 3b. Phone No. (include area code) 88210 505-748-1471 "OR Survey Description) TION 12-T20S-R24E UNIT L RIATE BOX(ES) TO INDICATE NATURE OF NOTION Acidize Deepen Proposed Market Casing Fracture Treat Report Casing Repair New Construction Report Convert to Injection Plug Back Westernie of the operation results in a multiple completion or recompletion in a new intervient Market Casing Tender and Indicated Subsequent Notices shall be filed only after all requirements, including reclamation, have the estimated date will depend on economic condition to train the stimated date will depend on economic condition to train the stimated date will depend on economic condition to train the estimated date will depend on economic condition to train the stimated date will depend on economic condition to train the stimated date will depend on economic condition to train the stimated date will depend on economic condition to train the stimated date will depend on economic condition to train the stimated date will depend on economic condition to train the stimated date will depend on economic condition to the stimated date will depend on economic condition to the stimated date will depend on economic condition to the stimated date will depend on economic condition to the stimated date will depend on economic condition to the stimated date will depend on economic condition.					

- 4. RIH w/ 7" CIBP & set at 6,222' dumping 35' cement on top of CIBP. POH.
- 5. RIH w/ tubing and circulate hole w/ corrosion inhibited fluid.
- 6. Shut BOP & test casing to 500 psi for 30 min (10% leak off allowed). Chart test & report.
- 7. TOH laying down tubing.
- 8. Call BLM (505-887-6544) 24 hrs prior to conducting MIT. Chart test and report.
- 9. Clean up location and release equipment.

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Su'Ann Rogers	Title	Regulatory Comp	liance Tech	
		Trogulatory Comp		
Signature Sui Aru Moglus	Date	June 10, 2004		
THIS SPACE FOR	FEDERAL O	R STATE OFFICE USE		
Approved by		Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime	e for any person	knowingly and willfully to ma	ke to any department or agency of the Unite	ed

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

WELL NAME	: Ceniza A	3Z Com #4		FIELD:	Dagger Draw	
LOCATION:_	1730' FSL	660 FWL S	ec 12-20S-24E	Eddy	County	
GL : 3590'			(B : 3608'		9 5/8" 36# J-55	1220'
			ETION DATE: <u>5/11/9</u>	1	7" 26 & 23#	
COMMENTS					18 jts 26# N-80	783.33'
					62 jts 26# J-55 & SB	2596.14'
					97 jts 23# J-55 MV & SB 20 jts 23# N-80 MV	3986.44' 830.89'
	النداري	<u>۱</u>	4		3 jts 26# J-55 MV	125.60'
		/	TOC @ 95' by TS -	1" w/6 vde eur		8300'
14 3/4" Hole					Accepted for record	• NMOCD
8 ³ ⁄4" hole			9-5/8" @ 1220' w/	1100 sx cmt		
. o /4 Hole					<u>Before</u>	
			Wolfcamp Perf's: 6272-6284' Acidize: 2500 g 20% DV Tool @ 6301' Canyon Lime Perf's: 6794-6814' Acidize: 5000 g 20%			
			Canyon Perf's: 7667-7688' sho 7717-7721' 7757-7791' w/s Acidize: 38200 g 20% 7" @ 8300' Thru DV 1 st 2 ⁿ	58 .40" holes	i.	
	TD	8300'	2	12001 0101	Not to Scale 6/7/04 MSH	

• •

WELL NAME	: Ceniza A	AGZ Com #4		_FIELD:	Dagger Draw	
			Sec 12-20S-24E	Eddy (County	
GL : 3590'					9 5/8" 36# J-55	1220'
			ETION DATE: 5/11		7" 26 & 23#	1220
COMMENTS:					18 jts 26# N-80	783.33'
					62 jts 26# J-55 & SB	2596.14'
					97 jts 23# J-55 MV & SB	3986.44
	٠٠٠٠٠٠	Imaac	~ 1		20 jts 23# N-80 MV 3 jts 26# J-55 MV	830.89' 125.60'
)/ /		\		3 113 20# 3-03 1/1/	8300'
14 3/4" Hole			TOC @ 95' by TS	6 -1" w/6 yds surf		
	\/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				Accepted for recon	d - NMOCD
		\	9-5/8" @ 1220' v	w/ 1100 sx cmt		
8 ¾" hole					A 61	
	_				<u>After</u>	
5' Cement plug CIBP @ 6222'		/	Wolfcamp Perf's: 6272-6284'			
O		**	Acidize: 2500 g 20%			
			DV Tool @ 6301'			
5' Cement plug	\/					
CIBP @ 6744']),		Canyon Lime			
· ·	(\	l T\	Perf's: 6794-6814' Acidize: 5000 g 20%			
	J)\		7 total 207 0000 g 20 70			
		<u> </u>				
	(/	/)				
)/	\/				
	//	`\				
	('	/)				
) \	\((
	1/	;`\				
	/\					
	(\	\)				
),`	1 Y	Corver		\neg	
	(′		<u>Canyon</u> Perf's: 7667-7688'	shot on 5/3/91		
)\		7717-7721'	w/58 .40" holes		
			Acidize: 38200 g 20%	W/JO.4U NOIES		
	//	\				
			7" @ 8300' Thru DV	1 st Stg-700 H circ.		
	ר	LD 8300,		2 ^{no} 1200 PSLC+10	Not to Scale 6/7/04 MSH	