

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

Form approved
Budget Bureau No. 1004-0137
Expires August 31, 1985

LEASE DESIGNATION AND SERIAL NO.

NMLC029338A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

WELL COMPLETION OR RECOMPLETION REPORT

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____		7. UNIT AGREEMENT NAME	
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____		8. FARM OR LEASE NAME GISSLER A	
2. NAME OF OPERATOR BURNETT OIL CO., INC (817) 332-5108		9. WELL NO. 21 (API 30-015-33243) SI	
3. ADDRESS OF OPERATOR 801 CHERRY STREET- UNIT #9 SUITE 1500 FORT WORTH, TX. 76102-6881		10. FIELD AND POOL, OR WILDCAT CEDAR LAKE, YESO	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface UNIT G, 2310' FNL, 1400' FEL At top prod. interval reported below SAME AS SURFACE At total depth SAME AS SURFACE		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA SEC 14, T17S, R30E	
14. PERMIT NO. 3160-3		DATE ISSUED 11/18/2003	
15. DATE SPUNDED 2/9/2004	16. DATE T.D. REACHED 2/21/2004	17. DATE COMPL. (Ready to prod.) 3/12/2004	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3692' GR
19. ELEV. CASINGHEAD	20. TOTAL DEPTH, MD & TVD 5400'		
21. PLUG, BACK T.D., MD & TVD 5342'	22. IF MULTIPLE COMPL. HOW MANY*	23. INTERVALS DRILLED BY →	ROTARY TOOLS X
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4556'- 4818' CEDAR LAKE YESO(LOCO HILLS PADDOCK)			25. WAS DIRECTIONAL SURVEY MADE NO
26. TYPE ELECTRIC AND OTHER LOGS RUN DLL/MICRO-GUARD, SD,DSN,SPECTRAL GR			27. WAS WELL CORED YES
28. CASING RECORD (Report all strings set in well)			
CASINO SIZE 9-5/8"	WEIGHT, LB./FT. 32.30#	DEPTH SET (MD) 511'	HOLE SIZE 12-1/4"
7"	23#	5397'	8-3/4"
CEMENTING RECORD		AMOUNT PULLED	
150 sks C w/Thix, 475 sks.C W/2% CaCl		300 sks C w/CaCl	
1660 sks. CL"C" & Poz mix & 250 sks C in Two Stages			
29. LINER RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*
			SCREEN (MD)
ACCEPTED FOR RECORD			
30. TUBING RECORD			
SIZE 2-7/8"	DEPTH SET (MD) 4871'		PACKER SET (MD)
31. PERFORATION RECORD (Interval, size and number) 4556'-4818' Total 22 holes @ 2 SPF. JUN 22 2004 ALEXIS C. SWOBODA PETROLEUM ENGINEER			
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
4556'-4818'		1700 Gals 15% HCL acid	
4556'-4818'		35,000 Gals 20% Hot HCL w/57,120 Gals	
		WF"G" 40# gel w/100#/gal 100 mesh sand	
		5,000 Gals 15% HCL Acid	
33. PRODUCTION			
DATE FIRST PRODUCTION 3/12/2004	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping 25 x 20 x 20 RWTC		WELL STATUS (Producing or shut-in) Producing
DATE OF TEST 3/16/2004	HOURS TESTED 24	CHOKE SIZE	PROD'N. FOR TEST PERIOD →
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BSL. 135
			GAS—MCF. 167
			WATER—BSL. 519
			GAS-OIL RATIO
			OIL GRAVITY-API (CORR.)
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) SOLD TO FRONTIER, INC. THROUGH GISSLER A2 TANK BATTERY.			TEST WITNESSED BY BELTON MATHEWS
35. LIST OF ATTACHMENTS DLL/MICRO-GUARD, SD,DSN,SPECTRAL GR			
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records			
SIGNED <i>Alexis C. Swoboda</i>		TITLE PETROLEUM ENGINEER	
DATE 6/17/2004			

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38.

GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
SAN ANDRES	3463'		DOLO, ANHY			
SAN ANDRES	3587'		DOLO, ANHY			
SAN ANDRES	3802'		DOLO	ALLUVIUM	SURFACE	
SAN ANDRES	3866'		DOLO	ANHYDRITE	210'	
SAN ANDRES	3940'		DOLO, SL ANHY	SALT	420'	
SAN ANDRES	4108'		DOLO	BASE SALT	1158'	
SAN ANDRES	4116'		DOLO	SEVEN RIVERS	1604'	
YESO	4579'		DOLO	QUEEN	2222'	
YESO	4628'		DOLO, SL ANHY	GRAYBURG	2628'	
YESO	4679'		DOLO	SAN ANDRES	2975'	
YESO	4719'		DOLO	YESO	4472'	
YESO	4730'		DOLO, SL ANHY			
YESO	4760'		DOLO			
YESO	4860'		DOLO			
YESO	4960'		DOLO			
YESO	5224'		DOLO, SL ANHY			
YESO	5261'		DOLO, SL ANHY			

WELL NAME AND NUMBER Gissler "A" No. 21
LOCATION Unit G, 2310' FNL & 1400' FEL, Section 14, T17S, R30E, Eddy Co. NM
OPERATOR Burnett Oil Company, Inc.
DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation tests and obtained the following results:

<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>
<u>3/4° 500'</u>	<u>1° 4505'</u>	<u> </u>
<u>2° 1029'</u>	<u>1° 5002'</u>	<u> </u>
<u>1/4° 1501'</u>	<u> </u>	<u> </u>
<u>1/4° 2002'</u>	<u> </u>	<u> </u>
<u>1° 2506'</u>	<u> </u>	<u> </u>
<u>3/4° 3014'</u>	<u> </u>	<u> </u>
<u>3/4° 3517'</u>	<u> </u>	<u> </u>
<u>3/4° 4025'</u>	<u> </u>	<u> </u>

RECEIVED

JUN 23 2004

ODD-ARTESIA

Drilling Contractor United Drilling, Inc.

By: Angel Salazar

Title: Vice President

Subscribed and sworn to before me this 26th day of February,
2004.

Carlene Maitin

Notary Public

My Commission Expires: 10-04-04

Chaves New Mexico
County State