

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
March 4, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☐

Operator: Burnett Oil Co Inc Telephone: (917) 332-5103 e-mail address: \_\_\_\_\_  
Address: 801 Cherry Street - Unit 9 - 1500 Burnett Plaza Fort Worth Texas 76102-6581  
Facility or well name: Stevens A #6 API #: 30-015-21824 U/L or Qtr/Qtr \_\_\_\_\_ Sec 13 T 125 R 30E  
County: Eddy Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☐ Disposal ☐

Workover ☐ Emergency ☒

Lined ☒ Unlined ☐

Liner type: Synthetic ☐ Thickness 20 mil Clay ☐ Volume \_\_\_\_\_ bbl

Below-grade tank

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_

Construction material: \_\_\_\_\_

Double-walled, with leak detection? Yes ☐ If not, explain why not. \_\_\_\_\_

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) **MORE THAN 100'**

Less than 50 feet  
50 feet or more, but less than 100 feet  
100 feet or more

(20 points)  
(10 points)  
( 0 points)

**RECEIVED**

**JUL 19 2004**

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) **NO**

Yes  
No

(20 points)  
( 0 points)

**OOD ARTESIA**

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) **MORE THAN 1000'**

Less than 200 feet  
200 feet or more, but less than 1000 feet  
1000 feet or more

(20 points)  
(10 points)  
( 0 points)

**Ranking Score (Total Points)**

If this is a pit closure:

- (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks.
- (2) Indicate disposal location: onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_
- (3) Attach a general description of remedial action taken including remediation start date and end date.
- (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results.
- (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been constructed or closed according to NMOCD guidelines.

Date: \_\_\_\_\_

Printed Name/Title **STERLING RANDOLPH/PETROLEUM ENGINEER**

Signature Sterling Randolph


Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval **JUL 19 2004**

Date: \_\_\_\_\_

Printed Name/Title Gail Sep 10

Signature LSH




*Burnett Oil Co. Inc.*

Date 7/15/04

WE WOULD LIKE TO PULL PLASTIC IN OVER CEMENT. THERE IS NO FLUID IN PIT'S . THEN COVER W/ 4" DIRT AND 6" CLECHIE TO KEEP THE PAD FOR BATTERY

SUPERVISOR  
BELTON MATHEWS


S



BURNETT OIL CO INC.  
STEVENS "A" BATTERY  
PRODUCTION SITE  
NW/SW 13-17-30  
EDDY COUNTY NM.

E

N



BURNETT OIL CO INC.  
STEVENS "A" #6  
1295' FSL 25' FWL  
SEC 13, T17S, R30E  
EDDY COUNTY NM.

ELECTRIC POLE FOR BTRY & NAVAJO PUMP

MAIN ROAD

ACSESS TO BTRY

N