

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2004

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well ☐ Oil Well ☒ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.,
Other:

2. Name of Operator
Yates Petroleum Corporation

3. Address 105 S. 4th Str., Artesia, NM 88210 3a. Phone No. (include area code) 505-748-1471

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At Surface 1650'FSL & 1980'FEL (Unit J, NWSE)

At top prod. Interval reported below

Same as above

At total depth Same as above

RECEIVED

JUL 15 2004

OPB-ARTESIA

5. Lease Serial No.

NM-0399448

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No.

Malone ASA Federal Com #3

9. API Well No.

30-015-31701

10. Field and Pool, or Exploratory

Indian Basin Upper Penn Assoc.

11. Sec., T., R., M., on Block and
Survey or Area

Section 12-T22S-R23E

12. County or Parish 13. State

Eddy

New Mexico

14. Date Spudded
RH 3/3/04 RT 3/9/04

15. Date T.D. Reached
3/30/04

16. Date Completed 6/15/04
☐ D & A ☒ Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*

4007'GL 4024'KB

18. Total Depth: MD 8150'
TVD NA

19. Plug Back T.D.: MD 8108'
TVD NA

20. Depth Bridge Plug Set: MD NA
TVD NA

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

CNL, High Resolution Laterolog Array

22 Was Well cored? ☒ No ☐ Yes (Submit analysis)

Was DST run? ☒ No ☐ Yes (Submit report)

Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	State Cementer Depth	No. of Sks & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
	20"		Surface	40'		Conductor		Surface	
14-3/4"	9-5/8"	36#	Surface	1510'		2170 sx		Surface	
8-3/4"	7"	23#&26#	Surface	8150'		960 sx		Surface	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Canyon	7604'	7746'	7604'-7746'		118	Producing
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
7604-7746'	Acidize w/21,000g pad, 30,000g 20% acid with 3 stages of block flush w/21,000g water

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
6/16/04	6/20/04	24	↗	22	92	533	NA	NA	Pumping
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
NA	110 psi	NA	↗	22	92	533	NA	Producing	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			↗						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
			↗						

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production ⇒	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate ⇒	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production ⇒	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate ⇒	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Description, Contents, etc.	Name	Top
					Meas Depth
				San Andres	905'
				Glorieta	2170'
				2nd Bone Spring	3390'
				3rd Bone Spring	6485'
				Wolfcamp	6805'
				Upper Penn	7600'


32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:

- ☒ 1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Survey
 5. Sundry Notice for plugging and cement verification 6. Core Analysis ☒ 7. Other: Deviation Survey

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Tina Huerta Title Regulatory Compliance Supervisor

Signature  Date July 8, 2004

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR: YATES PETROLEUM
WELL/LEASE: MALONE ASA FED COM 3
COUNTY: EDDY

142-0023

STATE OF NEW MEXICO
DEVIATION REPORT

222	1/2
470	1/2
716	1
1,474	3/4
1,980	3/4
2,452	3/4
2,929	3/4
3,442	3/4
3,890	1/2
4,370	1/2
4,851	1
5,366	1
5,655	1
6,162	1 1/4
6,674	3/4
7,184	1 3/4
7,314	1 3/4
7,376	1 1/2
7,472	1 3/4
7,641	1 1/2
7,858	1 1/4
8,150	1 3/4

RECEIVED

APR 15 2004

OCB-ARTESIA

By: 

STATE OF TEXAS
COUNTY OF MIDLAND

The foregoing instrument was acknowledged before me on this 13th day of April, 2004, by
Steve Moore on behalf of Patterson-UTi Drilling Company LP, LLLP.


Notary Public for Midland County, Texas

My Commission Expires: 8/23/2007



J ROBERTSON
Notary Public, State of Texas
My Commission Expires:
August 23, 2007