State of New Mexico Energy, Minerals & Natural Resources

Form C-104 Revised June 10, 2003

1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u>

Oil Conservation Division 1220 South St. Francis Dr. Submit to Appropriate District Office 5 Copies

1220 S. St. Flair	cis Dr., Sa	inta Fe, NM 87	505		20 South St. Santa Fe, N		r .			Г	AMENDED REPORT	
	I.	REQUI	EST FO		OWABLE		[OH7	RIZAT	ION '	TO TRA		
¹ Operator n The Wiser								² OGRID Number 022922				
P.O, Box	2568							3 Reason for Filing Code/ Effective Date				
Hobbs, No			l Name		<u></u>			NW		⁶ Pool Co	do	
30 - 015-32				ckson SR	-QN-GB-SA	28509						
⁷ Property C 20882	Code		perty Nan te "A"	ne						⁹ Well Nu	mber	
II. 10 Su	rface L		te A					· · · · · · · · · · · · · · · · · · ·	 -	4		
Ul or lot no.	Section	Township	Range	Lot.Idn	Feet from the	I .	Line		ſ	East/West l	1 " 1	
K	16	17S	31E		2540	South		133	0	West	Eddy	
UL or lot no.		ole Location	Range	Lot Idn	Feet from the	North/South	h line	Feet from	n the	East/West I	ine County	
		ucing Method Code	•	14 Gas Connection 15 Date		mit Number	¹⁶ C-129 Effectiv		ctive D	ate 17	C-129 Expiration Date	
S	L	P 5/21/0										
		s Transpor		Nama	20	POD	²¹ O/	<u> </u>		22 DOD 111	CTD I anation	
18 Transporter OGRID		¹⁹ Transporter Name and Address				²⁰ POD ²¹ (,1			POD ULSTR Location and Description	
5108	5108 Sentinel P. O. Box			LC	254	2541910 O			SW/SE Sec. 16-T17S-R31E		. 16-T17S-R31E	
		d, Tx. 79702			and the second							
			tier Energy Services, LLC			2541930			SW/SE Sec. 16-T17S-R31E		. 16-T17S-R31E	
42		4200 E. Skelly Drive			12.5	2541750						
h Gr		Tulsa, OK. 74135-3256				to the substitute of						
					i. ii	Parties Before						
											RECEIVED	
	1	4.4.	. 4		AUG 0 9 2004							
IV. Proc	duced V										ORD: ARTESIA	
²³ POD			D ULSTR d for injec		and Description	on						
25	541950	Osc	u ioi inje	tion on u	1110							
V. Well												
25 Spud Date 03/14/04		etion Data			27	28.		29 —			30	
25 Spud Da 03/14/04	ate	etion Data 26 Ready 05/21/	Date		²⁷ TD 4000'	²⁸ PBTD 3980'		²⁹ Po 3878'-39	erforat		³⁰ DHC, MC	
	ate	26 Ready	Date				T	3878'-39 3564'-36	46' 37' 10' 328	75'-3854' 32'-3383'	³⁰ DHC, MC	
03/14/04	ate	26 Ready	Date 04	g & Tubir	4000'	3980'	epth Se	3878'-39 3564'-36 30	46' 37' 10' 328 62'-323	75'-3854' 32'-3383' 35'	Sacks Cement	
03/14/04	ate 1	26 Ready	Date 04		14000'	3980'	epth Se	3878'-39 3564'-36 30	46' 37' 10' 328 62'-323	75'-3854' 32'-3383' 35'		
03/14/04	ole Size	26 Ready	Date 04 32 Casing 8-5/8" 2	g & Tubir 24# J-55 L	ng Size	3980°	444'	3878'-39 3564'-36 30	46' 37' 10' 328 062'-323 20	75'-3854' 32'-3383' 55' 34 10 sks. Thick	Sacks Cement -so-tropic + 200 sks. Class "C"	
03/14/04	ate 1 ole Size	26 Ready	Date 04 32 Casing 8-5/8" 2	g & Tubir	ng Size	3980°		3878'-39 3564'-36 30	46' 37' 10' 328 062'-323 20	75'-3854' 32'-3383' 55' 34 10 sks. Thick	Sacks Cement -so-tropic + 200 sks. Class	
03/14/04	ole Size	26 Ready	Date 04 32 Casing 8-5/8" 2	g & Tubir 24# J-55 L	ng Size	3980°	444'	3878'-39 3564'-36 30	46' 37' 10' 328 062'-323 20	75'-3854' 32'-3383' 55' 34 10 sks. Thick	Sacks Cement -so-tropic + 200 sks. Class "C"	
03/14/04	ole Size	26 Ready	Date 04 32 Casing 8-5/8" 2	g & Tubin 24# J-55 I	ng Size	3980°	444'	3878'-39 3564'-36 30	46' 37' 10' 328 062'-323 20	75'-3854' 32'-3383' 55' 34 10 sks. Thick	Sacks Cement -so-tropic + 200 sks. Class "C"	
03/14/04 31 H 12 7. VI. Wel	ole Size 2-1/4" -7/8"	²⁶ Ready 05/21/	Date 04 32 Casing 8-5/8" 2 5-1/2" 1	g & Tubin 24# J-55 I 17# J-55 I 2-7/8"	ng Size LT&C LT&C	3980° 33 De	444' 6000' 6070'	3878'-39 3564'-36 30 et	46' 37' 10' 328 662'-323 20 45	75'-3854' 32'-3383' 55' 34 10 sks. Thick 0 sks. 35/65	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C"	
03/14/04 31 H	ole Size	26 Ready 05/21/ Data 36 Gas Deliv 5/21/0	32 Casing 8-5/8" 2 5-1/2" 1 ery Date	g & Tubin 24# J-55 L 2-7/8"	ng Size	3980° 33 De 4 4 3 Test 24	444' 000' 070' Lengt	3878'-39 3564'-36 30 et	46' 37' 10' 328 62'-323 20 45	75'-3854' 32'-3383' 55' 34 10 sks. Thick 0 sks. 35/65 g. Pressure 40#	Sacks Cement -so-tropic + 200 sks. Class "C"	
03/14/04 31 H 12 7- VI. Wel 35 Date New	ole Size 2-1/4" 2-7/8" I Test I	Data 26 Ready 05/21/	32 Casing 8-5/8" 2 5-1/2" 1 ery Date	g & Tubin 24# J-55 L 2-7/8"	ng Size T&C Test Date	3980° 33 De 4 4 3 38 Test 24	444' 000' 070' Lengt	3878'-39 3564'-36 30 et	46' 37' 10' 328 62'-323 20 45	75'-3854' 32'-3383' 15' 34 10 sks. Thick 0 sks. 35/65	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure	
VI. Wel 35 Date New 5/21/04 41 Choke S	ole Size 2-1/4" -7/8" I Test I	26 Ready 05/21/ 05/21/ Data 36 Gas Deliv 5/21/ 42 Oi 75	Date 04 32 Casin; 8-5/8" 2 5-1/2" 1 ery Date 04 il	24# J-55 L 2-7/8" 37 0 4 servation	ag Size LT&C LT&C Test Date 16/21/04 Water 176 Division have	3980° 33 De 4 4 3 38 Test 24	1444' 1000' 1070' Lengthrs.	3878'-39 3564'-36 30 et	46' 377 10' 328 162'-323 20 45	75'-3854' 32'-3383' 55' 34 10 sks. Thick 0 sks. 35/65 g. Pressure 40#	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure 40# 46 Test Method Pumping	
VI. Wel 35 Date New 5/21/04 41 Choke S 47 I hereby cerbeen complied	ole Size 2-1/4" -7/8" I Test I v Oil Size rtify that d with an	Data 36 Gas Deliv 5/21/0 42 Oi 75 the rules of the dight that the infection of the dight that the dight tha	Date 04 32 Casin; 8-5/8" 2 5-1/2" 1 ery Date 04 il	24# J-55 I 2-7/8" 37 0 4 servation liven above	ag Size LT&C LT&C Test Date 16/21/04 Water 176 Division have	3980° 33 De 4 4 3 38 Test 24	1444' 1000' 1070' Lengthrs.	3878'-39 3564'-36 30 et	46' 37' 10' 328 162'-323 20 45 39 Tb	75'-3854' 32'-3383' 15' 34 10 sks. Thick 0 sks. 35/65 g. Pressure 40# 5 AOF	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure 40# 46 Test Method Pumping	
VI. Wel 35 Date New 5/21/04 41 Choke S 47 I hereby cerbeen complied complete to the Signature:	ole Size 2-1/4" -7/8" I Test I v Oil Size rtify that d with an	Data 36 Gas Deliv 5/21/0 42 Oi 75 the rules of the dight that the infection of the dight that the dight tha	Date 04 32 Casin; 8-5/8" 2 5-1/2" 1 ery Date 04 il	24# J-55 I 2-7/8" 37 0 4 servation liven above	Test Date 16/21/04 Water 176 Division have e is true and	3980° 33 De 4 4 3 38 Test 24	1444' 1000' 1070' Lengthrs. Gas	3878'-39 3564'-36 30 et	46' 37' 10' 328 162'-323 20 20 45 45 NSERV	75'-3854' 72'-3383' 75' 34 70 sks. Thick 70 sks. 35/65 9. Pressure 40# ATION DIV	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure 40# 46 Test Method Pumping ISION	
VI. Wel 35 Date New 5/21/04 41 Choke S 47 I hereby cerbeen complied complete to the	ole Size 2-1/4" -7/8" I Test I v Oil Size rtify that d with an	Data 36 Gas Deliv 5/21/0 42 Oi 75 the rules of the dight that the infection of the dight that the dight tha	Date 04 32 Casin; 8-5/8" 2 5-1/2" 1 ery Date 04 il	24# J-55 I 2-7/8" 37 0 4 servation liven above	Test Date 16/21/04 Water 176 Division have e is true and	3980° 33 De 4 4 3 38 Test 24	1444' 1000' 1070' Lengthrs. Gas	3878'-39 3564'-36 30 et	46' 37' 10' 328 162'-323 20 20 45 45 NSERV	75'-3854' 32'-3383' 15' 34 10 sks. Thick 0 sks. 35/65 g. Pressure 40# 5 AOF	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure 40# 46 Test Method Pumping ISION	
VI. Wel Thereby cerbeen complete to the Signature: Mary Jo Tu 31 H. 12 7. VI. Wel 41 Choke S 47 I hereby cerbeen complete to the Signature: Mary Jo Tu	ole Size 2-1/4" -7/8" Il Test I v Oil Size rtify that d with an ne best of	Data 36 Gas Deliv 5/21/0 42 Oi 75 the rules of the dight that the infection of the dight that the dight tha	Date 04 32 Casin; 8-5/8" 2 5-1/2" 1 ery Date 04 il	24# J-55 I 2-7/8" 37 0 4 servation liven above	Test Date 16/21/04 Water 176 Division have e is true and	3980° 33 De 4 4 3 38 Test 24 44 (1444' 1000' 1070' Lengthrs. Gas 10	3878'-39 3564'-36 30 et	46' 37' 10' 328 162'-323 20 20 45 45 NSERV	75'-3854' 72'-3383' 75' 34 70 sks. Thick 70 sks. 35/65 9. Pressure 40# ATION DIV	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure 40# 46 Test Method Pumping ISION	
VI. Wel Thereby cerbeen complied complete to the Signature: Mary Jo Tu Title: Production	ole Size 2-1/4" 2-7/8" Il Test I v Oil Size rtify that and the best of the state	Data 36 Gas Deliv 5/21/0 42 Oi 75 the rules of the dight that the infection of the dight that the dight tha	Date 04 32 Casin; 8-5/8" 2 5-1/2" 1 ery Date 04 il	24# J-55 I 2-7/8" 37 0 4 servation liven above	Test Date 16/21/04 Water 176 Division have e is true and	3980° 33 De 4 4 3 38 Test 24 44 (1444' 1000' 1070' Lengthrs. Gas 10	3878'-39 3564'-36 30 et	46' 37' 10' 328 162'-323 20 20 45 45 NSERV	75'-3854' 72'-3383' 75' 34 70 sks. Thick 70 sks. 35/65 9. Pressure 40# ATION DIV	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure 40# 46 Test Method Pumping ISION	
VI. Wel The state of the state	ole Size 2-1/4" 2-7/8" I Test I y Oil Size rtify that and with an one best of the standard o	Data 36 Gas Deliv 5/21/6 42 Oi 75 the rules of the d that the informy knowledge are are are are are are are are are ar	Date 04 32 Casin; 8-5/8" 2 5-1/2" 1 ery Date 04 il	24# J-55 I 2-7/8" 37 0 4 servation liven above	Test Date 16/21/04 Water 176 Division have e is true and	3980° 33 De 4 4 3 38 Test 24 44 (1444' 1000' 1070' Lengthrs. Gas 10	3878'-39 3564'-36 30 et	46' 37' 10' 328 162'-323 20 20 45 45 NSERV	25'-3854' 32'-3383' 34' 30 sks. Thick 0 sks. 35/65 g. Pressure 40# ATION DIV	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure 40# 46 Test Method Pumping ISION	
VI. Wel Thereby cerbeen complied complete to the Signature: Printed name: Mary Jo Tu Title: Production	ole Size 2-1/4" 2-7/8" I Test I V Oil Size rtify that and with an one best of the second contract of the second	Data 36 Gas Deliv 5/21/6 42 Oi 75 the rules of the that the info my knowledge m Ph	Date 04 32 Casin; 8-5/8" 2 5-1/2" 1 ery Date 04 il	24# J-55 I 2-7/8" 37 0 4 servation liven above ef.	Test Date 16/21/04 Water 176 Division have e is true and	3980° 33 De 4 4 3 38 Test 24 44 (1444' 1000' 1070' Lengthrs. Gas 10	3878'-39 3564'-36 30 et	46' 37' 10' 328 162'-323 20 20 45 45 NSERV	25'-3854' 32'-3383' 34' 30 sks. Thick 0 sks. 35/65 g. Pressure 40# ATION DIV	Sacks Cement -so-tropic + 200 sks. Class "C" POZ + 200 sks. Class "C" 40 Csg. Pressure 40# 46 Test Method Pumping ISION	