

Submit 3 Copies To Appropriate District Office

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED 1220 South St. Francis Dr.
Santa Fe, NM 87505
OCD - ARTESIA

WELL API NO.

30-015-21538

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

647

7. Lease Name or Unit Agreement Name:

EMPIRE ABO UNIT "G"

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

BP AMERICA

8. Well No.

311

3. Address of Operator

P.O. BOX 1089 Eunice, NM 88231

9. Pool name or Wildcat

EMPIRE ABO

4. Well Location

Unit Letter J: 1350' feet from the SOUTH line and 1430' feet from the EAST line

Section 33

Township 17S

Range 28E

NMPM EDDY

County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
3665' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

MIRU PULLING UNIT

POOH W/ RODS AND TBG

TIH W/ 5 1/2" CIBP & SET @ 6056'. CAP W/25SXS. CMT.

CIRCULATE HOLE W/ 9.5# SALT GEL MUD.

PUH W/ TBG & SPOT 25 SXS. CMT. FROM 3414' - 3514'. TOP OF GLORIETA

PUH W/ TBG & SPOT 35 SXS CMT. FROM 950' - 1050' ACROSS 8 5/8" SHOE. WOC & TAG

PUH W/ TBG & SPOT 25SXS CMT. PLUG FROM 353' - 453'. TOP OF YATES

PUH TO 60' AND SPOT 10 SXS CMT SURFACE PLUG

CUT OFF WELLHEAD & ANCHORS 3' BGL. CLEAN UP LOCATION.

SET DRY HOLE MARKER

Notify OCD 24 hrs. prior to any work done

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jim Pierce TITLE Workover Supervisor DATE 3-18-2003

Type or print name Jim Pierce

(This space for State use)


Telephone No. (505) 677-3642

APPROVED BY [Signature] TITLE [Signature]

DATE MAR 20 2003

Conditions of approval, if any:

WELLBORE SCHEMATIC



Well No.	G-311
----------	-------

Type of Well

X	Oil
	Gas
	Other

Well API No.	30-015-21538
--------------	--------------

Lease Name	Empire Abo Unit "G"
------------	---------------------

Type of Lease

X	State
	Fee

Well Location	1350	ft	From South Line	1430	ft	From East Line	
Section:	33	Township:	17S	Range:	28E	County:	Eddy

Elevation	3677	ft above sea level (RDB)
Top of Abo	2155	ft below see level
Total Depth	6360	ft
PBTD	6329	ft
KB	12	ft above GL
Datum	KB	(All depths based on KB)

Tubing	
# of Jts	193 (6071')
Size	2 3/8"
Weight	4.7#
Thread	EUE 8rd
Class	J-55

Well Status	
	Flowing well
	Pumping well
X	Shut in

CASINGS				
string #	Hole sz.	Depth	Casing Dmtr.	wght.
1	11"	1000 ft	8 5/8 in	24#
2	7 7/8"	6360 ft	5 1/2 in	14#

OTHER EQUIPMENT (BPs, ETC..)			
Name	Depth	Casing Dmtr.	Notes
TOC	surface	5 1/2 in	
cmt	6186 ft	5 1/2 in	
SN	6086 ft	5 1/2 in	w/ 35' Mud Anchor
AC	6083 ft	5 1/2 in	

Pay Zone				
Top of Abo	5832 ft	to	Bottom of Well	6329 ft
Top of Abo	5900 ft	Reported		

PERFORATIONS				
Start Depth	End Depth	Jet Shots per Foot	Date of Perforation	Comments
6210 ft	6223 ft	2	8/21/1975	Closed 8/28/75 w/ cmt
6106 ft	6118 ft	2	8/29/1975	Closed 10/8/79 w/ cmt
6250 ft	6260 ft	2	10/16/1979	Closed 10/25/79 w/ cmt
6164 ft	6184 ft	2	10/29/1979	

COMMENTS
There is a 264 ft interval from the top of the Abo at 5900 ft to the top of the perforations at 6164 ft that can be perforated.

OPERATOR: B-P America Production		API# 30-015-21538	
WELL: Empire Abo Ut. "G" # 311		LOCATION: J-33-17-28	
SURFACE CSG-	HOLE SIZE " CSG. SIZE 8 5/8"	SET @ 1000'	SX. CMT. TOC. Circ
INT.CSG-	HOLE SIZE ?? CSG. SIZE "	SET @ '	SX. CMT. TOC.
LONG STRING-	HOLE SIZE 7 7/8" CSG. SIZE 5.5"	SET @ 6360'	SX. CMT. TOC. Circ.
OTHER-			

