

District I

1625 N. French Dr., Hobbs, NM 87240

District II

811 South First, Artesia, NM 87210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

2040 South Pacheco, Santa Fe, NM 87505

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

2040 South Pacheco

Santa Fe, NM 87505

WELL API NO.

30-015-10142

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Atoka San Andres Unit

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other Water Injection Well

2. Name of Operator

Devon Energy Production Co., L P

8. Well No.

108

3. Address of Operator

20 N. Broadway, Suite 1500, Oklahoma City, OK 73102

9. Pool name or Wildcat

Atoka (San Andres)

4. Well Location

Unit Letter F : 2,310 feet from the North line and 1,850 feet from the West line

Section 12

Township 18S

Range 26E

NMPM

County Eddy

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

GR=3,285', KB=3,296'

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOBS ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work). SEE RULE 1103. For Multiple Completions: Attach diagram of proposed completion or recompletion.

Plugged & Abandoned As Follows:

03/06/03 - RU cementers, established injection rate down casing.  
Mixed and pumped 100 sxs Class "C" with 2% CaCl. WOC.

03/10/03 - Tagged cement top at 187'.  
Cut off wellhead 3' below ground level, weld on cap and install dry hole marker.  
Cut off anchors, fill pit and clean location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Charles H. Carleton

TITLE Sr. Engineering Technician

DATE 03/11/2003

Type or print name Charles H. Carleton

Telephone No. (405)552-4528

(This space for State use)

APPROVED BY [Signature]

TITLE Field Rep


DATE APR 1 2003

Conditions of approval, if any:

Post PCA

# DEVON ENERGY CORPORATION WELLBORE SCHEMATIC

WELL NAME: ATOKA SAN ANDRES UNIT #108 WIW				FIELD: ATOKA SAN ANDRES		
LOCATION: 2310' FNL & 1850' FWL, SEC 12-T18S-R26E				COUNTY: EDDY		STATE: NM
ELEVATION: GL=3285'; KB=3296'				SPUD DATE: 02/06/63		COMP DATE: 03/13/63
API#: 30-015-10142		PREPARED BY: C.H. CARLETON			DATE: 03/11/03	
	DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE
CASING:	0' - 924'	7"	23#	J-55	ST&C	8 3/4"
CASING:	0' - 1792'	3 1/2"	9.2#, 10.2#	J-55		6 1/4"
CASING:						
TUBING:						
TUBING:						



CURRENT



PROPOSED

OPERATOR: DEVON ENERGY PRODUCTION COMPANY, L.P.  
PLUGGED & ABANDONED: 03//10/03

PUMPED 100 SXS CLASS C W/2% CaCl  
(APPROX 40 SXS DISPLACED INTO PERFORATIONS)

7" CASING @ 924' W/400 SXS. TOC @ SURFACE

BAKER MODEL "C" PACKER @ 1600'

PERFORATIONS: 1684'- 1729'(OA) - 9 HOLES

PBTD @ 1756'  
3 1/2" CASING @ 1794' W/300 SXS. TOC @ SURFACE  
TD @ 1800'