District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tai	nk covered by a "general plan"? Yes X No or below-grade tank   Closure of a pit or below-grade tank	
Operator: Yates Petroleum CorporationTelephone: 505-748-4500 Address: 104 South 4th Street, Artesia, N.M acility or well name: Orval BDQ State Com. #1API #: _30-015-3317 County:EddyLatitude_ 32.53093Long	74U/L or Qtr/Qtr/Sec32T_2	
ype: Drilling X Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thickness 6_ mil Clay ti Volume 15,000_ bbl  lepth to ground water (vertical distance from bottom of pit to seasonal high vater elevation of ground water.)	Below-grade tank  Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If no  Less than 50 feet  50 feet or more, but less than 100 feet	(20 points)
Vellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)	Yes No	( 0 points)X (20 points) ( 0 points)X
Distance to surface water: (horizontal distance to all wetlands, playas, rigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more  Ranking Score (Total Points)	(20 points) (10 points) ( 0 points)X
If this is a pit closure: (1) attach a diagram of the facility showing the pit's your are burying in place) onsite X offsite	. (3) Attach a general degree [1] If yes, show depth below ground surface [2] and with earthen material to stiffen the pit contents. Be of mil liner will then be placed over the pit contents when the proper seed mixture placed on top. Before reclarate or pit closure actions are began.	ft. and attach sample results. (5)  turial pits will be constructed and lined with a 12 with a 3' over lap of the of the underlying pit area
Any new pit constructe must be permitted unde Rule 50.		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date: 10/24/7004.  Printed Name/Title Mike Stubblefield Reclamation Agent Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.  Approval:	Signature Cliebility should the contents of	CD-approved plan