

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

5

Form C-103

Revised March 25, 1999

RECEIVED
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
OCD - ARTESIA

WELL API NO.
30 015 28061

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
K-5017

7. Lease Name or Unit Agreement Name:
Todd "2" State

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Ricks Exploration, Inc.

8. Well No.
2

3. Address of Operator
110 W. Louisiana, Ste. 410, Midland, Texas 79701

9. Pool name or Wildcat
Ingle Wells, Delaware

4. Well Location
Unit Letter L : 2310 feet from the South line and 330 feet from the West line
Section 2 Township 24-S Range 31-E NMPM Eddy County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
3469' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: Open additional Delaware perms ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

PROPOSED OPERATION TO OPEN ADDITIONAL DELAWARE PERFS, AS FOLLOWS:

1. Perforate w/4" casing gun and shoot 2 spf: 8026 - 8056' total 40 holes.
2. Frac well
3. Test well and establish production rate.
4. Perforate w/4" casing gun and shoot 2 spf: 6866-69' & 6871-75'
5. Break down perms w/500 gals 15% NEFE and swab test.
6. Evaluate for additional stimulation.
7. Perforate w/4" casing gun 2 spf: 6778-80' & 6784-90' & 6796-6800'.
8. Break down perms w/750 gals. 15% NEFE and swab test.
9. Evaluate for additional stimulation.

ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR MAR 28 2003

3-12-03

I hereby certify that the information above is true and complete to the best of my knowledge and belief.