Yates Petroleum Corporation

105 S. Fourth Street Artesia, NM 88210

Hydrogen Sulfide (H₂S) Contingency Plan


For


Patriot AIZ #7
1980' FSL, 1980' FEL
Sec-21, T-19S, R-25E
Eddy County NM

JAN 1 8 2005

Patriot AIZ #7 Location

This is an open drilling site. H₂S monitoring equipment and emergency response equipment will be used within 500' of zones known to contain H₂S, including warning signs, wind indicators and H₂S monitor.





Assumu III japa ROE = 7/40 Pitamii 22 canasarean suntain ingga menggian di Uni japa

Emergency Procedures

In the case of a release of gas containing H₂S, the first responder(s) must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder(s) must evacuate any public places encompassed by the 100 ppm ROE. First responder(s) must take care not to injure themselves during this operation. Company and/or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of H_2S , measures for protection against the gas, equipment used for protection and emergency response. Additionally, responders must be equipped with H_2S monitors and air packs in order to control the release. Use the "buddy system" to ensure no injuries during the response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Characteristics of H₂S and SO₂

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentr- ation
Hydrogen Sulfide	H ₂ S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO ₂	2.21 Air = 1	2 ppm	N/A	1000 ppm

Contacting Authorities

YPC personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. YPC Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

Yates Petroleum Corporation Phone Numbers

YPC Office (505) 748-1471 Pinson McWhorter/Operations Manager (505) 748-4189 Darrel Atkins/Production Manager (505) 748-4204 Ron Beasley/Prod Superintendent (505) 748-4210 Al Springer/Drilling (505) 748-4225 Paul Hanes/Prod. Foreman/Roswell (505) 624-2805 Jim Krogman/Drilling Superintendent (505) 748-4215 Artesia Answering Service (505) 748-4302 (During non-office hours)
Eddy County (505)
Artesia 746-2703 City Police 746-2703 Sheriff's Office 746-9888
Ambulance
Carlsbad 885-3137 City Police 885-2111 Sheriff's Office 887-7551 Ambulance 911 Fire Department 885-2111 LEPC (Local Emergency Planning Committee) 887-3798 US Bureau of Land Management 887-6544
New Mexico Emergency Response Commission (Santa Fe) (505)476-9600 24 HR(505) 827-9126 National Emergency Response Center (Washington, DC)(800) 424-8802
Other
Boots & Coots IWC
Flight For Life -4000 24th St, Lubbock, TX