

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
March 4, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-015-29767
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: South Boyd 27
8. Well Number 2A
9. OGRID Number 015742
10. Pool name or Wildcat Dagger Draw; Upper Penn. North

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	RECEIVED JAN 12 2005 OCD-ARTESIA
2. Name of Operator Nearburg Producing Company	
3. Address of Operator 3300 N A St., Bldg 2, Ste 120, Midland, TX 79705	
4. Well Location Unit Letter C : 990 feet from the North line and 1650 feet from the West line Section 27 Township 19S Range 25E NMPM Eddy County	

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3468

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit location: UL \_\_\_\_\_ Sect \_\_\_\_\_ Twp \_\_\_\_\_ Rng \_\_\_\_\_ Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_  
Distance from nearest surface water \_\_\_\_\_ Below-grade Tank Location UL \_\_\_\_\_ Sect \_\_\_\_\_ Twp \_\_\_\_\_ Rng \_\_\_\_\_ ;  
\_\_\_\_\_ feet from the \_\_\_\_\_ line and \_\_\_\_\_ feet from the \_\_\_\_\_ line

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

NPC would like to TA the subject well as follows:

1. MIRU PU. Kill well if necessary
  2. ND WH and NU BOPE.
  3. POH w/ production equipment if necessary.
  4. Set CIBP as per attached PROPOSED wellbore diagram.
  5. Cap CIBP w/ 35' cmt.
  6. Clean location and notify OCD of new wellbore status.
- Well to be represerved pending wellbore review.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Sarah Jordan TITLE Production Analyst DATE 1/11/05  
Type or print name Sarah Jordan E-mail address: sjordan@nearburg.com  
Telephone No. 432/686-8235

(This space for State use)  
APPROVED BY Mike Fletcher TITLE Compliance Officer DATE 1/18/05  
Conditions of approval, if any: MIT required prior to TA Status approval - 24 hour notice required prior to test.

# CURRENT WELLBORE DIAGRAM

LEASE:	South Boyd 27	WELL:	2A	FIELD:	Dagger Draw North	API:	30015297670000
LOC:	990' FNL and 1,650' FWL	SEC:	27	BLK:		PARS NO:	
SVY:	T19S, R25E	GL:	3,468'	CTY/ST	Eddy County, NM	SPUD:	1/6/1998
CURRENT STATUS:	Inactive (TA'd)	KB:	3,481'	DF:		TD DATE:	1/21/1998
						COMP. DATE:	4/28/1999

FRESH WATER  
DEPTH:

HOLE SIZE: 14 3/4"  
SURF CSG & SIZE: 9 5/8" 36#  
SET @: 1,125'  
SXS CMT: 1,200 sx  
CIRC: yes 344 sx  
TOC AT: surface  
TOC BY:

COMMENTS:

## \*\*\*\*\*GEOLOGY\*\*\*\*\*

TOPS OF ALL ZONES  
PRODUCTIVE OF HYDRO-  
CARBONS:  
Cisco Canyon

TBG: see attached  
JTS: 0  
SN: N  
TAC: N  
ROD SIZE N

PKR: N  
TYPE:

## CURRENT PERFS:

7,688'-7,828'

## SQUEEZE JOBS:

OH ID:  
COTD:  
PBSD: 8,167'  
TD: 8,225'

PBSD 8,167'

perfs 7,688'-7,728' ??

HOLE SIZE: 8 3/4"  
PROD. CSG & SIZE: 7" 23 & 26#  
SET @: 8,225'  
SXS CMT: 1,150 sx  
CIRC: yes  
TOC AT: surface  
TOC BY:

OPEN HOLE:

LINER:

BY: MTJ  
1/11/2005

# PROPOSED WELLBORE DIAGRAM

LEASE:	South Boyd 27	WELL:	2A	FIELD:	Dagger Draw North	API:	30015297670000
LOC:	990' FNL and 1,650' FWL	SEC:	27	BLK:		PARS NO:	
SVY:	T19S, R25E	GL:	3,468'	CTY/ST	Eddy County, NM	SPUD:	1/6/1998
CURRENT STATUS:	Inactive (TA'd)	KB:	3,481'	DF:		TD DATE:	1/21/1998
						COMP. DATE:	4/28/1999

FRESH WATER  
DEPTH:

HOLE SIZE: 14 3/4"  
SURF CSG & SIZE: 9 5/8" 36#  
SET @: 1,125'  
SXS CMT: 1,200 sx  
CIRC: yes 344 sx  
TOC AT: surface  
TOC BY:

COMMENTS:

## \*\*\*\*\*GEOLOGY\*\*\*\*\*

TOPS OF ALL ZONES  
PRODUCTIVE OF HYDRO-  
CARBONS:  
Cisco Canyon

TBG: 2 7/8"  
JTS: 0  
SN: N  
TAC: N  
ROD SIZE N

PKR: N  
TYPE:

## CURRENT PERFS:

7,688'-7,828'

## SQUEEZE JOBS:

OH ID:  
COTD:  
PBD: 8,167'  
TD: 8,225'

HOLE SIZE: 8 3/4"  
PROD. CSG & SIZE: 7" 23 & 26#  
SET @: 8,225'  
SXS CMT: 1,150 sx  
CIRC: yes  
TOC AT: surface  
TOC BY:

BY: MTJ  
1/11/2005

OPEN HOLE:

LINER:

**Nearburg Producing Company**

**Rod and Tubing Detail as of : 6-29-2001    Bill Young**

**Well Name    South Boyd "27" #2**

Tubing Detail:

Equipment below seating nipple	<u>0.00</u>
--------------------------------	-------------

Perfs @ 7688' - 7828'. (222 holes)  
PBTD @ 8161'.

NOTE:    All equipment and tubing have been removed from well.  
ESP TD1750 sub pump POOH @ ESP shop  
252 jts.- 2 7/8" J-55 6.5# EUE 8rd tubing transferred to yard  
No CIBP set

Equipment above seating nipple	<u>0.00</u>
--------------------------------	-------------

Distance RKB to tbg hanger	<u>0.00</u>
----------------------------	-------------

Stroke to set tbg anchor	<u>0.00</u>
--------------------------	-------------

Effective setting depth of seating nipple	<u>0.00</u>
-------------------------------------------	-------------

Bottom of mud anchor	<u>0.00</u>
----------------------	-------------