

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS:
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

RECEIVED

2. Name of Operator
St. Mary Land & Exploration

JAN 04 2005

3a. Address
580 Westlake Park Blv. Suite 600 Houston, Tx 77079

3b. Phone No. (include area code)
(281) 677-2772

4. Location of Well (Footage, Sec., T, R., M., or Survey Description)
2090' FNL & 2434' FEL UL:G

Sec 35-T19S-R29E, N.M.P.M.

5. Lease Serial No.

NM67102

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

Parkway Delaware Unit

8. Well Name and No.

Parkway Delaware Unit #306

9. API Well No.

30-015-33711

10. Field and Pool, or Exploratory Area

Parkway Delaware

11. County or Parish, State


Eddy County, New Mexico

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Production Casing
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Details
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

See attached description.



14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Mary C. St. Germain

Title Production Tech

Signature Mary C. St. Germain

Date 12-21-04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by (Signature)

Name
(Printed/Typed)

Title

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Date

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on next page)

PDU #306, 5 ½" Production Casing Details (3):

12/5/04 Ran 5.5" Casing to 4626.10' as follows:

One float shoe
1 joint of 15.50#/ft J-55 LTC casing
One float collar
102 joints of 15.50#/ft J-55 LTC casing

12/5/04 Cemented 5.50" Casing as follows: Lead

425 sx of lightweight Halliburton Light Premium Plus with
5% salt. 1.92 yield, 12.7 density

Tail

175 sx Class C Premium Plus w/4% Bentonit, 5% Halad
(R) - 322 and 5% salt. 1.754 yield, 13.6 density

Displacement 2% KCl water, volume 109

Circulate 2 bbls cement.