District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Pit or Below-Grade Tank Registration or Closure

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to SantaFe

Form C-144


March 12, 2004

Santa Fe, NM 87505

Is pit or below-grade tan  Type of action: Registration of a pit	nk covered by a "general plan"? Yes 🔲 No or below-grade tank 🎦 Closure of a pit or below-gra	kde tank
Decision Programme 26 Form 26	Telephone: 432 686-3714 e	mail address: <u>eogresources</u> . con
Address: P.O. BOX 2207 HIGHARD IX, 79	702	4G 20F
Facility or well name: Rock Spur 26 Fee API # 30 0		
County: Latitude 32.19302Longitude 02	1.05159 NAD: 1927 🖸 1983 🗖 Surface O	vner Federal ☐ State ☐ Private ☐ Indian ☐
ek	Below-grade tank	
Type: Drilling Troduction Disposal	Volume:bbl Type of fluid:	<u></u>
Workover    Emergency	Construction material:  Double-walled, with leak detection? Yes  If not, explain why not.	
Lined 🖾 Unlined 🔲		
_iner type: Synthetic 🖾 Thickness <u>12</u> mil Clay 🔲 Volume 7000 <sub>bbl</sub>		
	1 the 50 Ger	RECEIVED
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet	(20 points)
	100 feet or more	(10 points) DEC 2.7 2004
		( 0 points) SOSTADTEQIA
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, rrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location:
onsite offsite from If offsite, name of facility	(3) Attach a general description of remedial actio	on taken including remediation start date and end
date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below	w ground surfaceft. and attach sample	results. (5) Attach soil sample results and a
diagram of sample locations and excavations.		
hereby certify that the information above is true and complete to the best of a seen/will be constructed or closed according to NMOCD guidelines [7], a state: 12/23/2004  Trinted Name/Title Mike Francis Agent	ny knowledge and belief. I further certify that the a general permit , or an (attached) alternative OC Signature Music Thanks.	bove-described pit or below-grade tank has D-approved plan .
Your certification and NMOCD approval of this application/closure does not retherwise endanger public health or the environment. Nor does it relieve the cegulations.	elieve the operator of liability should the contents of t	he pit or tank contaminate ground water or other federal, state, or local laws and/or
Printed Name/Title	Signature Signature	

As per Guidelines, a detailed closure plan must be submitted prior to closure.

## New Mexico Ground Level Double Horseshoe Pits (EOG)



Pits will be 150' deep X 150' wide ground level. Flare pit is 10 X30