Submit To Appropria	te District Office	:	State of New Mexico					$\overline{}$	Form C-105					
	"State Lease - 6 copies			Energy, Minerals and Natural Resources					-					
Fee Lease - 5 copies District I	En	ergy,	Minerals and Na	turai Ke	sources	ŀ	Revised June 10, 2003				003			
1625 N. French Dr., I	Hobbs, NM 8824	0						-	WELL API NO.					
District II 1301 W. Grand Aven	ue Artesia NM:	88710		Oi	Oil Conservation Division				30-015-33555 5. Indicate Type of Lease					
District III				12	20 South St. Fr	ancis D	r.	ł	STAT					
1000 Rio Brazos Rd., District IV	Aztec, NM 8741	0			Santa Fe, NM			⊢		_	_	FEE	<u> </u>	
1220 S. St. Francis Dr	r., Santa Fe, NM	87505			Santa I C, 14141	07505			State Oil &	Gas I	Lease	No.		
			RECC	MPL	ETION REPOR	RT AND	LOG							
la. Type of Well:									7. Lease Name					SSRease
OIL WEI	LLX GAS	WELL	☐ DRY		OTHER			- 1			•			
h. Time of Completion:									CARAL	17	Λ	11	RECEIVE	D
b. Type of Completion:									STERI	4	7 0	the de		_
NEW X WORK □ DEEPEN □ PLUG □ DIFF.  WELL OVER BACK RESVR. □ OTHER									ST	$\mathcal{C}$	MO	#2	NOV 0 9 2004	4
2. Name of Operato			DAC		KESVK. [ OIII	LK			8. Well No				OSB-ARTE	
	-	PURV	/IS OPE	RATI	NG CO.			- 1				2 `		
								l						
3. Address of Opera									9. Pool name or			/		
	POB	OX 1100	<u>6, MIDI</u>	LAND	<u>, TX 79702-8006</u>				LONETREE	DR	AW (	WOLF	CAMP)	
4. Well Location	<b>.</b>	1000 -	. = .	_	OTITET		<b>.</b>	~~	WECT					
Unit Letter	<u>_ L :</u>	1980 F	eet From	TheS	OUTH Line and	000	Feet Fro	m Th	e WESI	_ Line	:			
Section	22	Townsh	in 2	1-S	Range 27	-F	N	MPN	EDD	V		County		
10. Date Spudded			<del> </del>		mpl. (Ready to Prod.)				RKB, RT, GR,				Casinghead	
9-26-2004	1	-2004	12.1	Jale Cu	11-5-2004				67' kB	,	- 1		3248	
15. Total Depth		g Back T.	D.	17. If	Multiple Compl. How	Many	18. Interv	als	Rotary Tools			Cable T	ools	
9365		9289			nes? N/A		Drilled By	/	· √			1		
				<u> </u>					. <u> </u>					
19. Producing Inter				tom, Na	ame				20	0. Wa	s Dire		rvey Made	
WOLFCAME									1 2 11/1			NO		
21. Type Electric a	_								22. Was Well	Cored	i	NO		
Accelerated	Porosity/H	NGS							L			NO		
23.				CA	SING RECOR			trin	gs set in w	ell)				
CASING SIZE	E W	EIGHT LB	JFT.		DEPTH SET		LE SIZE		CEMENTING		ORD	A	MOUNT PULLED	
13 3/8"		48			503'		17 ½"		780 s		,	<del> </del>	None	
9 5/8"		36			2696'		12 ¼"		800 sks			<b></b>	None	
7"		26	<del></del>	9350' 8 3/4			8 3/4"		400 sks None			None		
				<u> </u>								<u> </u>		
24.	l ====	1		LIN	ER RECORD	Loopen	25.							
SIZE	TOP	Be	MOTTC		SACKS CEMENT	SCREEN	1	SIZ	<u> </u>	DEI	THS	ET	PACKER SET	
										<del> </del>			<del></del>	
26 P-6					<u> </u>	07 10	ID OLLOW		CONTRA CE	L	T 00	TIPPOT	I TOTAL	
26. Perforation re	ecora (interval,	size, and n	umber)				ID, SHOT, INTERVAL			CTURE, CEMENT, SQUEEZE, ETC.  AMOUNT AND KIND MATERIAL USED				
9090-9110	-2  spf - 4	0 holes v	v/0.32"	dia ho	le		90-9110		600 gal 15% NE/FE acid					
	•						20-2110		000 gai 1576 IVL/1 L acid					
							<u>-</u>							
					DDC	DIIO	CYON							
Data First Producti		15.	and a second	L		DUC'		· · ·	TW. V. C	/D	_ ~		<del></del>	
Date First Production		Produ	iction Met	nod <i>(Fla</i>	owing, gas lift, pumpin	g - Size an	a type pump,	,	Well Status	Prod.	or Sh	ut-in)		
11-4-2	400 <del>4</del>				FLOWING				SI					
Date of Test	Hours Tested	1 10	hoke Size		Prod'n For	Oil - Bbl		Gas	- MCF	Wat	er - B	bl.	Gas - Oil Ratio	
11-4-2004	4 hrs.	1	10/6		Test Period		33		22.1			-	670	
					L	<u> </u>				<u> </u>			<u></u>	
Flow Tubing Press.	Casing Press		alculated :	24-	Oil - Bbl.	Gas	- MCF	. V	Vater - Bbl.	Ì	Oil G	iravity - A	PI - (Corr.)	
1750	Zero – F		our Kate		198		132.7	-		ł			48	
1,50	2010 - 1				}	ł				ŀ				
29. Disposition of C	29. Disposition of Gas (Sold, used for fuel, vented, etc.)  Test Witnessed By													
VENTED														
30. List Attachments														
30. List Attachments Accelerated Porosity/HNGS, Mud Log														
31 .I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief														
Signature /	Signature Name Donnie E. Brown Title Petroleum Engineer Date 11-8-2004													
Digitaluic C	mug	<i>=//</i>	ous	4	i value Doimie	E. DIUW	/11 1 1 1 1 1 E	. rt	aoieum Eng	,mcel	L	Date	11-0-2UU <del>H</del>	
E-mail Address	eng@pui	visop.co	m											

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southea	stern New Mexico	Northwe	estern New Mexico
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T.Tubb	T. Delaware Sand	T.Todilto	T
T. Drinkard	T. Bone Springs	T. Entrada	Т.
T. Abo	T.	T. Wingate	Т.
T. Wolfcamp 9004	T	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

			OIL OR GAS SANDS OR ZONES
No. 1, from5030to	5065	No. 3, from	to
No. 2, from9070 to	5065 9104	No. 4, from	to
	IMPOF	RTANT WATER SANDS	
Include data on rate of water inflow	v and elevation to w	hich water rose in hole.	
No. 1, from	to	feetfeet	•••••
		feetfeet	
		feetfe	
•			

# LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	I hickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
0	503	503	Surface rock and sand	۶			
503	2696	2193	Reef				
2696	3600	904	Anhy and Ls				
3600	5200	1600	Sand and Shale				
5200	6520	1320	Ls and Shale				
6520	6700	180	Sd and Shale				
6700	7250	550	Ls and Shale				
7250	7500	250	Ls - Sand - Shale				
7500	9365	1865	Ls - Sand - Shale			,	,



# DRILLING INC. Oil Well Drilling Contractor

Post Office Box 160 • Artesia, NM 88211-0160 • Office (505) 748-8704 • Fax (505) 748-8719

October 18, 2004

**Purvis Operating Company** 500 W Texas Suite 960 Midland, Tx 79702

Re: Esperanza 22 #2 Section 22, T-21-S, R-27-E **Eddy County, New Mexico** 

The following is a Deviation Survey on the above referenced well in Eddy County, New Mexico:

156' -	1/4°	1695' - 2 1/4°	3514' - 3/4°	7048' - 1°
130 -	1/4	1093 - 2 1/4	3314 - 3/4	70 <del>4</del> 0 - 1
481' -	1/2°	1787' - 2°	3984' - 1/4°	7141' - 1 1/4°
714' -	3/4°	1879' - 2°	4486' - 3/4°	7266' - 1 1/4°
960' -	3/4°	2094' - 1 1/2°	4985'- 1°	7511' - 1°
1296' - 2	3/4°	2401' - 1 1/2°	5486' - 1°	7882' - 1 1/2°
1389' - 3	1/2°	2649' - 1 1/2°	5985' - 3/4°	8163' - 1 1/4°
1480' - 3	3/4°	2766' - 1°	6484' - 1/2°	8413' - 3/4°
1573' - 2	1/2°	3014' - 1°	6930' - 2°	8663' - 1/2°
				8882' - 3/4°
				9318' - 1 1/4°

Sincerely,

Jerry W. Wilbanks **President** 

STATE OF NEW MEXICO) **COUNTY OF CHAVES** 

The foregoing was acknowledged before me this 18th day of October, 2004 by Jerry W. Wilbanks.

MY COMMISSION EXPIRES

June 19th, 2007

## PURVIS OPERATING CO. ESPERANZA 22 STATE COM #2 UNIT L, SECTION 22, T-21S, R-27E EDDY COUNTY, NEW MEXICO

## **FORMATION TOPS**

YATES	500°
SEVEN RIVERS	750'
QUEEN	1200'
DELAWARE	2951'
BRUSHY CANYON	4980°
BONE SPRING CARBONATE	5220'
1 <sup>ST</sup> BONE SPRING SAND	6526'
2 <sup>ND</sup> BONE SPRING SAND	7250'
3 <sup>RD</sup> BONE SPRING SAND	8520'
WOLFCAMP LS	9029'

RECEIVED

NOV 1 5 2004

OCUMENTEDIA

<u>District |</u> 1825 N. French Dr. Hobba, NM BB240

District [] 811 South First, Artesia, NM 68210

<u>District III</u> 1000 Rio Brazos Rd., Aztac NM 87410 <u>District IV</u> 2040 South Pacheco, Santa Fe, NM 87505 State of New Mexico Energy, Minerals & Natural Resources

# OIL CONSERVATION DIVISION

2040 South Pacheco Santa Fe, N M 87505 Form C-102
Revised March 17, 1999
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

MAMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

WELL LOCATION													
API Number Pool Code 30-015-33555 97208													
30-01!		97208	Lonetree Draw (Wolfcamp) Property Name Well Number							Number			
32697						ERAN	ZA 2.	STA		2			
OGRID No. 131559					PUR		n Name PERA	TING (	COMPANY		Elevation 3248		
Surface Location													
UL or Lot No.	Section	Towns		Range		Lot Idn.	Fo	et from the	North/South line	Feet from the	East/West Res	County	
L	22	21-	-8	27-1	E		7	980	SOUTH	660	WEST	EDDY	
		Bottom Hole Location If Different From Surface											
UL or Lot No.	Section	Town		Range	T	Lot Idn.		st from the	North/South line	Fost from the	East/West line	County	
Dedicated Acres	s Joint or	Infill Co	nsolidation	1 Code	Orde	r No.	L	<del></del>	İ				
40				l									
									N UNTIL A			BEEN	
CONSOLIE	DATED (	OR A N	<u> 10N-S</u>	TAND	ARD	UNIT I	HAS (	BEEN A	PPROVED	BY THE	DIVISION	····	
		}			į			İ		OPERA	TOR CERT	TFICATION	
		1								I HEREST C	ERTIPY THAT TO	CF INFORMATION	
		!									THUE AND CORR FEMOREROGE AN		
		į						į		-			
		į			i			İ		- 1			
		ļ		!				-					
		!			ľ							1	
		<del> </del>						. <del> </del>					
							c	ECEI\	/ED		$\sim$		
		!						1		Signature	Jannie	Thous	
		•				-		NDV 0 9		Printed Nar		F 5	
İ		į					9	SP:MP	下巨马牌	<del></del>	Donnie	E Brown	
ł		i								Title Pe	<u>troleum E</u>	ngineer	
	Notorolatoro a totalo altaro i	į.						İ		Date NO	vember 8,	2004	
•								†		SURVE	OR CERT	IFICATION	
660°		<b>*</b>						İ				F WELL LOCATION PLOTTED FROM EVETS MADE BY	
		(t) <u>+</u> 0						1		PTELD NOTE:	S OP ACTUAL SUITE MES IN	EVETS MADE BY	
660.	LAT	N 32	27'49	.2"				1		THE SAME A	S THUR AND COL	BREET TO THE	
I Y		W 10											
		*:	•		*					JULY	21, 2004	,	
40 <b>A</b> c	cres	<b>#</b> :		į				1		Date of Su	IVEV D =	<u> </u>	
	*******	Σ: 						- <b> </b>		Storeture Par	K. HEDD	Survey Survey	
1 1	<u>.</u>	Ī						į		17 %	W MEXICO	7	
	1980.			!							/ \\	\ \ \	
]	~	i		į							5412	8	
		1		į				İ		<b>₩</b> ₹₩ \		<b>』影</b> 】	
1		1		!						1/2/	J. H. All		
]		į								ORTE	CONTRACTOR AND		
		•	• •	İ				•		Continu	THE NUMBER	yal Z	
		*			<del></del>					T AND DITOR	THUING		