


Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised June 10, 2003 WELL API NO. 30-015-33409 5. Indicate Type of Lease STATE ☐ FEE ☐ State Oil & Gas Lease No.
WELL COMPLETION OR RECOMPLETION REPORT AND LOG		
1a. Type of Well: OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____ b. Type of Completion: NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. ☐ WELL OVER BACK RESVR. ☐ OTHER _____		7. Lease Name or Unit Agreement Name COATS COM RECEIVED
2. Name of Operator GREAT WESTERN DRILLING COMPANY		8. Well No. 1
3. Address of Operator P.O. BOX 1659 MIDLAND, TX 79702		9. Pool name or Wildcat ATOKA; PENN (GAS)
4. Well Location Unit Letter A 990 Feet From The NORTH Line and 990 Feet From The EAST Line Section 19 Township 18S Range 26E NMPM EDDY County		
10. Date Spudded 08/03/2004	11. Date T.D. Reached 08/28/2004	12. Date Compl. (Ready to Prod.) 10/11/2004
13. Elevations (DF& RKB, RT, GR, etc.) 3,445' GR		14. Elev. Casinghead
15. Total Depth 9,106'	16. Plug Back T.D. 9,106'	17. If Multiple Compl. How Many Zones? _____
18. Intervals Drilled By JW DRILLING		19. Producing Interval(s), of this completion - Top, Bottom, Name 8,859' - 8,867'
20. Was Directional Survey Made		21. Type Electric and Other Logs Run DLL/MGRD; SFTT; SKL/DSN/GR
22. Was Well Cored NO		23. CASING RECORD (Report all strings set in well)
CASING SIZE	WEIGHT LB./FT.	DEPTH SET
13 3/8"	48#	525'
8 5/8"	24#	1,310'
5 1/2"	17#	9,106'
24. LINER RECORD		25. TUBING RECORD
SIZE	TOP	BOTTOM
26. Perforation record (interval, size, and number) 8,859' - 8,867'		27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
28. PRODUCTION		29. AMOUNT AND KIND MATERIAL USED
Date First Production 10/17/2004		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING
Date of Test 10/29/2004		Well Status (Prod. or Shut-in) PRODUCING
Hours Tested 24	Choke Size 13 / 64	Prod'n For Test Period 0
Oil - Bbl 0	Gas - MCF 2,021	Water - Bbl. 1
Gas - Oil Ratio	Flow Tubing Press. 2,100	Casing Pressure
Calculated 24-Hour Rate	Oil - Bbl. 0	Gas - MCF 2,021
Water - Bbl. 1	Oil Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD TO AGAVE ENERGY		Test Witnessed By
30. List Attachments		
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief		
Signature 	Printed Name ALAN ROBERTS	Title PETROLEUM ENGINEER
E-mail Address	Date 11/01/2004	



DRILLING INC. Oil Well Drilling Contractor

Post Office Box 160 • Artesia, NM 88211-0160 • Office (505) 748-8704 • Fax (505) 748-8719

August 30, 2004

Great Western Drilling Company
400 West Illinois Ave., Suite 1070
Midland, Texas 7970

Re: Coats Com #1
Section 19, T-18-S, R-26-E
Eddy County, New Mexico

The following is a Deviation Survey on the above referenced well in Eddy County, New Mexico:

201' - 1/2°	4137' - 2 1/4°	5703' - 2 3/4°	7272' - 2 3/4°
405' - 1/4°	4254' - 2°	5782' - 1 1/2°	7334' - 2°
483' - 1/2°	4358' - 2°	5875' - 1 3/4°	7433' - 2 3/4°
820' - 3/4°	4476' - 2°	6091' - 1 1/4°	7507' - 2 1/4°
1420' - 1/2°	4629' - 1 1/4°	6298' - 1 1/4°	7602' - 1 1/2°
1912' - 1/2°	4839' - 1 1/2°	6456' - 1 1/2°	7679' - 1 1/4°
2376' - 1 1/2°	4999' - 1°	6629' - 1°	7790' - 1 1/2°
2500' - 3/4°	5216' - 1 1/2°	6774' - 1 1/4°	8060' - 2°
2961' - 1/2°	5400' - 3°	6993' - 2°	8154' - 2°
3425' - 1/2°	5504' - 3 1/4°	7085' - 2 1/4°	8290' - 1°
3920' - 2 1/2°	5565' - 2 1/2°	7184' - 3°	8623' - 1 3/4°
3981' - 2°	5628' - 2°	7246' - 2 3/4°	9068' - 1°

Sincerely,

Jerry W. Wilbanks
President

RECEIVED

NOV 19 2004

OOD-ARTESIA

STATE OF NEW MEXICO)

COUNTY OF CHAVES)

The foregoing was acknowledged before me this 30th day of August, 2004 by Jerry W. Wilbanks.

MY COMMISSION EXPIRES

June 19th, 2007

NOTARY PUBLIC