Submit 3 Copies	s To Appropriate District		New Me		Form C-103 June 19, 2008		
District I 1625 N French	Dr , Hobbs, NM 88240	Energy, Minerals and Natural Resources		al Resources	WELL API NO.		
District II	Ave., Artesia, NM 8821 0	OIL CONSER	VATION	DIVISION	30-015-33407		
District III	s Rd , Aztec, NM 8741 0	1220 Sout			5. Indicate Type of Lease  STATE  FEE		
District IV		Santa F	e, NM 87	505	6. State Oil & Gas Lease No.		
1220 S. St. Fran 87505	ncis Dr , Santa Fe, NM				V-5701		
(DO NOT LISE		ICES AND REPORTS OF SALS TO DRILL OR TO DEE		IC BACK TO A	7. Lease Name or Unit Agreement Name		
DIFFERENT R	ESERVOIR, USE "APPLIC	CATION FOR PERMIT" (FOR	M C-101) FO	R SUCH	Boa State		
PROPOSALS.)  1. Type of Well: Oil Well  Gas Well  Other					8. Well Number 1		
Name of Operator  Mack Energy Corporation					9. OGRID Number		
3 Address o			013837				
3. Address of Operator P.O. Box 960 Artesia, NM 88210					Dagger Draw; Wolfcamp		
4. Well Loca							
Unit	t Letter D	660 feet from the			660 feet from the West line		
Secti	ion 36			nge 23E	NMPM County Eddy		
		11. Elevation (Show	whether DR ' <b>38</b> 96				
	<u>`</u>						
	12. Check A	Appropriate Box to Ir	idicate Na	iture of Notice,	Report or Other Data		
	NOTICE OF IN	ITENTION TO:	and X 1	SHB	SEQUENT REPORT OF:		
PERFORM F	REMEDIAL WORK	PLUG AND ABANDON	ı 🛛	REMEDIALWOR	The state of the s		
TEMPORAR	ILY ABANDON	CHANGE PLANS		COMMENCE DR	_		
	TER CASING	MULTIPLE COMPL		CASING/CEMEN	NOTICE CO.		
	E COMMINGLE				Notify OCD 24 hrs. prio.		
OTHER:	· · · · · · · · · · · · · · · · · · ·	1. 1		OTHER:	io dry work done.		
OTHER:  OTHER:							
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.							
Mack Energy	Corporation propos	es to Plug and Abandon	ed as follo	ws:			
1 Notify OC	D 24 hours prior to s	tarting plugging operati	ons				
	@ 4684' w/35' cemen		0115.				
3. Set 25sx pl	lug from 3486-3742'	(cover Abo).			ECEIVED		
2. Set CIBP @ 4684' w/35' cement cap.  3. Set 25sx plug from 3486-3742'(cover Abo).  4. Set 40sx plug from 1265-1676'(cover Glorieta and surface casing shoe). WOC and tag.  5. TIH to 310' and circ. 35sx cement from 310-0'.  6. Install Dry Hole Marker.							
	Hole Marker.		•		1 JUL 0.1. 50		
O. HISTORIA MARKET							
		*, ,	7 1000		NMOCDA		
					<del></del>		
Spud Date:	9/13/20	04 Rig	Release Da	te:	10/6/2004		
	3,12,120			<u> </u>			
I hereby certif	v that the information	above is true slid comple	ete to the be	st of my knowledg	ge and belief.		
	,				· ······ · · · · · · · · · · · · · · ·		
SIGNATURE	Chan al	Shenell TIT	LE Product	ion Clerk	DATE7/7/11		
•							
	name Jerry W. Sherr	ell E-m	nail address	: jerrys@macker	nergycorp.com PHONE: (575)748-1288		
For State Use	Only //	- A			/ / .		
APPROVED I	BY: //w/	Tifler TITI	LE		DATE 7/11/20//		
SE	E ATTACHI	ED F	An	proval Granted pro	widing work		
	NDITIONS		ie i	complete by 6	11/20/		

**APPROVAL** 

## Mack Energy Corporation Boa State #1 30-015-33407

After **Before** 35sx plug from 310-0' 8 5/8 casing @ 1300' cmt 8 5/8 casing @ 1300' cmt w/880sx, ready mix to surface w/880sx, ready mix to surface 40sx plug from 1265-1676' 25sx plug from 3486-3742' Mary with the CIBP @ 4684' w/35' cmt cap Perfs 4734-5014' Perfs 4734-5014' CIBP 6100' w/35' cmt cap CIBP 6100' w/35' cmt cap Perfs 6122-6304' Perfs 6122-6304' 5 1/2 casing @ 7130' cmt 5 1/2 casing @ 7130' cmt w/1400sx, Circ. w/1400sx, Circ. TD @ 7130

CIDY 6:06 .... .... .....

## NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 1301 W. GRAND AVENUE ARTESIA, NM 88210 (575)748-1283

## CONDITIONS OF APPROVAL FOR PLUGGING & ABANDONMENT

Operato	r: Mack Energy Corp.	
Well Na	me & Number: <u>BOA</u> STATE # 1	
API #:	30-015-33407	

- 1. Produced water <u>will not</u> be used during any part of the plugging & abandonment operation.
- 2. Notify NMOCD Dist. 2 office at least 24 hrs before beginning work.
- 3. Trucking companies being used to haul oilfield waste fluids to a disposal commercial or private shall have an approved NMOCD C-133 permit. A copy of this permit shall be available in each truck used to haul waste products. It is the responsibility of the operator, as well as the contractor, to verify that this permit is place prior to performing work. Drivers shall produce a copy upon request of NMOCD Field Inspectors.
- 4. A subsequent C-103 will serve as notification that the well bore has been plugged ONLY. A C-103 FINAL shall be filed before any bonding can be released on the well. Upon receipt of the Final, an inspection will be performed to verify that the location has been satisfactorily cleaned to NMOCD standards.
- 5. If work has not begun within 90 days of the approval of this procedure, an extension request must be filed, stating reason that well has not been plugged.
- **6.** Every attempt must be made to clean the well bore out to below the perfs, before any plugs can be set, by whatever means possible.

DG

Date: 7/11/2011