

Submit To Appropriate District Office  
Two Copies  
District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-105  
July 17, 2008

1. WELL API NO.  
30-015-38307

2 Type of Lease

☐ STATE ☒ FEE ☐ FED/INDIAN

3 State Oil & Gas Lease No

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4 Reason for filing

Corrected BHL section

☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)

☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19 15.17.13 K NMAC)

7 Type of Completion

☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8 Name of Operator

Mewbourne Oil Company

5. Lease Name or Unit Agreement Name  
Wyatt Draw 24 KC

6 Well Number: 1H

10 Address of Operator

PO Box 5270, Hobbs, NM 88241

11 Pool name or Wildcat

North Seven Rivers Gloria Yeso

RECEIVED

AUG 8 2011

NMOCD ARTESIA

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	24	19S	25E		990'	South	1650'	West	Eddy
BH:	C	24	19S	25E		383'	North	1729'	West	Eddy

13 Date Spudded 03/05/11 14 Date T.D Reached 03/15/11 15 Date Rig Released 03/18/11 16 Date Completed (Ready to Produce) 04/02/11 17 Elevations (DF and RKB, RT, GR, etc ) 3398' GL

18 Total Measured Depth of Well 6460' (MD) 2722' (TVD) 19 Plug Back Measured Depth 6433' (MD) 2722' (TVD) 20 Was Directional Survey Made? Yes 21 Type Electric and Other Logs Run Gyro / GR

22 Producing Interval(s), of this completion - Top, Bottom, Name  
3210' - 6420' MD (2752' - 2723' TVD) Yeso

23 CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB /FT	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9 3/8"	36#	866'	12 1/4"	515	Surface
7"	26#	3190' (MD) 2752' (TVD)	8 3/4"	550	Surface

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25 TUBING RECORD	SIZE	DEPTH SET	PACKER SET
4 1/2"	2858 MD	6446' MD	NA		2 3/4"	2218'	NA	
	2705' TVD	2722' TVD						

26 Perforation record (interval, size, and number)

17 ports  
3210' MD (2752' TVD) - 6420' MD (2723' TVD)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED  
3210' - 6420' MD Frac w/ 1,626,500 gals slickwater carrying 714,000# 20/40 sand

28 PRODUCTION

Date First Production 04/02/11		Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> ) PCP			Well Status ( <i>Prod. or Shut-in</i> ) <i>Producing</i>		
Date of Test 04/12/11	Hours Tested 24	Choke Size NA	Prod'n For Test Period	Oil - Bbl 98	Gas - MCF 63	Water - Bbl 829	Gas - Oil Ratio 642
Flow Tubing Press 100	Casing Pressure 100	Calculated 24- Hour Rate	Oil - Bbl 98	Gas - MCF 63	Water - Bbl 829	Oil Gravity - API - ( <i>Corr</i> ) 34	

29 Disposition of Gas (Sold, used for fuel, vented, etc )  
Sold

30. Test Witnessed By  
Nick Thompson

31 List Attachments  
Comp Sundry, Dev survey, Gyro, Directional survey, Packer port schematic, C104, Final C102, & C-144 CLEZ Closure

32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit

33. If an on-site burial was used at the well, report the exact location of the on-site burial

Latitude

Longitude

NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Jackie Lathan

Printed

Signature Jackie Lathan

Name Hobbs Regulatory Title

04/12/11 Date

E-mail Address jlathan@mewbourne.com

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg 607' TVD	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 952' TVD	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 2524' TVD	T. McKee	T. Gallup	T. Ignacio Otzte
T. Yeso 2687' TVD	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T. TD 6460' (MD)	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....  
 No. 2, from.....to..... No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------


MEWBOURNE OIL COMPANY

701 S. CECIL  
PO BOX 5270  
HOBBS, NM 88240  
(575) 393-5905  
(575) 397-6252 FAX

August 5, 2011

OIL CONSERVATION DIVISION  
811 South First  
ARTESIA, NM 88210

RE: Wyatt Draw 24 KC #1H  
30-015-38307  
Corrected C-105



Please find enclosed a corrected C-105. The one I sent in on 04/12/11 had the wrong Section for the BHL. It should have been Section 24 instead of Sec 19.

Thank you,

A handwritten signature in cursive script that reads "Jackie Lathan".

Jackie Lathan  
Mewbourne Oil Company  
Hobbs Regulatory  
575-393-5905  
jlathan@mewbourne.com