

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised June 10, 2003 WELL API NO. 30-005-63717 5. Indicate Type of Lease STATE ☒ FEE ☐ State Oil & Gas Lease No. VO-5685
WELL COMPLETION OR RECOMPLETION REPORT AND LOG		
1a. Type of Well: OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____ b. Type of Completion: NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. ☐ WELL OVER BACK RESVR.		7. Lease Name or Unit Agreement Name Faxon BFS State Com
2. Name of Operator Yates Petroleum Corporation		8. Well No. 1
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210 (505) 748-1471		9. Pool name or Wildcat Foor Ranch Pre-Permian
4. Well Location Unit Letter <u>C</u> : <u>660</u> Feet From The <u>North</u> Line and <u>1980</u> Feet From The <u>West</u> Line Section <u>2</u> Township <u>9S</u> Range <u>26E</u> NMPM Chaves County		
10. Date Spudded RH 12/30/04 RT 2/8/05	11. Date T.D. Reached 2/24/05	12. Date Compl. (Ready to Prod.) 3/10/05
13. Elevations (DF& RKB, RT, GR, etc.) 3883'GR 3900'KB		14. Elev. Casinghead
15. Total Depth 6370'	16. Plug Back T.D. 6326'	17. If Multiple Compl. How Many Zones?
18. Intervals Drilled By		19. Producing Interval(s), of this completion - Top, Bottom, Name 6262'-6284' Silurian
20. Was Directional Survey Made No		21. Type Electric and Other Logs Run CNL, Azimuthal Laterolog, Borehole Compensated Sonic, CBL
22. Was Well Cored No		23. CASING RECORD (Report all strings set in well)
CASING SIZE	WEIGHT LB./FT.	DEPTH SET
20"	Conductor	40'
8-5/8"	24#	1118'
5-1/2"	15.5#	6370'
24. LINER RECORD		25. TUBING RECORD
SIZE	TOP	BOTTOM
26. Perforation record (interval, size, and number) 6262'-6272' (40) 6276'-6284' (32)		27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
PRODUCTION		
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)
		Well Status (Prod. or Shut-in) SIWOPL
Date of Test 3/3/05	Hours Tested 24	Choke Size 1/4"
Flow Tubing Press. 1300 psi	Casing Pressure Packer	Calculated 24-Hour Rate
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold if produced		Test Witnessed By Curtis Tolle
30. List Attachments Openhole Logs and Deviation Survey, CBL to follow		
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief		
Signature <u>Tina Huerta</u>		Printed Name <u>Tina Huerta</u> Title <u>Regulatory Compliance Supervisor</u> Date <u>March 11, 2005</u>
E-mail Address: <u>tinah@ypcnm.com</u>		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B
T. Salt	T. Strawn 5958'	T. Kirtland-Fruitland	T. Penn. "C
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D
T. Yates 200'	T. Miss 6154'	T. Cliff House	T. Leadville
T. 7 Rivers 307'	T. Devonian	T. Menefee	T. Madison
T. Queen 662'	T. Siluro-Devonian 6261'	T. Point Lookout	T. Elbert
T. Grayburg 882'	T. Montoya	T. Mancos	T. McCracken
T. San Andres 1156'	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta 2238'	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	
T. Blinebry	T. Gr. Wash	T. Morrison	
T. Tubb 3796'	T. Delaware Sand	T. Todilto	
T. Drinkard	T. Bone Springs	T. Entrada	
T. Abo 4555'	Penrose 762'	T. Wingate	
T. Wolfcamp 5238'	Yeso 2353'	T. Chinle	
WC B Zone 5334'	Spear 5584'	T. Permian	
T. Cisco 5832'		T. Penn "A	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

