District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank X		
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 of Address: 105 South 4th Street, Artesia, N.M. 88210 Facility or well name: Horizon AWH State 1 API #: 30-005-63316 U/I County: Chaves Latitude 33.53696 Surface Owner: Federal State X Private Indian	e-mail address: mikes@ypc.com or Qtr/Qtr <u>A</u> Sec <u>16</u> T <u>9S</u> R <u>26E</u>	
Pit Type: Drilling Production Disposal Work over X Emergency Lined X Unlined Liner type: Synthetic Thickness NA_mil Clay Pit Volume NA_bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not	MAR 2 8 7005
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) XXXX (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)XXXX
	Ranking Score (Total Points)	10 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite X offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Work plan for the Closure of workover Pit. A 20 mil synthetic liner will be placed 3' below grade with a min. 3' over lap of the underlaying pit. The workover pit will be backfilled to grade using a minimum of 3' of clean soil and like material.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan Date:		
Approval: Printed Name/Title	Signature	MAR 2 9 2005

New Mexico Office of the State Engineer Well Reports and Downloads		
Township: 09S Range: 26E Sections: 16		
NAD27 X: Y: Zone: Search Radius:		
County: Basin: Number: Suffix:		
Owner Name: (First) (Last) Non-Domestic Omestic		
Well / Surface Data Report Avg Depth to Water Report Water Column Report Clear Form WATERS Menu Help		
AVERAGE DEPTH OF WATER REPORT 03/21/2005 (Depth Water in Feet) Bsn Tws Rng Sec Zone X Y Wells Min Max Avg		
RA 09S 26E 12 1 99 99 99		
Record Count: 1		

