District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a "general plan"? Yes X No	٦

Type of action: Registration of a pi	t or below-grade tank Closure of a pit or below-grade	tank X			
Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail Address: 105 South 4 <sup>th</sup> Street, Artesia, N.M. 88210  Facility or well name: Huckabay TJ Fed #6 API #: 30-005-63467 U/L or Qtr/ County: Chaves Latitude 33.59973 Longitude 10  Surface Owner: Federal State X Private Indian	Qtr <u>P</u> Sec <u>23 T 8S</u> R <u>26E</u>	RECEIVED			
Pit	Below-grade tank	MAR 2 3 2005			
Type: Drilling X Production ☐ Disposal ☐  Work over ☐ Emergency ☐  Lined X Unlined ☐  Liner type: Synthetic ☐ Thickness _12_mil Clay ☐  Pit Volume 12,000 bbl	Volume:bbl Type of fluid:				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points) XXXX			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points) XXXX			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points) XXXX			
	Ranking Score (Total Points)	0 POINTS			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relaburying in place) onsite X offsite If offsite, name of facility NA  (4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Registration for encapsulation trench. The drilling pit mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be with a min. of a 3' over lap of the underlying trench areas. The encapsulation the 48 hour notice will be provided to the Oil Conservation Division before pit closure actions to begin by NA. Ending date NA	. (3) Attach a general description of remedial action to surfaceft. and attach sample results.  contents will be mixed to stiffen the pit contents. Encapsuse emplaced into the encapsulation trench. A 20 mil. Synth renches will then be backfilled back to grade using a min.	aken including remediation start date and end date.  Illustration trench will be excavated and lined with a 12 etic liner will then be placed over the pit contents			
I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines, a	Signature  Signature Alieve the operator of liability should the contents of the pi	oproved plan			
Approval: Printed Name/Title	Signature	MAR 2 3 2005			

New Mexico Office of the State Engineer  Well Reports and Downloads Shockahay TJ Fed #6						
Township: 8S	Range: 26E	Sections:				
NAD27 X:	<b>Y</b> :	Zone: Search Radius:				
County:	Basin:	Number: Suffix:				
Owner Name: (First)	(La	Last) ONon-Domestic ODomestic  O All				
Well / Su	rface Data Report Wat Clear Form	Avg Depth to Water Report er Column Report WATERS Menu Help				

## AVERAGE DEPTH OF WATER REPORT 03/18/2005

								(nebru	water in	reet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
RA	08S	26E	06				1	12	12	12
RA	085	26E	23				1	150	150	150

Record Count: 2

