	UNITED STATES EPARTMENT OF THE INTERIO UREAU OF LAND MANAGEMEN		OME	M APPROVED 3 NO. 1004-0137 s: January 31, 2018	
Do not use th	NOTICES AND REPORTS O is form for proposals to drill or II. Use form 3160-3 (APD) for s	r to re-enter an	6. If Indian, Allotte	3	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No. NMNM113982	
1. Type of Well			8. Well Name and	No.	
Oil Well Gas Well Other Other Contact: ADRIAN COVARRUBIAS			9. API Well No.	DERAL COM 1	
MARATHON OIL PERMIAN LLC E-Mail: acovarrubias@marathonoil.com			30-015-34011-00-S1		
3a. Address 5555 SAN FELIPE ST HOUSTON, TX 77056		one No. (include area code) 713.296.3368	10. Field and Pool DUBLIN RAN	10. Field and Pool or Exploratory Area DUBLIN RANCH	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Pari	11. County or Parish, State	
Sec 33 T22S R28E NWSW 1650FSL 660FWL			EDDY COUNTY, NM		
12. CHECK THE AI	PPROPRIATE BOX(ES) TO IN	DICATE NATURE OF	F NOTICE, REPORT, OR C	THER DATA	
TYPE OF SUBMISSION		TYPE OF	TYPE OF ACTION		
□ Notice of Intent	□ Acidize	🗆 Deepen	Production (Start/Resume)	□ Water Shut-Off	
	Alter Casing	Hydraulic Fracturing	□ Reclamation	U Well Integrity	
🛛 Subsequent Report	Casing Repair	New Construction	□ Recomplete	□ Other	
Final Abandonment Notice	Change Plans	Plug and Abandon	Temporarily Abandon		
Attach the Bond under which the wor	l eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bong	surface locations and measur d No. on file with BLM/BIA	ed and true vertical depths of all pe Required subsequent reports must	rtinent markers and zones. t be filed within 30 days	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for final MIRU 2-25-2020	eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond l operations. If the operation results in a bandonment Notices must be filed only a inal inspection.	, including estimated starting surface locations and measu d No. on file with BLM/BIA multiple completion or reco fter all requirements, includi	date of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet	rtinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for find MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 CIBP.	eration: Clearly state all pertinent details eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond operations. If the operation results in a bandonment Notices must be filed only a inal inspection.	, including estimated starting surface locations and measur d No. on file with BLM/BIA multiple completion or reco fter all requirements, includi o 500psi. Spot 25sx Cla	date of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Report to the term of term of the term of the term of	the filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 CIBP. 2. 2-28-2020 ? Spot 30sx Class PUH perf 6155? press to 600p	eration: Clearly state all pertinent details ally or recomplete horizontally, give sub k will be performed or provide the Bond operations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024?. Circ w/ P&A mud press to ss H CMT @ 9510. PUH to 7887 psi BLM okayed 50sx Class C CM	, including estimated starting surface locations and measur d No. on file with BLM/BIA multiple completion or recor- fiter all requirements, includi o 500psi. Spot 25sx Cla ? spot 45sx Class H Cl MT @ 6205? spot plug	ed and true vertical depths of all per Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Research of the subsequent reports mus more clamation, have been complet Research of the subsequence of the subsequence of the subsequent subsequence of the subsequence of the s	rtinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020? Set CIPB @ 1 CIBP. 2. 2-28-2020? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857	L eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bonc operations. If the operation results in a pandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to as H CMT @ 9510, PUH to 7887	, including estimated starting surface locations and measur d No. on file with BLM/BIA multiple completion or recor- fiter all requirements, includi o 500psi. Spot 25sx Cla ? spot 45sx Class H Cl MT @ 6205? spot plug sx Class C CMT. WOC	date of any proposed work and ap ed and true vertical depths of all pc Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Ress H CMT on top of MT WOC & tag @ 7475? SI to WOC. & tag @ 2162?. Perf @	ertinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATIO	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020? Set CIPB @ 1 CIBP. 2. 2-28-2020? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857	eration: Clearly state all pertinent details eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond operations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to ss H CMT @ 9510. PUH to 7887 psi BLM okayed 50sx Class C CM '2. PUH perf @ 2580? sqz w/80s surf w/155sx Verified at surf. Vis	, including estimated starting surface locations and measu d No. on file with BLM/BIA multiple completion or reco fter all requirements, includi o 500psi. Spot 25sx Cla ? spot 45sx Class H Cl MT @ 6205? spot plug ex Class C CMT. WOC ual.	ed and true vertical depths of all per Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Research of the subsequent reports mus more clamation, have been complet Research of the subsequence of the subsequence of the subsequent subsequence of the subsequence of the s	rtinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATIO OUE. 9- 29-' 20'	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 CIBP. 2. 2-28-2020 ? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857 2162? perf @404? cement to 4. 2-29-2020 ? RDMO. RR. DI	Leration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond loperations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to as H CMT @ 9510, PUH to 7887 bis BLM okayed 50sx Class C CM 22, PUH perf @ 2580? sqz w/80s surf w/155sx Verified at surf. Vis HM to be installed. true and correct. Electronic Submission #506053 a For MARATHON OIL PI	, including estimated starting surface locations and measur d No. on file with BLM/BIA multiple completion or reco fter all requirements, includi o 500psi. Spot 25sx Cla c 620sc 25sx Cla c 620sc 25sx Cla c 620sc 25sx Cla c 620sc 25sx 25sx 25sx 25sx 25sx 25sx 25sx 25sx	tate of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Required subsequent reports mus miner and the subsequent reports mus mass H CMT on top of MT WOC & tag @ 7475? SI to WOC. I ass H CMT on top of MT WOC & tag @ 7475? SI to WOC. I ass and the subsequent reports mus ass H CMT on top of MT WOC & tag @ 7475? I ass a definition system a carlsbad	rtinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATIO OUE. 9- 29- 20'	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 CIBP. 2. 2-28-2020 ? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857 2162? perf @404? cement to 4. 2-29-2020 ? RDMO. RR. DI	eration: Clearly state all pertinent details eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond loperations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to as H CMT @ 9510. PUH to 7887 bis BLM okayed 50sx Class C CM 22. PUH perf @ 2580? sqz w/80s surf w/155sx Verified at surf. Vis HM to be installed. true and correct. Electronic Submission #506053 For MARATHON OIL PU hitted to AFMSS for processing by	, including estimated starting surface locations and measur d No. on file with BLM/BIA multiple completion or reco fter all requirements, includi o 500psi. Spot 25sx Cla c 50	tate of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Required subsequent reports mus miner and the subsequent reports mus mass H CMT on top of MT WOC & tag @ 7475? SI to WOC. & tag @ 2162?. Perf @ gc 4/2/20 ccepted for record – NM Information System e Carlsbad on 03/09/2020 (20PP1199SE)	rtinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATIO DUE 8.29-20' 10CD	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 ⁻ CIBP. 2. 2-28-2020 ? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857 2162? perf @404? cement to 4. 2-29-2020 ? RDMO. RR. DI	eration: Clearly state all pertinent details eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond loperations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to as H CMT @ 9510. PUH to 7887 bis BLM okayed 50sx Class C CM 22. PUH perf @ 2580? sqz w/80s surf w/155sx Verified at surf. Vis HM to be installed. true and correct. Electronic Submission #506053 For MARATHON OIL PU hitted to AFMSS for processing by	, including estimated starting surface locations and measur d No. on file with BLM/BIA multiple completion or reco fter all requirements, includi o 500psi. Spot 25sx Cla c 50	tate of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Required subsequent reports mus miner and the subsequent reports mus mass H CMT on top of MT WOC & tag @ 7475? SI to WOC. I ass H CMT on top of MT WOC & tag @ 7475? SI to WOC. I ass and the subsequent reports mus ass H CMT on top of MT WOC & tag @ 7475? I ass a definition system a carlsbad	rtinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATIO DUE 8.29-20' 10CD	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 ⁻ CIBP. 2. 2-28-2020 ? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857 2162? perf @404? cement to 4. 2-29-2020 ? RDMO. RR. DI	Leration: Clearly state all pertinent details eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond loperations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to as H CMT @ 9510. PUH to 7887 bis BLM okayed 50sx Class C CM 22. PUH perf @ 2580? sqz w/80s surf w/155sx Verified at surf. Vis HM to be installed. true and correct. Electronic Submission #506053 a For MARATHON OIL PI hitted to AFMSS for processing by COVARRUBIAS	, including estimated starting surface locations and measur d No. on file with BLM/BIA multiple completion or reco fter all requirements, includi o 500psi. Spot 25sx Cla c 50	ate of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Required subsequent reports mus mass H CMT on top of MT WOC & tag @ 7475? SI to WOC. Intervention System e Carlsbad on 03/09/2020 (20PP1199SE) ATORY/PROFESSIENAL	rtinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATIO DUE 3. 29. 20' 10CD	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 CIBP. 2. 2-28-2020 ? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857 2162? perf @404? cement to 4. 2-29-2020 ? RDMO. RR. DI 14. Thereby certify that the foregoing is Comm Name(Printed Typed) ADRIAN C	Leration: Clearly state all pertinent details eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond loperations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to as H CMT @ 9510. PUH to 7887 bis BLM okayed 50sx Class C CM 22. PUH perf @ 2580? sqz w/80s surf w/155sx Verified at surf. Vis HM to be installed. true and correct. Electronic Submission #506053 a For MARATHON OIL PI hitted to AFMSS for processing by COVARRUBIAS	, including estimated starting surface locations and measu d No. on file with BLM/BIA multiple completion or reco fiter all requirements, includi o 500psi. Spot 25sx Cla c 600psi. Spot 25sx Cla c 60	adate of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Required subsequent reports mus migreclamation, have been complet Required subsequent reports mus Required subsequent reports mus Re	rtinent markers and zones. t be filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATIO DUE 3- 29-' 20' NOCD	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 CIBP. 2. 2-28-2020 ? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857 2162? perf @404? cement to 4. 2-29-2020 ? RDMO. RR. DI 14. Thereby certify that the foregoing is Comm Name(Printed Typed) ADRIAN C	eration: Clearly state all pertinent details eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond loperations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to as H CMT @ 9510. PUH to 7887 bis BLM okayed 50sx Class C Ch 22. PUH perf @ 2580? sqz w/80s surf w/155sx Verified at surf. Vis HM to be installed. true and correct. Electronic Submission #506053 For MARATHON OIL P hitted to AFMSS for processing by COVARRUBIAS	, including estimated starting surface locations and measu d No. on file with BLM/BIA multiple completion or reco fiter all requirements, includi o 500psi. Spot 25sx Cla c 600psi. Spot 25sx Cla c 60	ate of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet ass H CMT on top of MT WOC & tag @ 7475? SI to WOC. & tag @ 2162?. Perf @ gc 4/2/20 ccepted for record – NM Information System e Carlsbad on 03/09/2020 (20PP1199SE) ATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL DESCRATORY/PROFESSIDNAL	Internet markers and zones. the filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATIC DUE 3- 29-20' INCO RECORD LUE MANAGEMENT	
If the proposal is to deepen direction: Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f MIRU 2-25-2020 1. 2-27-2020 ? Set CIPB @ 1 CIBP. 2. 2-28-2020 ? Spot 30sx Class PUH perf 6155? press to 600p 3. 2-29-2020? Tag TOC 5857 2162? perf @404? cement to 4. 2-29-2020 ? RDMO. RR. DI 14. 1 hereby certify that the foregoing is Comm Name (<i>Printed Typed</i>) ADRIAN C	eration: Clearly state all pertinent details eration: Clearly state all pertinent details ally or recomplete horizontally, give sub rk will be performed or provide the Bond loperations. If the operation results in a bandonment Notices must be filed only a inal inspection. 1,024? Circ w/ P&A mud press to as H CMT @ 9510. PUH to 7887 bis BLM okayed 50sx Class C CM 22. PUH perf @ 2580? sqz w/80s surf w/155sx Verified at surf. Vis HM to be installed. true and correct. Electronic Submission #506053 For MARATHON OIL PL hitted to AFMSS for processing by COVARRUBIAS Submission) THIS SPACE FOR FEI	, including estimated starting surface locations and measu d No. on file with BLM/BIA multiple completion or reco fiter all requirements, includi o 500psi. Spot 25sx Cla c 50	ate of any proposed work and ap ed and true vertical depths of all pe Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Required subsequent reports mus mpletion in a new interval, a Form ng reclamation, have been complet Required subsequent reports mus mass H CMT on top of MT WOC & tag @ 7475? SI to WOC. Information System e Carlsbad on 03/09/2020 (20PP1199SE) ATORY/REOFESSIENAL DOFFICE USE	Internet markers and zones. the filed within 30 days 3160-4 must be filed once ed and the operator has ECLAMATION PROCEDU ATTACHED RECLAMATION DUE 3- 29-20' IOCD INCD INCD INCD	

(Instructions on page 2) ** BLM REVISED **

Additional data for EC transaction #506053 that would not fit on the form

32. Additional remarks, continued

P&A mud between all plugs



BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blim.gov/nim



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7 At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612