Form 3160-5 (June 2015)

OCD - Artesia - REC'D 4/8/2020

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMNM7752

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use the						
Do not use the abandoned we	6. If Indian, A	Allottee or Tribe Name				
SUBMIT IN		7. If Unit or CA/Agreement, Name and/or No. NMNM133058				
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Oth		8. Well Name and No. HOBGOBLIN 7 FEDERAL COM UBB 4H				
Name of Operator COG OPERATING LLC		9. API Well No. 30-015-41815-00-S1				
3a. Address 600 W ILLINOIS AVENUE MIDLAND, TX 79701		3b. Phone No. (include area code) Ph: 832-930-8613		10. Field and Pool or Exploratory Area LOCO HILLS-QU-GB-SA		
4. Location of Well (Footage, Sec., T	11. County of	11. County or Parish, State				
Sec 7 T17S R30E SENE 2310 32.849850 N Lat, 104.002740	EDDY C	EDDY COUNTY, NM				
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REPORT, C	OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION					
Notice of Intent ■ Notice of Intent Notice of Inten	☐ Acidize	☐ Deepen	☐ Production (Start/Res	ume)		
	☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamation	■ Well Integrity		
☐ Subsequent Report	□ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	☑ Temporarily Abandon☐ Water Disposal			
	☐ Convert to Injection	☐ Plug Back				
13. Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi	ally or recomplete horizontally, k will be performed or provide operations. If the operation re- pandonment Notices must be fil and inspection.	give subsurface locations and measur the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, including	red and true vertical depths of . Required subsequent reports mpletion in a new interval, a I	all pertinent markers and zones. s must be filed within 30 days Form 3160-4 must be filed once		
We are currently evaluating a	potential re-completion if	we can prove our economics.				
MIRU kill truck Notify BLM/NMOCD of casi Load production csg w/ fres Pressure test csg to 500# fres	h water treated with 5gals		er			

- 5. RDMO kill truck.

TD - 9529' PBTD - 4510' gc 4/20/2020

Accepted for record - NMOCD

14. I hereby certify that	BLM Well Information System t to the Carlsbad PEREZ on 03/30/2020 (20PP1831SE)			
Name(Printed/Typed)	SARAH E CHAPMAN	Title	REGULATORY DIRECTOR	
Signature	(Electronic Submission) THIS SPACE FOR FEDERA	Date	03/30/2020 STATE OFFICE USE	
Approved By_JONATHON SHEPARD Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			ETROLEUM ENGINEER Carlsbad	Date 04/07/2020

Additional data for EC transaction #508919 that would not fit on the form

32. Additional remarks, continued

Perfs - 5280'-9445' Current CIBP set @ 4550' Please find current and proposed WBD attached for your use. Thank you.

Revisions to Operator-Submitted EC Data for Sundry Notice #508919

Operator Submitted BLM Revised (AFMSS)

TA NOI TA NOI Sundry Type:

NMNM7752 NMNM7752 Lease:

Agreement: NMNM133058 NMNM133058 (NMNM133058)

Operator: SPUR ENERGY PARTNERS LLC COG OPERATING LLC 600 W ILLINOIS AVENUE

920 MEMORIAL CITY WAY SUITE 1000 HOUSTON, TX 77024 Ph: 832-930-8502 MIDLAND, TX 79701 Ph: 432.685.4385

SARAH E CHAPMAN SARAH E CHAPMAN Admin Contact:

REGULATORY DIRECTOR REGULATORY DIRECTOR

E-Mail: SCHAPMAN@SPUREPLLC.COM E-Mail: SCHAPMAN@SPUREPLLC.COM Cell: 281-642-5503 Cell: 281-642-5503

Ph: 832-930-8613 Ph: 832-930-8613

SARAH E CHAPMAN REGULATORY DIRECTOR E-Mail: SCHAPMAN@SPUREPLLC.COM Cell: 281-642-5503 SARAH E CHAPMAN REGULATORY DIRECTOR E-Mail: SCHAPMAN@SPUREPLLC.COM Cell: 281-642-5503 Tech Contact:

Ph: 832-930-8613 Ph: 832-930-8613

Location: NM EDDY NM EDDY State: County:

Field/Pool: LOCO HILLS-QU-GB-SA LOCO HILLS-QU-GB-SA

HOBGOBLIN 7 FEDERAL COM UBB 4H Sec 7 T17S R30E Mer NMP SENE 2310FNL 150FEL HOBGOBLIN 7 FEDERAL COM UBB 4H Well/Facility:

Sec 7 T17S R30E SENE 2310FNL 150FEL 32.849850 N Lat, 104.002740 W Lon 32.849850 N Lat, 104.002740 W Lon

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.