

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM01165

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
GLOCK 17/16 WOMP FED COM 1H9. API Well No.
30-015-46733-00-X110. Field and Pool or Exploratory Area
WILDCAT-WOLFCAMP11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator
MEWBOURNE OIL COMPANYContact: JACKIE LATHAN
E-Mail: jlathan@mewbourne.com3a. Address
P O BOX 5270
HOBBS, NM 882413b. Phone No. (include area code)
Ph: 575-393-5905
Fx: 575-393-5905

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 17 T20S R29E SWSW 1270FSL 230FWL
32.569733 N Lat, 104.105042 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

03/11/2020

TD'ed 8 3/4" hole @ 9523'. Ran 9495' of 7" 29# HCP110 LT&C csg. Cemented w/525 sks 50:50 Poz w/additives. Mixed @ 11.5#/g w/2.44 yd. Tail w/400 sks Class H w/additives. Mixed @ 14.5#/g w/1.11 yd. Displaced w/368 bbls OBM. Set Cameron mandrel hanger through BOP w/235K#. Plug down @ 3:00 P.M. 03/01/20. Circ 80 sks of cmt to the pits. At 6:00 A.M. 03/12/20, tested csg to 1500# 30 mins, held OK. FIT test to 11.5 PPG EMW. Drilled out with 6 1/8" bit.

03/20/2020

TD'ed 6 1/8" hole @ 19581' MD. Ran 19581' of 4 ?" 13.5# HCP110 CDC HTQ csg. Cement w/1200 sks Class H w/additives. Mixed @ 14.5#/g w/1.11 yd. Followed w/5 bbls FW. Released dart. Displaced w/40 bbls sugar FW & 255 bbls sugar BW. Plug down @ 7:30 P.M. 03/23/20. Bump plug w/2800#. Set packer w/50k#. Sting out of PBR w/1200# on DP. Displaced 7" csg w/172 bbls sugar FW. Circ 404 sks of cmt off of

gc 4/17/2020

Accepted for record – NMOCD

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #508809 verified by the BLM Well Information System
For MEWBOURNE OIL COMPANY, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 03/30/2020 (20PP1818SE)

Name (Printed/Typed) RUBY CABALLERO

Title CLERK

Signature (Electronic Submission)

Date 03/30/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

JONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 04/07/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Entered 04/27/2020 - KMD NMOCD

Additional data for EC transaction #508809 that would not fit on the form

32. Additional remarks, continued

liner top to the pit. Circ 300 bbls FW w/polymer. At 9:15 P.M., 03/23/20, tested csg 2500# for 30 mins, held OK. Top of liner @ 8780'.

Rig released on 03/24/2020 @ 3:00 P.M.

Bond on file: NM1693 nationwide & NMB000919

Revisions to Operator-Submitted EC Data for Sundry Notice #508809

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG NOI	DRG SR
Lease:	NMNM01165	NMNM01165
Agreement:		
Operator:	MEWBOURNE OIL COMPANY PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905	MEWBOURNE OIL COMPANY P O BOX 5270 HOBBS, NM 88241 Ph: 575.393.5905
Admin Contact:	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com Ph: 575-393-5905	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com Ph: 575-393-5905 Fx: 575-393-5905
Tech Contact:	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com Ph: 575-393-5905 Ext: 5032	RUBY CABALLERO CLERK E-Mail: rojeda@mewbourne.com Ph: 575-393-5905
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	WILDCAT WOLFCAMP	WILDCAT-WOLFCAMP
Well/Facility:	GLOCK 17/16 W0MP FED COM 1H Sec 17 T20S R29E Mer NMP SWSW 1270FSL 230FWL	GLOCK 17/16 W0MP FED COM 1H Sec 17 T20S R29E SWSW 1270FSL 230FWL 32.569733 N Lat, 104.105042 W Lon