Form 3160-5 (June 2015)

# Rec'd 05/04/2020 - NMOCD

**UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 Lease Serial No.

SUNDRY Do not use thi	NMLC029338A  6. If Indian, Allottee or Tribe Name						
abandoned wel							
SUBMIT IN T	TRIPLICATE - Other inst	ructions on p	page 2		7. If Unit or CA/Agree	ment, l	Name and/or No.
Type of Well     ☐ Gas Well ☐ Oth	8. Well Name and No. GISSLER A 44						
Name of Operator BURNETT OIL COMPANY IN		9. API Well No. 30-015-45569-00-X1					
3a. Address 801 CHERRY STREET UNIT FORT WORTH, TX 76102-68	(include area code) 3-8730 -8438		10. Field and Pool or Exploratory Area CEDAR LAKE				
4. Location of Well (Footage, Sec., T					11. County or Parish, State		
Sec 14 T17S R30E Tract B 56 32.840206 N Lat, 103.941719			EDDY COUNTY, NM				
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICAT	TE NATURE OF	F NOTICE,	REPORT, OR OTH	ER [	OATA
TYPE OF SUBMISSION	TYPE OF ACTION						
<ul><li>□ Notice of Intent</li><li>☑ Subsequent Report</li><li>□ Final Abandonment Notice</li></ul>	☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans	☐ Hydi ☐ New	<ul><li>□ Deepen</li><li>□ Hydraulic Fracturing</li><li>□ New Construction</li><li>□ Plug and Abandon</li></ul>		on (Start/Resume) ation lete arily Abandon		Water Shut-Off Well Integrity Other Il Spud
1 mai 7 tourdomment 1 touce			g Back		•		
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi 1/28/20 - SPUD WELL @ 3:30 425', SET @ 420', CENTRALI WITH 100 SKS, 14.4#, YLD 1 CONTACT WITH BLM REP D MADE CONTACT WITH BLM NOT WITNESS CEMENT JOE	ck will be performed or provide operations. If the operation respandonment Notices must be file inal inspection.  DPM ON 1/28/2020. RUN ZERS ON JTS 1, 2, 3, 5, 61RFC-C+10% PF53 GY AVID MERVINE, IN REFIREP JOE SAUCEDO, IN	the Bond No. on sults in a multiple ed only after all r 10 JTS OF 8 7, 9. PJSM: F PSUM, 245 S ERENCE TO	file with BLM/BIA. c completion or recording the completion of recording the completion of recording the completion of t	. Required submpletion in a ring reclamation  F&C CASING  ENTING EQUE  CALCIUM 1  OTIFICATION	sequent reports must be f ew interval, a Form 3160 n, have been completed an G, TOTAL LENGTH JIPMENT. CEMENT 4.8#, 1.34 YLD. MAI IN ON 1/26/20, 14:18	filed w 0-4 must nd the - DE 8 MS	rithin 30 days st be filed once operator has
		Accept	ed 05/06/2020 - KI	MS NMOCD			
	#Electronic Submission #5 For BURNETT nmitted to AFMSS for proce	OIL COMPAN	Y IŃC, sent to the SCILLA PEREZ on	Carlsbad 02/25/2020	(20PP1352SE)		
Name(Printed/Typed) LESLIE G	ARVIS		Title REGULA	ATORY MA	NAGER		
Signature (Electronic S	Submission)		Date 02/25/20	)20			
	THIS SPACE FO	R FEDERA	L OR STATE (	OFFICE US	SE		
Approved By ACCEPT	ED		JONATHO <sub>Title</sub> PETROLE	N SHEPAR UM ENGINE			Date 02/25/2020
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to condu	Office Carlsbad						
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s				willfully to ma	ke to any department or a	igency	of the United

## Revisions to Operator-Submitted EC Data for Sundry Notice #504434

**Operator Submitted BLM Revised (AFMSS)** 

SPUD SPUD SR Sundry Type: SR

Lease: NMLC029338A NMLC029338A

Agreement:

Operator:

BURNETT OIL CO.INC.

BURNETT OIL COMPANY INC

BURNETT PLAZA - UNIT 9 801 CHERRY STREET - SUITE 15F0801 WORRRYTSTREEDZUNIT 9 SUITE 1500
FORT WORTH, TX 76102
FORT WORTH, TX 76102-6881

Ph: 817-583-8730 Ph: 817.332.5108

LESLIE GARVIS REGULATORY MANAGER Admin Contact:

LESLIE GARVIS REGULATORY MANAGER

E-Mail: LGARVIS@BURNETTOIL.COM E-Mail: LGARVIS@BURNETTOIL.COM

Ph: 817-583-8730 Ph: 817-583-8730 Fx: 817-332-8438

LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Tech Contact:

LESLIE GARVIS REGULATORY MANAGER

E-Mail: LGARVIS@BURNETTOIL.COM

Ph: 817-583-8730 Ph: 817-583-8730 Fx: 817-332-8438

Location:

State: County: NM EDDY NM EDDY

LOCO HILLS GLORIETTA YESO CEDAR LAKE Field/Pool:

GISSLER A 44 Sec 14 T17S R30E Mer NMP NWNE 560FNL 2380FEL Well/Facility:

GISSLER A 44 Sec 14 T17S R30E Tract B 560FNL 2380FEL

32.840206 N Lat, 103.941719 W Lon

Form 3160-5 (June 2015)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS** 

5. Lease Serial No. NMLC029338A

Do not use thi						
abandoned wel	6. If In	6. If Indian, Allottee or Tribe Name				
SUBMIT IN T	7. If U	nit or CA/Agreemo	ent, Name and/or No.			
Type of Well		8. Well Name and No. GISSLER A 44				
Name of Operator     BURNETT OIL COMPANY IN		9. API Well No. 30-015-45569-00-X1				
3a. Address 801 CHERRY STREET UNIT FORT WORTH, TX 76102-68	9 SUITE 1500 Ph: 817-58			10. Field and Pool or Exploratory Area CEDAR LAKE		
4. Location of Well (Footage, Sec., T	11. Co	11. County or Parish, State				
Sec 14 T17S R30E Tract B 56 32.840206 N Lat, 103.941719	EDI	EDDY COUNTY, NM				
12. CHECK THE AF	PPROPRIATE BOX(ES) TO INDICA	TE NATURE OF	F NOTICE, REPOR	RT, OR OTHE	R DATA	
TYPE OF SUBMISSION						
☐ Notice of Intent	☐ Acidize ☐ Dee	pen	☐ Production (Star	t/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing ☐ Hyd	raulic Fracturing	☐ Reclamation		■ Well Integrity	
Subsequent Report	_	Construction	☐ Recomplete		☑ Other Drilling Operations	
☐ Final Abandonment Notice		and Abandon	☐ Temporarily Ab	rarily Abandon Diffing Ope		
	☐ Convert to Injection ☐ Plug	Back	☐ Water Disposal			
If the proposal is to deepen directional Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit 1/29/20 - HOLE SIZE: 12 ??	eration: Clearly state all pertinent details, includilly or recomplete horizontally, give subsurface k will be performed or provide the Bond No. or operations. If the operation results in a multiple andonment Notices must be filed only after all nal inspection.  RU PAR 5 CMT W/ 65 SKS/15 BBLS LLAR/SURFACE. TEST BOP COMPO	locations and measurable with BLM/BIA e completion or recorrequirements, including OF CLASS C W/	red and true vertical dep. Required subsequent in impletion in a new interving reclamation, have be 2% CACL. CIRCU	oths of all pertinent reports must be file val, a Form 3160-4 een completed and	t markers and zones. ed within 30 days t must be filed once the operator has	
SAUCEDO, IN REFERENCE	BOP TEST ON 1/29/20, 19:45 MST. F E SIZE: 7 7/8?. RU HALLIBURTON W	E DID NOT WITI	NESS BOP TEST.		IVITALI JOL	
AND LOG. (LOGGER'S TD @	6396', SURFACE CASING @ 419')					
NEUTRON, DUAL LATEROLO WRAP, DV TOOL, 57-JT'S RY	DGS, RD HALLIBURTON WIRELINE. ( DG). RUN 74-JT'S 5.5" 17# HCL-80 LT /T WRAP, 1-JT 5.5" 17# HCL-80 BAR TS RAN 136, T. PIPE-6095.52, FS-1.4	T&C BARE CSG, E TO SET SLIPS	4-JT'S 5.5" 17# HC ON. (USED 22' LD	CL-80 RYT O JT TO SET	ISITY	
14. I hereby certify that the foregoing is	true and correct. Electronic Submission #504623 verifie For BURNETT OIL COMPAN mitted to AFMSS for processing by PRI	Y INC, sent to the	· Carlsbad			
Name(Printed/Typed) LESLIE G	ARVIS	Title REGULA	ATORY MANAGER	(		
Signature (Electronic S	Submission)	Date 02/26/20	)20			
	THIS SPACE FOR FEDERA	L OR STATE (	OFFICE USE			
Approved By ACCEPT	ED		N SHEPARD JM ENGINEER		Date 02/28/2020	
	d. Approval of this notice does not warrant or itable title to those rights in the subject lease ict operations thereon.	Office Carlsbad	<u> </u>			
	U.S.C. Section 1212, make it a crime for any postatements or representations as to any matter w		willfully to make to any	department or ago	ency of the United	

## Additional data for EC transaction #504623 that would not fit on the form

#### 32. Additional remarks, continued

2/4/20 - RU PAR 5 CMT FIRST STAGE W/ 580 SKS 13#, 1.5 YLD. BUMP PLUG @ 19:10 CST, 2/4/20 DROP DV TOOL OPENING DEVICE & OPEN DV TOOL. CIRCULATE DV TOOL W/ RIG PUMP. (CIRCULATED 74 SKS / 20 BBLS OF CMT OFF TOP OF DV TOOL) CEMENT 2ND STAGE W/ LEAD: 575 SKS 13.2#, 1.83 YLD. TAIL: 200 SKS, 13.0#, 1.5 YLD. PLUG DN @ 16:30 CST, 2/4/20. CIRCULATED 230 SKS OF CEMENT TO SURFACE PITS. FLOATS HELD. RIG RELEASED @ 00:00, 2/5/2020. LEFT MESSAGE W/ CARLSBAD BLM, IN REFERENCE TO CEMENTING 5.5" PRODUCTION CASING @ 08:38 CST, 2/4/20.

### Revisions to Operator-Submitted EC Data for Sundry Notice #504623

**Operator Submitted BLM Revised (AFMSS)** 

DRG SR DRG Sundry Type: SR

Lease: NMLC029338A NMLC029338A

Agreement:

Operator:

BURNETT OIL CO.INC.

BURNETT OIL COMPANY INC

BURNETT PLAZA - UNIT 9 801 CHERRY STREET - SUITE 15F0801 WORRRYTSTREEDZUNIT 9 SUITE 1500
FORT WORTH, TX 76102
FORT WORTH, TX 76102-6881

Ph: 817-583-8730 Ph: 817.332.5108

Admin Contact:

LESLIE GARVIS REGULATORY MANAGER LESLIE GARVIS REGULATORY MANAGER

E-Mail: LGARVIS@BURNETTOIL.COM E-Mail: LGARVIS@BURNETTOIL.COM

Ph: 817-583-8730 Ph: 817-583-8730 Fx: 817-332-8438

LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Tech Contact:

LESLIE GARVIS REGULATORY MANAGER

E-Mail: LGARVIS@BURNETTOIL.COM

Ph: 817-583-8730 Ph: 817-583-8730

Fx: 817-332-8438

Location:

State: County: NM EDDY NM EDDY

LOCO HILLS GLORIETTA YESO CEDAR LAKE Field/Pool:

GISSLER A 44 Sec 14 T17S R30E Mer NMP NWNE 560FNL 2380FEL Well/Facility:

GISSLER A 44 Sec 14 T17S R30E Tract B 560FNL 2380FEL

32.840206 N Lat, 103.941719 W Lon