

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

5. Lease Serial No.
NMNM01165

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. GLOCK 17/16 WOLI FED COM 1H
2. Name of Operator MEWBOURNE OIL COMPANY		9. API Well No. 30-015-46746-00-X1
3a. Address P O BOX 5270 HOBBS, NM 88241		10. Field and Pool or Exploratory Area GATUNA CANYON-BONE SPRING
3b. Phone No. (include area code) Ph: 575-393-5905 Fx: 575-393-5905		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 17 T20S R29E NWSW 2060FSL 230FWL 32.571903 N Lat, 104.105042 W Lon		11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Well Spud
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

04/20/2020

Spud 26" hole @ 414'. Ran 414' of 20" 94# J55 BT&C csg. Cmt w/600 sks Class w/additives. Mixed w/12.5#/g w/2.13 yd. Displaced w/150 bbls of BW. Plug down @ 11:30 P.M. 04/21/20. Circ 295 sks of cmt to the pits. Drilled out with 17 ?? bit.

04/24/2020

TD?ed 17 1/2" hole @ 1398'. Ran 1383' of 13 3/8" 54.5# J55 ST&C csg. Cmt 750 sks Class C w/additives. Mixed @ 12.5#/g w/2.13 yd. Displaced w/207 bbls of FW. Plug down @ 3:45 P.M. 04/24/20. Circ 150 sks of cm to the pits. Tested BOPE to 5000# & annular 3500#. At 4:30 P.N. 04/25/20 tested csg to 1500# for 30 mins, held OK. FIT test to EMW of 9.5 PPG. Drilled out with 12 ?? bit.

Charts & Schematic attached

Entered 05/12/2020 - KMS NMOCD

14. I hereby certify that the foregoing is true and correct. Electronic Submission #513525 verified by the BLM Well Information System For MEWBOURNE OIL COMPANY, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 04/30/2020 (20PP2567SE)	
Name (Printed/Typed) RUBY CABALLERO	Title CLERK
Signature (Electronic Submission)	Date 04/30/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 05/07/20
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #513525 that would not fit on the form

32. Additional remarks, continued

04/27/2020

TD'ed 12 1/4" hole @ 3207'. Ran 3033? of 9 5/8" 40# HCL80 LT&C Csg. Cmt w/675 sks 35/65 PliteC C w/additives. Mixed @ 12.9#/g w/1.81 yd. Tail w/200 sks Class C Neat. Mixed @ 14.8#/g w/1.32 yd. Displace w/227 bbls of FW. Plug down @ 3:45 P.M. 04/27/20. Circ 308 sks of cmt to the pits. Set ACP w/2210#. Dropped cancellation bomb & closed w/2000#. Set Cameron Mandrel hanger through BOP w/135k#. At 1:15 A.M. 04/28/20, tested csg to 1500# for 30 mins, held OK. FIT test to EMW of 9.5 PPG. Drilled out with 8 3/4" bit.

Bond on file: NM1693 nationwide & NMB000919

Revisions to Operator-Submitted EC Data for Sundry Notice #513525

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD NOI	SPUD NOI
Lease:	NMNM01165	NMNM01165
Agreement:		
Operator:	MEWBOURNE OIL COMPANY PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905	MEWBOURNE OIL COMPANY P O BOX 5270 HOBBS, NM 88241 Ph: 575.393.5905
Admin Contact:	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com Ph: 575-393-5905	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com Ph: 575-393-5905 Fx: 575-393-5905
Tech Contact:	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com Ph: 575-393-5905 Ext: 5032	RUBY CABALLERO CLERK E-Mail: rojeda@mewbourne.com Ph: 575-393-5905
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	WOLFCAMP	GATUNA CANYON-BONE SPRING
Well/Facility:	GLOCK 17/16 W0LI FED COM 1H Sec 17 T20S R29E Mer NMP SWSW 2060FSL 230FWL	GLOCK 17/16 W0LI FED COM 1H Sec 17 T20S R29E NWSW 2060FSL 230FWL 32.571903 N Lat, 104.105042 W Lon