

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (505) 748-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

EMNRD- OCD ARTESIA Form C-102
REC'D: 05/06/2020
Revised August 1, 2011
Submit one copy to appropriate
District Office

X AMENDED REPORT
AS-DRILLED PLAT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-45945	Pool Code 98820	Pool Name PURPLE SAGE (WOLFCAMP)
Property Code 325477	Property Name PARDUE 8808	Well Number 4H
OGRID No. 260297	Operator Name BTA OIL PRODUCERS, LLC	Elevation 2996'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	11	23-S	28-E		220	NORTH	1125	WEST	EDDY

AS- Drilled Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	11	23-S	28-E		46.9	SOUTH	2298.8	WEST	EDDY
Dedicated Acres 320	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

AS-DRILLED PLAT



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Katy Reddell 03/02/2020

Signature Date

KATY REDDELL

Printed Name

kreddell@btaoil.com

E-mail Address

SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

FEBRUARY 26, 2019

Date of Survey
Signature & Seal of Professional Surveyor:

RONALD J. EIDSON
NEW MEXICO
REGISTERED SURVEYOR
3239
Certificate Number
Gary G. Eidson 12641
Ronald J. Eidson 3239

LSL REL.19.11.0215 JWSC W.O.: 20.13.0011



BTA Oil Producers, LLC

Eddy County, New Mexico (NAD 83)

Sec 11, T23-S, R28-E

Pardue 8808 #4H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

08 October, 2019



QES
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Pardue 8808 #4H
Project:	Eddy County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3021.0usft (Patterson #597)
Site:	Sec 11, T23-S, R28-E	MD Reference:	WELL @ 3021.0usft (Patterson #597)
Well:	Pardue 8808 #4H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, New Mexico (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 11, T23-S, R28-E			
Site Position:		Northing:	482,685.90 usft	Latitude:	32° 19' 36.073 N
From:	Map	Easting:	624,697.70 usft	Longitude:	104° 3' 48.450 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.14 °

Well	Pardue 8808 #4H					
Well Position	+N/-S	0.0 usft	Northing:	482,686.20 usft	Latitude:	32° 19' 36.074 N
	+E/-W	0.0 usft	Easting:	624,787.60 usft	Longitude:	104° 3' 47.402 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	2,996.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	9/30/2019	7.08	60.05	47,881.60000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0		166.10

Survey Program	Date	10/8/2019			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
145.0	14,660.0	QES MWD Surveys (Wellbore #1)	OWSG (Rev2) MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	482,686.20	624,787.60	32° 19' 36.074 N	104° 3' 47.402 W
145.0	2.00	86.20	145.0	0.2	2.5	482,686.37	624,790.13	32° 19' 36.076 N	104° 3' 47.373 W
First MWD Survey @ 145.0' MD / 145.0' TVD									
234.0	1.80	94.50	233.9	0.2	5.5	482,686.36	624,793.07	32° 19' 36.076 N	104° 3' 47.338 W
323.0	1.40	106.40	322.9	-0.3	7.9	482,685.95	624,795.51	32° 19' 36.071 N	104° 3' 47.310 W
412.0	1.30	128.20	411.9	-1.2	9.7	482,685.01	624,797.34	32° 19' 36.062 N	104° 3' 47.288 W
504.0	1.30	165.00	503.8	-2.8	10.8	482,683.36	624,798.44	32° 19' 36.046 N	104° 3' 47.276 W
544.0	1.40	165.10	543.8	-3.8	11.1	482,682.45	624,798.68	32° 19' 36.037 N	104° 3' 47.273 W
633.0	1.80	83.00	632.8	-4.6	12.7	482,681.57	624,800.35	32° 19' 36.028 N	104° 3' 47.254 W
695.0	3.70	67.90	694.7	-3.8	15.6	482,682.44	624,803.17	32° 19' 36.037 N	104° 3' 47.221 W
790.0	5.80	67.40	789.4	-0.8	22.8	482,685.44	624,810.44	32° 19' 36.066 N	104° 3' 47.136 W
883.0	7.70	80.20	881.8	2.1	33.3	482,688.31	624,820.92	32° 19' 36.094 N	104° 3' 47.014 W



QES
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Pardue 8808 #4H
Project:	Eddy County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3021.0usft (Patterson #597)
Site:	Sec 11, T23-S, R28-E	MD Reference:	WELL @ 3021.0usft (Patterson #597)
Well:	Pardue 8808 #4H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
978.0	8.50	84.30	975.8	3.9	46.6	482,690.09	624,834.18	32° 19' 36.111 N	104° 3' 46.859 W
1,073.0	7.40	82.00	1,069.9	5.4	59.6	482,691.64	624,847.22	32° 19' 36.126 N	104° 3' 46.707 W
1,167.0	9.10	77.20	1,162.9	7.9	72.9	482,694.12	624,860.46	32° 19' 36.151 N	104° 3' 46.553 W
1,262.0	9.70	76.50	1,256.6	11.5	88.0	482,697.66	624,875.57	32° 19' 36.185 N	104° 3' 46.376 W
1,356.0	8.80	76.20	1,349.4	15.0	102.7	482,701.22	624,890.26	32° 19' 36.220 N	104° 3' 46.205 W
1,451.0	8.30	75.80	1,443.4	18.4	116.4	482,704.64	624,903.96	32° 19' 36.254 N	104° 3' 46.045 W
1,546.0	7.40	76.00	1,537.5	21.6	128.9	482,707.80	624,916.54	32° 19' 36.285 N	104° 3' 45.899 W
1,641.0	8.70	78.60	1,631.5	24.5	141.9	482,710.70	624,929.52	32° 19' 36.313 N	104° 3' 45.747 W
1,736.0	9.30	80.60	1,725.4	27.2	156.5	482,713.37	624,944.14	32° 19' 36.339 N	104° 3' 45.577 W
1,831.0	8.80	84.30	1,819.2	29.1	171.3	482,715.35	624,958.94	32° 19' 36.358 N	104° 3' 45.404 W
1,926.0	8.40	89.90	1,913.1	29.9	185.5	482,716.08	624,973.11	32° 19' 36.365 N	104° 3' 45.239 W
2,021.0	7.70	90.10	2,007.2	29.9	198.8	482,716.08	624,986.42	32° 19' 36.365 N	104° 3' 45.084 W
2,116.0	8.80	84.80	2,101.2	30.5	212.4	482,716.73	625,000.02	32° 19' 36.371 N	104° 3' 44.925 W
2,211.0	9.50	87.40	2,195.0	31.5	227.5	482,717.75	625,015.09	32° 19' 36.381 N	104° 3' 44.750 W
2,306.0	8.90	90.60	2,288.8	31.8	242.7	482,718.02	625,030.27	32° 19' 36.383 N	104° 3' 44.573 W
2,401.0	9.10	81.30	2,382.6	32.9	257.4	482,719.08	625,045.04	32° 19' 36.393 N	104° 3' 44.401 W
2,496.0	8.70	79.50	2,476.5	35.3	271.9	482,721.53	625,059.54	32° 19' 36.417 N	104° 3' 44.232 W
2,563.0	7.80	81.80	2,542.8	36.9	281.4	482,723.10	625,069.02	32° 19' 36.432 N	104° 3' 44.121 W
2,664.0	8.90	77.40	2,642.7	39.6	295.8	482,725.78	625,083.43	32° 19' 36.458 N	104° 3' 43.953 W
2,759.0	9.80	76.00	2,736.4	43.1	310.8	482,729.34	625,098.44	32° 19' 36.493 N	104° 3' 43.778 W
2,854.0	10.60	77.60	2,829.9	47.0	327.2	482,733.17	625,114.82	32° 19' 36.531 N	104° 3' 43.587 W
2,950.0	11.40	78.80	2,924.2	50.7	345.1	482,736.91	625,132.75	32° 19' 36.567 N	104° 3' 43.378 W
3,045.0	12.00	79.20	3,017.2	54.4	364.1	482,740.59	625,151.66	32° 19' 36.603 N	104° 3' 43.157 W
3,140.0	12.60	82.20	3,110.0	57.6	384.0	482,743.84	625,171.63	32° 19' 36.635 N	104° 3' 42.925 W
3,235.0	12.90	84.10	3,202.7	60.1	404.8	482,746.34	625,192.45	32° 19' 36.659 N	104° 3' 42.682 W
3,328.0	13.60	75.70	3,293.2	63.9	425.8	482,750.11	625,213.37	32° 19' 36.696 N	104° 3' 42.438 W
3,423.0	14.40	74.10	3,385.4	69.9	448.0	482,756.10	625,235.55	32° 19' 36.755 N	104° 3' 42.179 W
3,517.0	12.10	74.60	3,476.9	75.7	468.7	482,761.92	625,256.30	32° 19' 36.812 N	104° 3' 41.937 W
3,612.0	11.60	75.80	3,569.8	80.7	487.6	482,766.91	625,275.16	32° 19' 36.861 N	104° 3' 41.717 W
3,707.0	12.00	76.70	3,662.8	85.3	506.4	482,771.53	625,294.03	32° 19' 36.906 N	104° 3' 41.497 W
3,801.0	12.60	78.50	3,754.7	89.6	526.0	482,775.82	625,313.58	32° 19' 36.948 N	104° 3' 41.269 W
3,896.0	13.50	78.60	3,847.2	93.9	547.0	482,780.08	625,334.61	32° 19' 36.989 N	104° 3' 41.024 W
3,991.0	11.80	75.70	3,939.9	98.5	567.3	482,784.67	625,354.89	32° 19' 37.034 N	104° 3' 40.787 W
4,086.0	12.00	75.10	4,032.9	103.4	586.2	482,789.61	625,373.85	32° 19' 37.083 N	104° 3' 40.566 W
4,181.0	12.00	76.40	4,125.8	108.3	605.4	482,794.47	625,392.99	32° 19' 37.130 N	104° 3' 40.343 W
4,276.0	12.80	78.10	4,218.6	112.8	625.3	482,798.96	625,412.89	32° 19' 37.174 N	104° 3' 40.111 W
4,372.0	12.10	77.90	4,312.3	117.1	645.5	482,803.26	625,433.13	32° 19' 37.216 N	104° 3' 39.875 W
4,466.0	12.50	78.10	4,404.2	121.2	665.1	482,807.42	625,452.72	32° 19' 37.257 N	104° 3' 39.647 W
4,561.0	13.40	78.30	4,496.7	125.6	686.0	482,811.78	625,473.56	32° 19' 37.300 N	104° 3' 39.404 W
4,656.0	11.60	78.50	4,589.5	129.7	706.1	482,815.91	625,493.70	32° 19' 37.340 N	104° 3' 39.169 W
4,750.0	11.50	79.20	4,681.6	133.4	724.6	482,819.55	625,512.16	32° 19' 37.376 N	104° 3' 38.953 W
4,845.0	11.30	80.20	4,774.7	136.7	743.0	482,822.91	625,530.64	32° 19' 37.408 N	104° 3' 38.738 W
4,941.0	11.30	82.00	4,868.9	139.6	761.6	482,825.82	625,549.22	32° 19' 37.437 N	104° 3' 38.521 W
5,034.0	11.60	83.40	4,960.0	142.0	779.9	482,828.16	625,567.53	32° 19' 37.459 N	104° 3' 38.308 W
5,128.0	11.90	84.60	5,052.0	144.0	799.0	482,830.16	625,586.57	32° 19' 37.479 N	104° 3' 38.086 W
5,223.0	9.70	78.30	5,145.3	146.5	816.6	482,832.71	625,604.16	32° 19' 37.503 N	104° 3' 37.881 W
5,318.0	9.40	78.30	5,239.0	149.7	832.0	482,835.90	625,619.59	32° 19' 37.535 N	104° 3' 37.701 W
5,412.0	9.10	79.50	5,331.8	152.6	846.8	482,838.82	625,634.42	32° 19' 37.563 N	104° 3' 37.528 W
5,507.0	9.00	80.40	5,425.6	155.2	861.5	482,841.42	625,649.13	32° 19' 37.589 N	104° 3' 37.357 W
5,600.0	8.40	81.80	5,517.6	157.4	875.4	482,843.61	625,663.03	32° 19' 37.610 N	104° 3' 37.194 W
5,695.0	8.50	83.90	5,611.5	159.1	889.3	482,845.34	625,676.88	32° 19' 37.627 N	104° 3' 37.033 W
5,789.0	8.50	85.00	5,704.5	160.5	903.1	482,846.69	625,690.70	32° 19' 37.640 N	104° 3' 36.872 W
5,883.0	8.40	87.40	5,797.5	161.4	916.9	482,847.60	625,704.48	32° 19' 37.648 N	104° 3' 36.711 W
5,978.0	8.50	89.40	5,891.4	161.8	930.8	482,847.99	625,718.44	32° 19' 37.652 N	104° 3' 36.549 W
6,073.0	8.40	90.60	5,985.4	161.8	944.8	482,847.99	625,732.40	32° 19' 37.651 N	104° 3' 36.386 W



QES
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Pardue 8808 #4H
Project:	Eddy County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3021.0usft (Patterson #597)
Site:	Sec 11, T23-S, R28-E	MD Reference:	WELL @ 3021.0usft (Patterson #597)
Well:	Pardue 8808 #4H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,167.0	8.40	84.80	6,078.4	162.3	958.5	482,848.54	625,746.10	32° 19' 37.657 N	104° 3' 36.226 W
6,262.0	8.50	84.10	6,172.4	163.7	972.4	482,849.89	625,759.99	32° 19' 37.670 N	104° 3' 36.064 W
6,357.0	7.80	84.40	6,266.4	165.0	985.8	482,851.24	625,773.39	32° 19' 37.683 N	104° 3' 35.908 W
6,452.0	6.80	86.90	6,360.6	166.0	997.8	482,852.18	625,785.42	32° 19' 37.692 N	104° 3' 35.768 W
6,547.0	6.00	89.00	6,455.0	166.4	1,008.4	482,852.57	625,796.01	32° 19' 37.695 N	104° 3' 35.644 W
6,642.0	4.60	94.60	6,549.6	166.1	1,017.2	482,852.35	625,804.77	32° 19' 37.693 N	104° 3' 35.542 W
6,737.0	5.70	83.90	6,644.3	166.3	1,025.7	482,852.54	625,813.26	32° 19' 37.694 N	104° 3' 35.443 W
6,832.0	5.70	83.40	6,738.8	167.4	1,035.0	482,853.59	625,822.63	32° 19' 37.705 N	104° 3' 35.334 W
6,927.0	6.90	80.20	6,833.2	168.9	1,045.3	482,855.10	625,832.94	32° 19' 37.719 N	104° 3' 35.214 W
7,022.0	4.90	77.80	6,927.7	170.7	1,054.9	482,856.93	625,842.53	32° 19' 37.737 N	104° 3' 35.102 W
7,116.0	5.90	69.00	7,021.3	173.3	1,063.4	482,859.51	625,850.97	32° 19' 37.762 N	104° 3' 35.004 W
7,211.0	6.20	67.90	7,115.8	177.0	1,072.7	482,863.19	625,860.28	32° 19' 37.799 N	104° 3' 34.895 W
7,306.0	6.50	73.90	7,210.2	180.4	1,082.6	482,866.61	625,870.20	32° 19' 37.832 N	104° 3' 34.779 W
7,400.0	6.10	82.30	7,303.6	182.6	1,092.7	482,868.76	625,880.26	32° 19' 37.853 N	104° 3' 34.662 W
7,495.0	6.90	73.50	7,398.0	184.9	1,103.1	482,871.05	625,890.73	32° 19' 37.876 N	104° 3' 34.540 W
7,587.0	6.80	71.30	7,489.3	188.2	1,113.6	482,874.37	625,901.19	32° 19' 37.908 N	104° 3' 34.418 W
7,682.0	5.80	77.10	7,583.8	191.0	1,123.6	482,877.24	625,911.20	32° 19' 37.936 N	104° 3' 34.301 W
7,778.0	5.80	67.60	7,679.3	194.0	1,132.8	482,880.17	625,920.41	32° 19' 37.965 N	104° 3' 34.194 W
7,873.0	5.00	59.70	7,773.9	197.9	1,140.8	482,884.09	625,928.42	32° 19' 38.004 N	104° 3' 34.100 W
7,968.0	4.40	62.60	7,868.5	201.7	1,147.6	482,887.86	625,935.23	32° 19' 38.041 N	104° 3' 34.021 W
8,063.0	4.70	75.50	7,963.2	204.3	1,154.6	482,890.51	625,942.24	32° 19' 38.067 N	104° 3' 33.939 W
8,157.0	3.70	83.20	8,057.0	205.6	1,161.4	482,891.83	625,948.98	32° 19' 38.080 N	104° 3' 33.860 W
8,252.0	1.90	90.60	8,151.9	206.0	1,166.0	482,892.18	625,953.60	32° 19' 38.083 N	104° 3' 33.807 W
8,347.0	2.00	105.00	8,246.8	205.5	1,169.2	482,891.73	625,956.77	32° 19' 38.079 N	104° 3' 33.770 W
8,442.0	2.40	69.90	8,341.8	205.8	1,172.6	482,891.99	625,960.24	32° 19' 38.081 N	104° 3' 33.729 W
8,537.0	1.30	81.80	8,436.7	206.6	1,175.6	482,892.83	625,963.18	32° 19' 38.089 N	104° 3' 33.695 W
8,631.0	1.00	121.70	8,530.7	206.3	1,177.3	482,892.55	625,964.93	32° 19' 38.086 N	104° 3' 33.674 W
8,727.0	1.40	138.80	8,626.7	205.0	1,178.8	482,891.22	625,966.42	32° 19' 38.073 N	104° 3' 33.657 W
8,822.0	1.80	141.40	8,721.6	203.0	1,180.5	482,889.19	625,968.11	32° 19' 38.053 N	104° 3' 33.637 W
8,916.0	2.10	165.00	8,815.6	200.2	1,181.9	482,886.37	625,969.48	32° 19' 38.025 N	104° 3' 33.622 W
9,010.0	2.30	176.40	8,909.5	196.6	1,182.4	482,882.82	625,970.04	32° 19' 37.990 N	104° 3' 33.615 W
9,106.0	2.30	189.20	9,005.4	192.8	1,182.3	482,879.00	625,969.86	32° 19' 37.952 N	104° 3' 33.617 W
9,145.0	2.20	192.20	9,044.4	191.3	1,182.0	482,877.49	625,969.57	32° 19' 37.937 N	104° 3' 33.621 W
9,227.0	5.30	188.70	9,126.2	186.0	1,181.1	482,872.21	625,968.67	32° 19' 37.885 N	104° 3' 33.631 W
9,322.0	20.50	186.90	9,218.5	165.0	1,178.4	482,851.24	625,965.99	32° 19' 37.678 N	104° 3' 33.663 W
9,417.0	29.40	184.30	9,304.6	125.2	1,174.6	482,811.39	625,962.23	32° 19' 37.283 N	104° 3' 33.708 W
9,510.0	42.00	181.70	9,380.0	71.1	1,172.0	482,757.30	625,959.59	32° 19' 36.748 N	104° 3' 33.741 W
9,606.0	48.90	181.50	9,447.3	2.8	1,170.1	482,688.96	625,957.69	32° 19' 36.072 N	104° 3' 33.765 W
9,695.0	55.80	177.60	9,501.6	-67.6	1,170.7	482,618.56	625,958.35	32° 19' 35.375 N	104° 3' 33.759 W
9,739.2	59.53	176.55	9,525.3	-104.9	1,172.7	482,581.27	625,960.26	32° 19' 35.006 N	104° 3' 33.738 W
330' HL Crossed @ 9739.2' MD / 9525.3' TVD									
9,746.0	60.10	176.40	9,528.7	-110.8	1,173.0	482,575.41	625,960.62	32° 19' 34.948 N	104° 3' 33.734 W
9,840.0	66.40	178.80	9,571.0	-194.6	1,176.5	482,491.59	625,964.09	32° 19' 34.119 N	104° 3' 33.696 W
9,934.0	69.90	179.40	9,606.0	-281.8	1,177.8	482,404.37	625,965.45	32° 19' 33.256 N	104° 3' 33.683 W
10,029.0	73.40	178.30	9,635.9	-372.0	1,179.7	482,314.23	625,967.27	32° 19' 32.364 N	104° 3' 33.664 W
10,123.0	84.70	178.50	9,653.7	-464.1	1,182.2	482,222.13	625,969.84	32° 19' 31.452 N	104° 3' 33.637 W
10,217.0	88.30	179.00	9,659.4	-557.9	1,184.3	482,128.34	625,971.89	32° 19' 30.524 N	104° 3' 33.616 W
10,311.0	88.80	179.20	9,661.8	-651.8	1,185.8	482,034.38	625,973.36	32° 19' 29.594 N	104° 3' 33.602 W
10,405.0	92.00	180.10	9,661.1	-745.8	1,186.3	481,940.40	625,973.94	32° 19' 28.664 N	104° 3' 33.598 W
10,500.0	94.40	180.90	9,655.8	-840.6	1,185.5	481,845.56	625,973.11	32° 19' 27.725 N	104° 3' 33.610 W
10,595.0	91.50	181.70	9,651.0	-935.5	1,183.4	481,750.72	625,970.96	32° 19' 26.787 N	104° 3' 33.638 W
10,689.0	90.20	179.70	9,649.6	-1,029.5	1,182.2	481,656.74	625,969.81	32° 19' 25.857 N	104° 3' 33.654 W
10,783.0	88.50	179.40	9,650.6	-1,123.4	1,182.9	481,562.76	625,970.55	32° 19' 24.927 N	104° 3' 33.649 W
10,878.0	88.90	179.40	9,652.8	-1,218.4	1,183.9	481,467.79	625,971.54	32° 19' 23.987 N	104° 3' 33.640 W
10,972.0	90.00	179.70	9,653.7	-1,312.4	1,184.7	481,373.80	625,972.28	32° 19' 23.057 N	104° 3' 33.634 W



QES
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Pardue 8808 #4H
Project:	Eddy County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3021.0usft (Patterson #597)
Site:	Sec 11, T23-S, R28-E	MD Reference:	WELL @ 3021.0usft (Patterson #597)
Well:	Pardue 8808 #4H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,066.0	90.60	179.70	9,653.2	-1,406.4	1,185.2	481,279.80	625,972.77	32° 19' 22.127 N	104° 3' 33.631 W
11,161.0	90.90	179.50	9,651.9	-1,501.4	1,185.8	481,184.81	625,973.43	32° 19' 21.187 N	104° 3' 33.626 W
11,255.0	88.40	179.20	9,652.5	-1,595.4	1,186.9	481,090.82	625,974.50	32° 19' 20.257 N	104° 3' 33.617 W
11,350.0	90.50	179.20	9,653.4	-1,690.4	1,188.2	480,995.84	625,975.83	32° 19' 19.317 N	104° 3' 33.604 W
11,444.0	90.90	178.50	9,652.3	-1,784.3	1,190.1	480,901.87	625,977.71	32° 19' 18.387 N	104° 3' 33.585 W
11,539.0	92.20	178.70	9,649.7	-1,879.3	1,192.4	480,806.93	625,980.03	32° 19' 17.447 N	104° 3' 33.561 W
11,633.0	87.90	178.00	9,649.6	-1,973.2	1,195.1	480,713.00	625,982.74	32° 19' 16.518 N	104° 3' 33.532 W
11,728.0	85.60	177.10	9,655.0	-2,068.0	1,199.2	480,618.24	625,986.79	32° 19' 15.580 N	104° 3' 33.487 W
11,822.0	88.10	177.40	9,660.2	-2,161.7	1,203.7	480,524.50	625,991.29	32° 19' 14.652 N	104° 3' 33.438 W
11,916.0	88.40	177.40	9,663.1	-2,255.6	1,208.0	480,430.64	625,995.56	32° 19' 13.723 N	104° 3' 33.391 W
12,009.0	90.90	180.10	9,663.6	-2,348.5	1,210.0	480,337.68	625,997.59	32° 19' 12.803 N	104° 3' 33.370 W
12,103.0	89.60	179.90	9,663.2	-2,442.5	1,210.0	480,243.68	625,997.59	32° 19' 11.873 N	104° 3' 33.373 W
12,197.0	88.20	179.20	9,665.0	-2,536.5	1,210.7	480,149.71	625,998.32	32° 19' 10.943 N	104° 3' 33.367 W
12,292.0	91.20	180.80	9,665.5	-2,631.5	1,210.7	480,054.72	625,998.32	32° 19' 10.003 N	104° 3' 33.370 W
12,386.0	88.60	178.00	9,665.7	-2,725.5	1,211.7	479,960.75	625,999.31	32° 19' 9.073 N	104° 3' 33.361 W
12,479.0	92.90	180.20	9,664.5	-2,818.4	1,213.2	479,867.79	626,000.77	32° 19' 8.153 N	104° 3' 33.347 W
12,574.0	91.30	179.20	9,661.0	-2,913.3	1,213.7	479,772.86	626,001.27	32° 19' 7.214 N	104° 3' 33.344 W
12,668.0	94.50	179.70	9,656.2	-3,007.2	1,214.6	479,679.00	626,002.17	32° 19' 6.285 N	104° 3' 33.336 W
12,761.0	93.60	179.20	9,649.7	-3,100.0	1,215.5	479,586.24	626,003.06	32° 19' 5.367 N	104° 3' 33.329 W
12,855.0	90.20	179.00	9,646.5	-3,193.9	1,216.9	479,492.31	626,004.53	32° 19' 4.437 N	104° 3' 33.314 W
12,949.0	86.00	178.00	9,649.7	-3,287.8	1,219.4	479,398.42	626,006.99	32° 19' 3.508 N	104° 3' 33.288 W
13,043.0	90.90	180.10	9,652.2	-3,381.7	1,220.9	479,304.50	626,008.55	32° 19' 2.579 N	104° 3' 33.273 W
13,137.0	88.50	179.90	9,652.7	-3,475.7	1,220.9	479,210.51	626,008.55	32° 19' 1.649 N	104° 3' 33.276 W
13,231.0	89.00	179.70	9,654.7	-3,569.7	1,221.3	479,116.53	626,008.87	32° 19' 0.719 N	104° 3' 33.275 W
13,325.0	90.00	180.10	9,655.6	-3,663.7	1,221.4	479,022.54	626,009.04	32° 18' 59.789 N	104° 3' 33.276 W
13,420.0	87.90	179.40	9,657.3	-3,758.6	1,221.8	478,927.56	626,009.45	32° 18' 58.849 N	104° 3' 33.274 W
13,514.0	90.00	179.70	9,659.0	-3,852.6	1,222.6	478,833.58	626,010.19	32° 18' 57.919 N	104° 3' 33.268 W
13,608.0	90.00	179.70	9,659.0	-3,946.6	1,223.1	478,739.59	626,010.68	32° 18' 56.988 N	104° 3' 33.265 W
13,702.0	90.60	179.50	9,658.5	-4,040.6	1,223.7	478,645.59	626,011.34	32° 18' 56.058 N	104° 3' 33.260 W
13,796.0	88.90	178.10	9,658.9	-4,134.6	1,225.7	478,551.62	626,013.31	32° 18' 55.128 N	104° 3' 33.240 W
13,890.0	87.50	177.60	9,661.9	-4,228.5	1,229.2	478,457.73	626,016.83	32° 18' 54.199 N	104° 3' 33.202 W
13,985.0	87.60	178.30	9,666.0	-4,323.3	1,232.6	478,362.88	626,020.23	32° 18' 53.260 N	104° 3' 33.165 W
14,079.0	89.30	179.50	9,668.5	-4,417.3	1,234.4	478,268.94	626,022.03	32° 18' 52.331 N	104° 3' 33.147 W
14,173.0	91.20	180.60	9,668.1	-4,511.3	1,234.3	478,174.94	626,021.95	32° 18' 51.401 N	104° 3' 33.151 W
14,267.0	89.00	179.50	9,667.9	-4,605.2	1,234.3	478,080.95	626,021.87	32° 18' 50.470 N	104° 3' 33.154 W
14,361.0	91.70	180.60	9,667.3	-4,699.2	1,234.2	477,986.96	626,021.78	32° 18' 49.540 N	104° 3' 33.158 W
14,375.8	91.13	180.54	9,667.0	-4,714.0	1,234.0	477,972.17	626,021.64	32° 18' 49.394 N	104° 3' 33.160 W
330' HL Crossed @ 14375.8' MD / 9667.0' TVD									
14,455.0	88.10	180.20	9,667.5	-4,793.2	1,233.5	477,892.98	626,021.13	32° 18' 48.610 N	104° 3' 33.168 W
14,549.0	90.70	179.90	9,668.5	-4,887.2	1,233.4	477,798.99	626,021.05	32° 18' 47.680 N	104° 3' 33.172 W
14,606.0	90.40	179.20	9,667.9	-4,944.2	1,233.9	477,742.00	626,021.49	32° 18' 47.116 N	104° 3' 33.169 W
14,660.0	90.40	179.20	9,667.6	-4,998.2	1,234.6	477,688.01	626,022.25	32° 18' 46.582 N	104° 3' 33.162 W
TD @ 14660.0' MD / 9667.6' TVD									

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
145.0	145.0	0.2	2.5	First MWD Survey @ 145.0' MD / 145.0' TVD
9,739.2	9,525.3	-104.9	1,172.7	330' HL Crossed @ 9739.2' MD / 9525.3' TVD
14,375.8	9,667.0	-4,714.0	1,234.0	330' HL Crossed @ 14375.8' MD / 9667.0' TVD
14,660.0	9,667.6	-4,998.2	1,234.6	TD @ 14660.0' MD / 9667.6' TVD



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Pardue 8808 #4H
Project:	Eddy County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3021.0usft (Patterson #597)
Site:	Sec 11, T23-S, R28-E	MD Reference:	WELL @ 3021.0usft (Patterson #597)
Well:	Pardue 8808 #4H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		DENIED REVISE State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		EMNRD-OCD ARTESIA REC'D: 05/06/2020 Form C-105 Revised April 3, 2017																																				
1. WELL API NO. 30-015-45945 2. Type of Lease ☐ STATE ☒ FEE ☐ FED/INDIAN																																								
3. State Oil & Gas Lease No.																																								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																																								
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)																																								
5. Lease Name or Unit Agreement Name PARDUE 8808																																								
6. Well Number: 4H																																								
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																																								
8. Name of Operator BTA OIL PRODUCERS, LLC																																								
9. OGRID 260297																																								
10. Address of Operator 104 S. PECOS; MIDLAND, TX. 79701																																								
11. Pool name or Wildcat PURPLE SAGE (WOLFCAMP)																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:12.5%;">12. Location</td> <td style="width:10%;">Unit Ltr</td> <td style="width:10%;">Section</td> <td style="width:10%;">Township</td> <td style="width:10%;">Range</td> <td style="width:10%;">Lot</td> <td style="width:10%;">Feet from the</td> <td style="width:10%;">N/S Line</td> <td style="width:10%;">Feet from the</td> <td style="width:10%;">E/W Line</td> <td style="width:10%;">County</td> </tr> <tr> <td>Surface:</td> <td>D</td> <td>11</td> <td>23S</td> <td>28E</td> <td></td> <td>220</td> <td>N</td> <td>1125</td> <td>W</td> <td>EDDY</td> </tr> <tr> <td>BH:</td> <td>N</td> <td>11</td> <td>23S</td> <td>28E</td> <td></td> <td>46.9</td> <td>S</td> <td>2298.8</td> <td>W</td> <td>EDDY</td> </tr> </table>					12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	Surface:	D	11	23S	28E		220	N	1125	W	EDDY	BH:	N	11	23S	28E		46.9	S	2298.8	W	EDDY			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County																														
Surface:	D	11	23S	28E		220	N	1125	W	EDDY																														
BH:	N	11	23S	28E		46.9	S	2298.8	W	EDDY																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:12.5%;">13. Date Spudded 7/30/2019</td> <td style="width:12.5%;">14. Date T.D. Reached 10/1/2019</td> <td style="width:12.5%;">15. Date Rig Released 10/2/2019</td> <td style="width:12.5%;">16. Date Completed (Ready to Produce) 2/12/2020</td> <td style="width:62.5%;">17. Elevations (DF and RKB, RT, GR, etc.) 2996 GR</td> </tr> </table>					13. Date Spudded 7/30/2019	14. Date T.D. Reached 10/1/2019	15. Date Rig Released 10/2/2019	16. Date Completed (Ready to Produce) 2/12/2020	17. Elevations (DF and RKB, RT, GR, etc.) 2996 GR																															
13. Date Spudded 7/30/2019	14. Date T.D. Reached 10/1/2019	15. Date Rig Released 10/2/2019	16. Date Completed (Ready to Produce) 2/12/2020	17. Elevations (DF and RKB, RT, GR, etc.) 2996 GR																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%;">18. Total Measured Depth of Well 14,660'</td> <td style="width:25%;">19. Plug Back Measured Depth 14,606'</td> <td style="width:25%;">20. Was Directional Survey Made? YES</td> <td style="width:25%;">21. Type Electric and Other Logs Run MWD GAMMA RAY</td> </tr> </table>					18. Total Measured Depth of Well 14,660'	19. Plug Back Measured Depth 14,606'	20. Was Directional Survey Made? YES	21. Type Electric and Other Logs Run MWD GAMMA RAY																																
18. Total Measured Depth of Well 14,660'	19. Plug Back Measured Depth 14,606'	20. Was Directional Survey Made? YES	21. Type Electric and Other Logs Run MWD GAMMA RAY																																					
22. Producing Interval(s), of this completion - Top, Bottom, Name 9,780'-14,370' WOLFCAMP																																								
23. CASING RECORD (Report all strings set in well)																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">CASING SIZE</th> <th style="width:15%;">WEIGHT LB./FT.</th> <th style="width:15%;">DEPTH SET</th> <th style="width:15%;">HOLE SIZE</th> <th style="width:15%;">CEMENTING RECORD</th> <th style="width:30%;">AMOUNT PULLED</th> </tr> <tr> <td>13 3/8"</td> <td>54.5#</td> <td>535'</td> <td>17 1/2"</td> <td>425</td> <td></td> </tr> <tr> <td>9 5/8"</td> <td>36#</td> <td>2618'</td> <td>12 1/4"</td> <td>800</td> <td></td> </tr> <tr> <td>7"</td> <td>29#</td> <td>9966'</td> <td>8 3/4"</td> <td>705</td> <td></td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>					CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED	13 3/8"	54.5#	535'	17 1/2"	425		9 5/8"	36#	2618'	12 1/4"	800		7"	29#	9966'	8 3/4"	705													
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED																																			
13 3/8"	54.5#	535'	17 1/2"	425																																				
9 5/8"	36#	2618'	12 1/4"	800																																				
7"	29#	9966'	8 3/4"	705																																				
24. LINER RECORD																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:12.5%;">SIZE</th> <th style="width:12.5%;">TOP</th> <th style="width:12.5%;">BOTTOM</th> <th style="width:12.5%;">SACKS CEMENT</th> <th style="width:12.5%;">SCREEN</th> </tr> <tr> <td>4 1/2"</td> <td>9,187'</td> <td>14,657'</td> <td>425</td> <td></td> </tr> </table>					SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	4 1/2"	9,187'	14,657'	425																											
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN																																				
4 1/2"	9,187'	14,657'	425																																					
25. TUBING RECORD																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:12.5%;">SIZE</th> <th style="width:12.5%;">DEPTH SET</th> <th style="width:12.5%;">PACKER SET</th> </tr> <tr> <td>2 7/8"</td> <td>9162'</td> <td>9162'</td> </tr> </table>					SIZE	DEPTH SET	PACKER SET	2 7/8"	9162'	9162'																														
SIZE	DEPTH SET	PACKER SET																																						
2 7/8"	9162'	9162'																																						
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:45%;"> 26. Perforation record (interval, size, and number) 10,630' – 15,238' </td> <td style="width:55%;"> 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:30%;">DEPTH INTERVAL</th> <th style="width:70%;">AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>14,370'</td> <td>221,789 BBLS TOTAL FLUID. 11,435,020#S 100 MESH AND 40/70 SAND.</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table> </td> </tr> </table>					26. Perforation record (interval, size, and number) 10,630' – 15,238'	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:30%;">DEPTH INTERVAL</th> <th style="width:70%;">AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>14,370'</td> <td>221,789 BBLS TOTAL FLUID. 11,435,020#S 100 MESH AND 40/70 SAND.</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	14,370'	221,789 BBLS TOTAL FLUID. 11,435,020#S 100 MESH AND 40/70 SAND.																														
26. Perforation record (interval, size, and number) 10,630' – 15,238'	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:30%;">DEPTH INTERVAL</th> <th style="width:70%;">AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>14,370'</td> <td>221,789 BBLS TOTAL FLUID. 11,435,020#S 100 MESH AND 40/70 SAND.</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	14,370'	221,789 BBLS TOTAL FLUID. 11,435,020#S 100 MESH AND 40/70 SAND.																																			
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																																							
14,370'	221,789 BBLS TOTAL FLUID. 11,435,020#S 100 MESH AND 40/70 SAND.																																							
28. PRODUCTION																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20%;">Date First Production 1/6/2020</td> <td style="width:40%;">Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING</td> <td style="width:40%;">Well Status (Prod. or Shut-in) PRODUCING</td> </tr> </table>					Date First Production 1/6/2020	Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING	Well Status (Prod. or Shut-in) PRODUCING																																	
Date First Production 1/6/2020	Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING	Well Status (Prod. or Shut-in) PRODUCING																																						
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:12.5%;">Date of Test 1/10/2020</td> <td style="width:12.5%;">Hours Tested 24</td> <td style="width:12.5%;">Choke Size 34/64</td> <td style="width:12.5%;">Prod'n For Test Period 24hrs</td> <td style="width:12.5%;">Oil – Bbl 813</td> <td style="width:12.5%;">Gas – MCF 6737</td> <td style="width:12.5%;">Water - Bbl. 4113</td> <td style="width:12.5%;">Gas - Oil Ratio</td> </tr> </table>					Date of Test 1/10/2020	Hours Tested 24	Choke Size 34/64	Prod'n For Test Period 24hrs	Oil – Bbl 813	Gas – MCF 6737	Water - Bbl. 4113	Gas - Oil Ratio																												
Date of Test 1/10/2020	Hours Tested 24	Choke Size 34/64	Prod'n For Test Period 24hrs	Oil – Bbl 813	Gas – MCF 6737	Water - Bbl. 4113	Gas - Oil Ratio																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:12.5%;">Flow Tubing Press. 2250</td> <td style="width:12.5%;">Casing Pressure 2100</td> <td style="width:12.5%;">Calculated 24-Hour Rate</td> <td style="width:12.5%;">Oil - Bbl. 1230</td> <td style="width:12.5%;">Gas - MCF 3014</td> <td style="width:12.5%;">Water - Bbl. 3022</td> <td style="width:12.5%;">Oil Gravity - API - (Corr.) 51</td> </tr> </table>					Flow Tubing Press. 2250	Casing Pressure 2100	Calculated 24-Hour Rate	Oil - Bbl. 1230	Gas - MCF 3014	Water - Bbl. 3022	Oil Gravity - API - (Corr.) 51																													
Flow Tubing Press. 2250	Casing Pressure 2100	Calculated 24-Hour Rate	Oil - Bbl. 1230	Gas - MCF 3014	Water - Bbl. 3022	Oil Gravity - API - (Corr.) 51																																		
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD																																								
30. Test Witnessed By																																								
31. List Attachments																																								
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																																								
33. Rig Release Date:																																								
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																																								
Latitude _____ Longitude _____ NAD83																																								