Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-ARTESIA REC'D: 8/12/2020 FORM APPROVED OMB NO. 1004-0137

Expires: January 31, 2018 5. Lease Serial No. NMLC063875A

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

6. If Indian, Allottee or Tribe Name

abandoned well. Use form 3160-3 (APD) for such proposals.					o. If indian, inotice of	The rune
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No. 891000303X	
1. Type of Well ☐ Gas Well ☐ Other					Well Name and No. POKER LAKE UNIT 27 BD 121H	
Name of Operator					9. API Well No. 30-015-46264-00-X1	
3a. Address 6401 HOLIDAY HILL ROAD B MIDLAND, TX 79707	(include area code) 8-3754		10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State	
Sec 27 T25S R30E SWNW 2510FNL 633FWL 32.101524 N Lat, 103.875526 W Lon					EDDY COUNTY, NM	
12. CHECK THE AP	PPROPRIATE BOX(ES)	TO INDICAT	ΓE NATURE O	F NOTICE,	REPORT, OR OTHI	ER DATA
TYPE OF SUBMISSION						
Notice of Intent	☐ Acidize	☐ Deep] Deepen [ion (Start/Resume)	☐ Water Shut-Off
☐ Notice of Intent	☐ Alter Casing	☐ Hydi	Hydraulic Fracturing		ation	■ Well Integrity
Subsequent Report	Subsequent Report		New Construction ☐ Recom		olete	⊠ Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	□ Tempor	arily Abandon	Drilling Operations
	☐ Convert to Injection	☐ Plug	Back	■ Water Disposal		
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. XTO PERMIAN OPERATING LLC respectfully submits drilling operations of the referenced well. Spud well 03/12/20 14:00 Drill 17.5 in. to 1264 ft. 03/13/20 Run 13.375 in., J55, 68 lb/ft, BTC casing and set at 1264 ft. Cement casing with 810 sxs, 262 bbls, 1.82 yld, Class C cmt followed by 445 sxs, 106 bbls, 1.34 yld, Class C cmt Bump plug. Circ 92 bbls cmt to surface. WOC. 03/14/20 RD, Skid rig 04/9/20 Skid rig, RU 04/10/20 Test 13.375 csg 1500 psi, 30 mins (good). accepted for record/entered 8/19/2020 ab						
Electronic Submission #524234 verified by the BLM Well Information System For XTO PERMIAN OPERATING LLC, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 08/05/2020 (20PP3662SE) Name (Printed/Typed) CHERYL ROWELL Title REGULATORY COORDINATOR						
Name(Printed/Typed) CHERYL F	Title REGUL	ATORY CO	ORDINATOR			
Signature (Electronic Submission) Date 08/04/2020						
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE	
Approved By ACCEPTED				JONATHON SHEPARD _{Title} PETROLEUM ENGINEER		Date 08/11/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsbad			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a statements or representations as	crime for any per to any matter wi	rson knowingly and thin its jurisdiction.	willfully to ma	ake to any department or a	gency of the United

Additional data for EC transaction #524234 that would not fit on the form

32. Additional remarks, continued

04/10/20 Drill 12.25 in. to 10210 ft. 04/17/20 Run 9.625 in., HCL80, 40 lb/ft, BTC, casing set at 10201 ft. Cement Stage 1: 1705 sxs, 1005 bbls, 3.31 yld, Class C cmt followed by 1040 sxs, 482 bbls, 2.60 yld, Class C cmt followed by 525 sxs, 115 bbls, 1.23 yld, Class H cmt Bump plug, Open DV tool set at 4606 ft. Cement Stage 2: 1020 sxs, 472 bbls, 2.60 yld, Class C cmt followed by 240 sxs, 57 bbls, 1.34 yld, Class C cmt Bump plug. Circ. 150 bbls cmt to surface.

04/19/20 RD, Skid Rig 07/06/20 Skid Rig, RU

07/07/20 Test 9.625 casing to 3500 psi, 30 mins (good).

07/08/20 Drill 8.5 in. hole to 26859 ft, TD on 07/19/20.

KOP = 10481

07/20/20 Run 5.5 in, P-110RY, 23 lb/ft,BTC casing to 26849 ft. Cement casing with 505 sxs, 234 bbls, 2.60 yld, Class C cmt followed by 3565 sxs, 925 bbls, 1.46 yld, Class C cmt Bump plug. CTOC = 215'

PBTD = 26847 ft

Rig Release 07/22/20

Revisions to Operator-Submitted EC Data for Sundry Notice #524234

Operator Submitted BLM Revised (AFMSS)

DRG SR DRG Sundry Type: SR

Lease: NMLC063875A NMLC063875A

Agreement: 891000303X (NMNM71016X)

XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277 Operator: XTO PERMIAN OPERATING LLC

6401 HOLIDAY HILL RD, BLDG 5 MIDLAND, TX 79707 Ph: 432-218-3754

CHERYL ROWELL CHERYL ROWELL Admin Contact:

REGULATORY COORDINATOR REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com E-Mail: Cheryl_rowell@xtoenergy.com

Ph: 432-218-3754 Ph: 432-218-3754

Tech Contact:

CHERYL ROWELL REGULATORY COORDINATOR CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com E-Mail: Cheryl_rowell@xtoenergy.com

Ph: 432-218-3754 Ph: 432-218-3754

Location:

NM EDDY State: NM County: **EDDY**

Field/Pool: PURPLE SAGE; WOLFCAMP PURPLE SAGE-WOLFCAMP (GAS)

POKER LAKE UNIT 27 BD 121H POKER LAKE UNIT 27 BD 121H Well/Facility:

Sec 27 T25S R30E Mer NMP 2510FNL 633FWL Sec 27 T25S R30E SWNW 2510FNL 633FWL

32.101523 N Lat, 103.875526 W Lon 32.101524 N Lat, 103.875526 W Lon