| Form 3160-5 (June 2015) | | | | 20 | OMB NO. Expires: Jan | PPROVED 1004-0137 uary 31, 2018 | |
|---|---|---|--|--|--|---|--|
| SUNDRY NOTICES AND REPORTS ON WELLS | | | | 5. Lease Serial No. NMNM15302 | | | |
| Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. | | | | e | 6. If Indian, Allottee or Tribe Name | | |
| SUBMIT IN TRIPLICATE - Other instructions on page 2 | | | page 2 | 7 | 7. If Unit or CA/Agreement, Name and/or No. | | |
| 1. Type of Well ☑ Oil Well □ Gas Well □ Other | | | | | 8. Well Name and No. CORRAL CANYON 3-34 FEDERAL 907H | | |
| 2. Name of Operator Contact: CHERYL ROWELL XTO ENERGY INCORPORATED E-Mail: Cheryl_rowell@xtoenergy.com | | | | | API Well No. 30-015-45432-00-X1 | | |
| 3a. Address3b. Phone No.6401 HOLIDAY HILL ROAD BLDG 5Ph: 432-21MIDLAND, TX 79707Ph: 432-21 | | | . (include area code) 8-3754 | 1 | 10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS) | | |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) | | | | 1 | 11. County or Parish, State | | |
| Sec 10 T25S R29E NENE 185FNL 944FEL 32.151455 N Lat, 103.966789 W Lon | | | | | EDDY COUNTY, | NM | |
| 12. CHECK THE A | PPROPRIATE BOX(ES) | FO INDICA | TE NATURE OI | F NOTICE, R | EPORT, OR OTHI | ER DATA | |
| TYPE OF SUBMISSION | TYPE OF ACTION | | | | | | |
| □ Notice of Intent | □ Acidize | 🗖 Deej | pen | Production | (Start/Resume) | □ Water Shut-Off | |
| _ | □ Alter Casing | 🗖 Hyd | raulic Fracturing | 🗖 Reclamati | on | U Well Integrity | |
| Subsequent Report | Casing Repair | 🗖 New | Construction | □ Recomple | e | Other | |
| Final Abandonment Notice | Change Plans | 🗖 Plug | and Abandon | Temporari | ly Abandon | Drilling Operations | |
| | Convert to Injection | 🗖 Plug | Back | U Water Dis | posal | | |
| Describe Proposed or Completed O If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final A determined that the site is ready for XTO respectfully submits this well. | nally or recomplete horizontally, g ork will be performed or provide t ed operations. If the operation res Abandonment Notices must be file final inspection. | give subsurface the Bond No. or ults in a multipl d only after all n | locations and measur i file with BLM/BIA e completion or reco requirements, includi | red and true vertic . Required subse mpletion in a new ing reclamation, h | cal depths of all pertiner quent reports must be fi interval, a Form 3160- | nt markers and zones. led within 30 days 4 must be filed once | |
| 06/08/19 Spud well 06/08/19 Drill 17.5 in. to 632 06/08/19 Run 13.625 in.,J55 Cement casing with 1007 sx Bump plug. Circ 90 bbls cmt | , 54.5 lb, BTC casing and se s, 238 bbls, 1.33 yld, Class | et at 632 ft. C cmt | | | | | |
| 06/09/19 Test 13.625 csg 15 | 00 psi, 30 mins (good). | | | | | | |
| | Electronic Submission #5 | Y INCORPO | RATED, sent to th SCILLA PEREZ or | e Carlsbad |) PP3475SE) | | |
| | | | | | | /31/2020 | |
| Signature (Electronic Submission) | | Date 07/21/2020 | | gc 7/31/2020 Accepted for record – NMOCD | | | |
| | | | 1 | | - | | |
| _Approved By_ACCEP | | | JONATHO TitlePETROLE | N SHEPARD UM ENGINEE | R | Date 07/24/2020 | |
| Conditions of approval, if any, are attack certify that the applicant holds legal or e which would entitle the applicant to con | quitable title to those rights in the | | Office Carlsbac | 1 | | | |

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2) ** BLM REVISED **

Additional data for EC transaction #522435 that would not fit on the form

32. Additional remarks, continued

06/09/19 Drill 12.25 in. to 7355 ft. 06/19/19 Run 9.625 in., J55, 40 lb, BTC, casing set at 7350 ft. Cement Stage 1: 2714 sxs, 1007 bbls, 2.10 yld, Class H cmt followed by 434 sxs, 91 bbls, 1.20 yld, Class H cmt Bump plug, Open DV tool set at 710 ft. Cement Stage 2: 316 sxs, 100 bbls, 1.78 yld, Class H cmt followed by 156 sxs, 37 bbls, 1.34 yld, Class H cmt Bump plug. Circ. 97 bbls cmt to surface.

6/21/19 Test 9.625 casing to 1650 psi, 30 mins (good).

KOP = 9457 FT

6/21/19 Drill 8.5 in. to 15535 ft. TD on 6/30/20. 7/2/19 Run 5.5 in., CYP110, 20 lb/ft, BTC, casing set at 15535 ft. Cement with 718 sxs, 306 bbls, 2.94 yld, 50/50 POZ Class C cmt followed by 974 sxs, 318 bbls, 1.84 yld, Class C cmt Bump plug, CTOC = 3200 ft PBTD = 15533 ft

7/3/19 Rig Release

Revisions to Operator-Submitted EC Data for Sundry Notice #522435

| | Operator Submitted | BLM Revised (AFMSS) |
|--------------------------------|---|---|
| Sundry Type: | DRG SR | DRG SR |
| Lease: | NMNM15302 | NMNM15302 |
| Agreement: | | |
| Operator: | XTO ENERGY INC. 6401 HOLIDAY HILL RD, BLDG 5 MIDLAND, TX 79707 Ph: 432-218-3754 | XTO ENERGY INCORPORATED 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277 |
| Admin Contact: | CHERYL ROWELL REGULATORY COORDINATOR E-Mail: CHERYL_ROWELL@XTOENERGY.COM | CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com |
| | Ph: 432-218-3754 | Ph: 432-218-3754 |
| Tech Contact: | CHERYL ROWELL REGULATORY COORDINATOR E-Mail: CHERYL_ROWELL@XTOENERGY.COM | CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com |
| | Ph: 432-218-3754 | Ph: 432-218-3754 |
| Location: State: County: | NM EDDY | NM EDDY |
| Field/Pool: | WILLOW LAKE; BONE SPRING | PURPLE SAGE-WOLFCAMP (GAS) |
| Well/Facility: | CORRAL CANYON 3-34 FEDERAL 907H Sec 10 T25S R29E Mer NMP NENE 185FNL 944FEL 32.151454 N Lat, 103.966793 W Lon | CORRAL CANYON 3-34 FEDERAL 907H Sec 10 T25S R29E NENE 185FNL 944FEL 32.151455 N Lat, 103.966789 W Lon |