Form 3160-5 (June 2015)

## UNITED STATES DEPARTMENT OF THE INTERIOR REC'D: 7/27/2020 BUREAU OF LAND MANAGEMENT

EMNRD-OCD ARTESIA

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMNM05039A

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

I)o not use this form for proposals to drill or to re-enter an						
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or	Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreen 891000303X	ment, Name and/or No.
1. Type of Well					8. Well Name and No. POKER LAKE UNIT 21 BD 903H	
☑ Oil Well ☐ Gas Well ☐ Other  Contact: CHEDYL BOWELL					9. API Well No.	1 21 00 00011
2. Name of Operator Contact: CHERYL ROWELL XTO PERMIAN OPERATING LLC E-Mail: Cheryl_rowell@xtoenergy.com					30-015-45703-00	)-X1
3a. Address 6401 HOLIDAY HILL ROAD E MIDLAND, TX 79707	(include area code) 8-3754		10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State	
Sec 21 T25S R30E SESW 395FSL 1689FWL 32.109463 N Lat, 103.889351 W Lon					EDDY COUNTY, NM	
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE OF	F NOTICE, F	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
	☐ Acidize ☐		pen Produc		n (Start/Resume)	☐ Water Shut-Off
☐ Notice of Intent	☐ Alter Casing	☐ Hydi	aulic Fracturing	□ Reclamat	ion	☐ Well Integrity
Subsequent Report	☐ Casing Repair	☐ New	Construction	☐ Recomple	ete	<b>⊠</b> Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	□ Temporar	rily Abandon	Drilling Operations
	☐ Convert to Injection	☐ Plug	Back	ack		
13. Describe Proposed or Completed Op If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation respondent Notices must be file	give subsurface l the Bond No. on sults in a multiple	ocations and measur file with BLM/BIA. completion or record	red and true vert  Required subs  mpletion in a ne	ical depths of all pertine equent reports must be f w interval, a Form 3160	ent markers and zones.  Tiled within 30 days  1-4 must be filed once
XTO PERMIAN OPERATING	LLC respectfully submits	drilling operat	ions of the refere	enced well.		
Spud well 02/03/20 Drill 17.5 02/03/20 Run 13.375 in., K55 Cement casing with 2081 sxs Bump plug. Circ 275 bbls cm	, 68 lb/ft, BTC casing and , 493 bbls, 1.33 yld, Class	set at 1055 ft C cmt				
02/05/20 Test 13.375 csg 150	0 psi, 30 mins (good).					
02/05/20 Drill 12.25 in. to 100 02/13/200 Run 9.625 in., HCL		set at 10014 f	<u>:</u>			
	## Electronic Submission For XTO PERMI nmitted to AFMSS for proce	AN OPERATIN	G LLC, sent to th CILLA PEREZ on	ne Carlsbad n 07/06/2020 (2	20PP3296SE)	
Name(Printed/Typed) CHERYL	ROWELL		Title REGUL/	ATORY COO	RDINATOR	
Signature (Electronic S	Submission)		Date 06/30/20	020	gc 7/31	/2020
,	THIS SPACE FO	OR FEDERA				r record – NMOCD
Approved By ACCEPT	ED		JONATHO <sub>Title</sub> PETROLEI	N SHEPARD UM ENGINEI	·	Date 07/14/2020
Conditions of approval, if any, are attached the applicant holds legal or equivalent would entitle the applicant to conditions.	uitable title to those rights in the		Office Carlsbad			,
TT						

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Additional data for EC transaction #520653 that would not fit on the form

## 32. Additional remarks, continued

Cement Stage 1: 1220 sxs, 795 bbls, 3.66 yld, CPT Trident cmt followed by 1545 sxs, 586 bbls, 2.13 yld, Nine Lite cmt followed by 565 sxs, 115 bbls, 1.15 yld, 35/65 POZ C cmt Bump plug, Open DV tool set at 4015 ft. Cement Stage 2: 1145 sxs, 389 bbls, 1.91 yld, 35/65 POZ C cmt followed by 475 sxs, 113 bbls, 1.33 yld, Class C cmt Bump plug. Circ. 134 bbls cmt to surface.

02/15/20 RD, Skid Rig 05/28/20 Skid Rig, RU

05/29/20 Test 9.625 casing to 4025 psi, 30 mins (good).

05/29/20 Drill 8.75 in. hole to 21678 ft, TD on 06/17/20.

KOP = 10636 ft

06/18/20 Run 5.5 in, P-110RY, 23 lb/ft, TCBCHT casing set at 21678 ft. Cement casing with 705 sxs, 186 bbls, 1.48 yld, 35/65 POZ H cmt followed by 3625 sxs, 736 bbls, 1.14 yld, 35/65 Poz Class C cmt Bump plug. CTOC = 1493'

PBTD = 21676 ft

Rig Release 06/20/20

## Revisions to Operator-Submitted EC Data for Sundry Notice #520653

**Operator Submitted BLM Revised (AFMSS)** 

DRG SR DRG Sundry Type: SR

Lease: NMNM05039A NMNM05039A

Agreement: 891000303X (NMNM71016X)

XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277 Operator: XTO PERMIAN OPERATING LLC

6401 HOLIDAY HILL RD, BLDG 5 MIDLAND, TX 79707 Ph: 432-218-3754

**CHERYL ROWELL CHERYL ROWELL** Admin Contact:

REGULATORY COORDINATOR REGULATORY COORDINATOR E-Mail: Cheryl\_rowell@xtoenergy.com E-Mail: Cheryl\_rowell@xtoenergy.com

Ph: 432-218-3754 Ph: 432-218-3754

Tech Contact:

CHERYL ROWELL REGULATORY COORDINATOR CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl\_rowell@xtoenergy.com E-Mail: Cheryl\_rowell@xtoenergy.com

Ph: 432-218-3754 Ph: 432-218-3754

Location:

NM EDDY State: NMCounty: **EDDY** 

Field/Pool: CORRAL CANYON; BONE SPRING PURPLE SAGE-WOLFCAMP (GAS)

POKER LAKE UNIT 21 BD 903H POKER LAKE UNIT 21 BD 903H Well/Facility:

Sec 21 T25S R30E Mer NMP SESW 395FSL 1689FWL Sec 21 T25S R30E SESW 395FSL 1689FWL

32.109464 N Lat, 103.889351 W Lon 32.109463 N Lat, 103.889351 W Lon