

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTEMNRD-OCD ARTESIA
REC'D: 8/11/2020FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM138850

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
NAILED IT FED COM 234H9. API Well No.
30-015-46842-00-X110. Field and Pool or Exploratory Area
PURPLE SAGE-WOLFCAMP (GAS)11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator
TAP ROCK OPERATING LLC
Contact: BILL RAMSEY
E-Mail: bramsey@taprk.com3a. Address
602 PARK POINT DRIVE SUITE 200
GOLDEN, CO 804013b. Phone No. (include area code)
Ph: 720-360-40284. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 36 T26S R30E 741FSL 668FEL
32.002197 N Lat, 103.828278 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

7/28/2020: Drill 6.75 inch production hole to 16218 ft MD.

8/2/2020: Run 5.5 inch 23 lb P-110 production casing to 11153 ft MD. Switch over to 5 inch 18 lb P-110 production casing and run to 16203 ft MD. Pump 33 bbls mud spacer, 146 bbls MRF fluid, followed by 635 sks of 14.5 ppg tail cmt. Drop plug and displace with 305 bbls of brine. 0 mud push spacer back to surface. Est TOC 10850 ft.

8/1/2020: TD Reached at 16218 ft MD. TVD measured at 11912 ft.
Plug back measured depth at 16158 ft MD. TVD measured at 11911 ft.
Rig Release on 8/4/2020 at 15:00.

5.5 inch production casing details: Casing ran: 8/2/2020, Fluid Type Oil Based Mud, Hole 6.75 inch, Csg Size 5.5 inch, Weight 23 lbs, Grade P-110, Est TOC 10850 ft, Depth set 11153 ft, Cement 635

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #524251 verified by the BLM Well Information System
For TAP ROCK OPERATING LLC, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 08/05/2020 (20PP3666SE)

Name (Printed/Typed) BILL RAMSEY

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 08/05/2020

gc 8/12/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE**Accepted for record – NMOCD**

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 08/11/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #524251 that would not fit on the form

32. Additional remarks, continued

sacks, Yield 1.12, Class H

5 inch production casing details: Casing ran: 8/2/2020, Fluid Type Oil Based Mud, Hole 6.75 inch, Csg Size 5 inch, Weight 18 lbs, Grade P-110, Depth set 16203 ft.

Revisions to Operator-Submitted EC Data for Sundry Notice #524251

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM138850	NMNM138850
Agreement:		
Operator:	TAP ROCK RESOURCES 602 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401 Ph: 720-360-4028	TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 Ph: 720.772.5090
Admin Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
Tech Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	NAILED IT FED COM 234H Sec 36 T26S R30E 741FSL 668FEL 32.002197 N Lat, 103.828278 W Lon	NAILED IT FED COM 234H Sec 36 T26S R30E 741FSL 668FEL 32.002197 N Lat, 103.828278 W Lon