Form 3160-5 (June 2015)

OCD - REC'D 12/4/2020

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMNM138850

SUNDRY NOTICES AND REPORTS ON WELLS				U	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			6. If Indian, Allotte	e or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				reement, Name and/or No.	
1. Type of Well ☐ Oil Well ☐ Gas Well ☐ Other				8. Well Name and No. NAILED IT FED COM 214H	
2. Name of Operator Contact: BILL RAMSEY TAP ROCK OPERATING LLC E-Mail: bramsey@taprk.com			9. API Well No. 30-015-46886	S-00-X1	
3a. Address 602 PARK POINT DRIVE SUI GOLDEN, CO 80401	Phone No. (include area code): 720-360-4028	10. Field and Pool of PURPLE SAC	Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Paris	11. County or Parish, State	
Sec 36 T26S R30E 741FSL 56 32.002197 N Lat, 103.828018	EDDY COUN	EDDY COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES) TO	INDICATE NATURE OI	F NOTICE, REPORT, OR O	THER DATA	
TYPE OF SUBMISSION	YPE OF SUBMISSION TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume)	■ Water Shut-Off	
_	☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamation	■ Well Integrity	
Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomplete	⊘ Other	
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	□ Temporarily Abandon	Drilling Operations	
	□ Convert to Injection	□ Plug Back	■ Water Disposal		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. Record Clean-up 3160-5 Sundry submitted for completion report: Well Spud on 5/20/2020 at 16:00. 8/31/2020: Test Production casing to 5030 PSI for 30 minutes, good test. TD Well at 6/21/2020. Total Measured Depth at 15650 ft MD, 11256 ft TVD Plug Back Measured Depth at 15587 ft MD, 11254 ft TVD. Rig Release on 6/23/2020 at 16:30.					
9/3/2020 to 9/17/2020: Perfora shots. 22 stage frac with 11,28		2 SPF, .41 inch holes with	572 total		
14. I hereby certify that the foregoing is	Electronic Submission #5385	ERATING LLC, sent to the	Carlsbad		
Name(Printed/Typed) BILL RAM	SEY	Title REGULA	ATORY ANALYST		
Signature (Electronic Submission)		Date 11/25/20	Date 11/25/2020		
red for record – NMOCD gc 12/09/2020 THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
Approved By ACCEPTED		TitlePETROLE	N SHEPARD JM ENGINEER	Date 12/03/2020	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			I		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #538570 that would not fit on the form

32. Additional remarks, continued

9/23/2020 to 9/24/2020: Drill out plugs 9/25/2020: Ready to produce

Formation Tops (Measured Depth): Cherry Canyon: 4908 ft Brushy Canyon: 5890 ft Bonespring Top: 7666 ft Upper Avalon: 7785 ft 1st Bonespring Sand: 8607 ft 2nd Bonespring Sand: 9259 ft 3rd Bonespring Sand: 10518 ft Wolfcamp A X: 10906 ft Wolfcamp A Y: 10994 ft Wolfcamp A Lower: 11076 ft.

Request for OCD extension of time to file BLM approved Form 3160-4.

Revisions to Operator-Submitted EC Data for Sundry Notice #538570

Operator Submitted BLM Revised (AFMSS)

DRG SR Sundry Type: DRG SR

NMNM138850 Lease: NMNM138850

Agreement:

Operator:

TAP ROCK RESOURCES 523 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401

Ph: 720-360-4028 Ph: 720.772.5090

BILL RAMSEY Admin Contact:

BILL RAMSEY REGULATORY ANALYST **REGULATORY ANALYST** E-Mail: bramsey@taprk.com E-Mail: bramsey@taprk.com

Ph: 720-360-4028 Ph: 720-360-4028

Tech Contact:

BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com

Ph: 720-360-4028 Ph: 720-360-4028

Location:

State: County: NM EDDY NM EDDY

Field/Pool: PURPLE SAGE WOLFCAMP PURPLE SAGE-WOLFCAMP (GAS)

Well/Facility:

NAILED IT FED COM 214H Sec 36 T26S R30E 741FSL 588FEL NAILED IT FED COM 214H Sec 36 T26S R30E 741FSL 588FEL 32.002197 N Lat, 103.828018 W Lon 32.002197 N Lat, 103.828018 W Lon