1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S, St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources .

Department "Oil Conservation Division. 1220 South St. Francis Dr.

For closed-loop systems that only use above

... . .. Form C-144 CLEZ-

ground steel tanks or haul-off hins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office. Santa Fe, NM 87505

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off blus and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator. OXY USA Inc OGRID #: ___16696 Address: ____PO BOX 50250 - Midland, TX 79710 Facility or well name: Federal 23 # 11 H OCD Permit Number 35 211985 API Number: 30 - 015-39437 U/L or Qtr/Qtr C Section 23 Township 22S Range 31E. NMPM County: Eddy _____Longitude _103.7554333° ______NAD ⊠1927 □ 1983 Center of Proposed Design: Latitude N 32,3679868° Surface Owner: M'ederal State Private Tribal Trust or Indian Allotment ☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation. 🗵 Drilling a new well 🗌 Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) 🔲 P&A ☑ Above Ground Steef Tanks or ☑ Haul-off Bins Signs: Subsection C of 19.15.17.11 NMAC SEP 22 2011 🔯 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC NMOGD ARTESIA Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.) NMAC) Instructions: Please indentify the facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name ___ Control Recovery Inc. ___ Disposal Facility Permit Number: R9166 Disposal Facility Permit Number: __NM-01-003 Disposal Facility Name Sundance Landfill Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? ☐ Yes (If yes, please provide the information below) ☑ No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection Lof 19.15.17.13 NMAC Site Reclumation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Title: Drilling Engineer___ Name (Print): Luis Tardzona Date: 4-21-2011 Signature:

luis_tarazona@oxy com

e-mail address:

Telephone:

(713) 366-5771

	OCD Approval: R Permit A OCD Representative Signatur		an) [Closure Plan (only) OCD Per	Appro	oval Date: <u>0</u> 9/17	J2011
	Subsection K of 19.15 17.13 NMAC Closure Report (required within 60 days of closure completion): Subsection K of 19.15 17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:					
	5. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.					
	Disposal Facility Name:		Disposal I	Pacility Permit Number	er:	
	Disposal Facility Name:				er:	
	Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No					
	Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique					
	Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
	Name (Print):		Title:			Television - Televis and addressing the televisions
	Signature:		D	atc:		normal de la
	e-mail address:		Telep	hone:	makada a a sa s	· · · · · · · · · · · · · · · · · · ·

OXY FLEX III PAD (SCOMI Closed Loop System)

Level Area-No Caliche-For Offices and Living Quarters 150' Notes for Rotating Mouse hole for a FlexRig3 & 25' Substructure: 1) 70° of mouse hole below ground level 2) If conductor pipe is less than 85' below ground level, recommend cament mouse hole in place in order to prevent break that & circulation / washout that mouse hole. 3) Use 14" (filtri. Nominal size) pipe. This can be spiral weld or low pressure pipe, 10 3/4" is used in some applications but due to inaccuracies in location of mouse hole & potential out of alignment or centered in hole, 14" pipe recommended.
4) Cement mouse hole in 16 1/2" or 18 3/4" hole. 44" 5) Cellar will need to be oblong in order to accommodate mouse hole (i.e. 5' x 10', 6' x 10',) Operator decision

> Clear all brush + 20' off pad to allow Drk truck to drive off pad & maneuver drk into position

