Form 3160-5 (August 2007)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS** 

RECEIVED

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

SEP 2 7 20 Lease Serial No. NMLC029418A

HOBBSOC Windian Allottee or Tribe No.

	l. Use form 3160-3 (APD) for si		JDDDU Windian, Allottee	or Tribe Name	
SUBMIT IN TRII	PLICATE - Other instructions of	7. If Unit or CA/Agr	7. If Unit or CA/Agreement, Name and/or No.		
i. Type of Well				8. Well Name and No.	
✓ Ø Oil Well □ Gas Well □ Other UNN of.			SKELLY UNIT 3	17 —	
<ol> <li>Name of Operator SANDRIDGE EXPL &amp; PROD</li> </ol>	B CALLAHAN gy.com	9. API Well No. 30-015-05362	9. API Well No. 30-015-05362-00-S1		
		one No. (include area code) 81-840-4272	10. Field and Pool, of GRAYBURG	10. Field and Pool, or Exploratory GRAYBURG	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Parish	11. County or Parish, and State	
Sec 23 T17S R31E NENE 660FNL 660FEL 🔑			EDDY COUNT	EDDY COUNTY, NM	
ULA					
12. СНЕСК АРРІ	ROPRIATE BOX(ES) TO INDIC	CATE NATURE OF 1	NOTICE, REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
□ Notice of Intent	☐ Acidize	] Deepen	Production (Start/Resume)	☐ Water Shut-Off	
	☐ Alter Casing ☐	Fracture Treat	☐ Reclamation	■ Well Integrity	
Subsequent Report	Casing Repair	New Construction	☐ Recomplete	Other	
Final Abandonment Notice	☐ Change Plans <b>D</b>	Plug and Abandon	☐ Temporarily Abandon		
	☐ Convert to Injection ☐	] Plug Back	■ Water Disposal		
festing has been completed. Final Aldetermined that the site is ready for final Plug & Abandonment  9/1/2011 - MI PU  9/2/2011 - Dug out cellar, buil  9/6/2011 - RIH open ended, to remove WH slicalss C neat cmt from 650-80 pkr @ 34'. Tried to establish Set pkr @ 34'. Est inj rate. R  583-643'. POH standing back	t & installed cellar boards. RUPU agged cmt retainer @ 800'. Circ I ps. Csg wouldn't move. RIH ope 0'. POH WOC. RIH w/ WL, tagg ini rate, pressured up to 1500 psi. IH open ended to 643'. Spotted (150' tbg. LD remainder. RIH w/	J. SIFN. hole w/ salt gel. POHen ended to 800'. Speed plug @ 643'. Perf @ 10 sx class "C" neat c	Latched onto otted 25 sxs @ 633'. POH. Set 575'. POH. mt. from 50 sx class "C"	SEP 29 2011	
	s true and correct. Electronic Submission #117193 v For SANDRIDGE EXPL litted to AFMSS for processing by I	& PROD LLC, sent to	the Carisbad		
Name (Printed/Typed) TERRY B	Į.	•			
Signature (Electronic	Submission)	Date 09/09/2			
	THIS SPACE FOR FEI	DERAL OR STATE	OFFICE USE		
_Approved By_ACCEPTED		JAMES A TitleSUPERV	AMOS SOR EPS	Date 09/25/2011	
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to cond	lease Office Carlsba	Office Carlsbad			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a crime for statements or representations as to any m	r any person knowingly an- natter within its jurisdiction	d willfully to make to any department.	or agency of the United	

\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

pt 9/29/2011

Accepted for record NMOCD

PA 09/07/2001 10

## Additional data for EC transaction #117193 that would not fit on the form

## 32. Additional remarks, continued

neat cmt. Displ cmt to 525'. SDFN.

9/7/2011 - Pressured up on plug to 700 psi. RIH w/ WL, tagged plug @ 505'. Perf @ 450', tried to establish an inj rate, press to 1500 psi. POH LD pkr. RIH open endedto 500'. Spotted 30 sxs class "C" neat cmt from 321-500'. POH LD tbg. WOC. RIH w/ WL, tagged plug @ 340'. Perf @ 60'. Sqzd 35 sx class "C" neat cmt to surface. RDPU and cleaned location.

## Revisions to Operator-Submitted EC Data for Sundry Notice #117193

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

NMLC029418A

NMLC029418A

ABD SR

Agreement:

Lease:

Operator:

LINN OPERATING, INC. 600 TRAVIS STREET SUITE 5100 HOUSTON, TX 77002 Ph: 281-840-4272

SANDRIDGE EXPL & PROD LLC 123 ROBERT S KERR AVENUE OKLAHOMA CITY, OK 73102 Ph: 405.429.5682

Admin Contact:

TERRY B CALLAHAN REGULATORY SPECIALIST III E-Mail. tcallahan@linnenergy com

Ph: 281-840-4272

Tech Contact:

TERRY B CALLAHAN REGULATORY SPECIALIST III

E-Mail: tcallahan@linnenergy.com

Ph 281-840-4272

Ph: 281-840-4272

TERRY B CALLAHAN REGULATORY SPECIALIST III E-Mail: tcallahan@linnenergy.com

TERRY B CALLAHAN REGULATORY SPECIALIST III E-Mail: tcallahan@linnenergy.com

Ph: 281-840-4272

Location:

State: County: NM EDDY

Field/Pool:

GRAYBURG JACKSON; SR-1-G-S

NM EDDY

**GRAYBURG** 

Well/Facility:

SKELLY UNIT 037 Sec 23 T17S R31E Mer NMP 660FNL 660FEL 32.825557 N Lat, 103 833905 W Lon

SKELLY UNIT 37 Sec 23 T17S R31E NENE 660FNL 660FEL