District I 1625 & French Dr. Frobbs XVI 88240 District II
1301 W. Grand Avenue Artesia NM 88210 District III

1000 Pio Brazos Road Aztec NM 87410 <u>District (V.</u> 1220 S. St. Francis Dr., Santa Fc. N.M. 87805

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 CLEZ July 21 2008

For closed-loop systems that only use above ground steel tanks or haul-off hins and propose to implement waste removal for closure submit to the appropriate SMOCD District Office

Closed-Loop System Permit or Closure Plan Application

Santa Fe, NM 87505

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action X Permit Closure

Instructions—Please submit one application (Form C-144 CLEZ) per individual closed-loop system that only use above ground steel tanks or haul-off bins and pro- Please be advised that approval of this request does not relieve the operator of liability	should operations result in pollution of surface water ground water or the	
environment. Nor does approval relieve the operator of its responsibility to comply w	th any other applicable governmental authority's rules regulations or ordinances	
Operator Manzano, LLC	OGRID - 231429	
Address P.O. Box 2107 Roswell, NM 88202-2107		
Facility or well name Golden Spur Federal #1H		
API Number 30 - 015 - 39649 OCD	Permit Number 212730	
L L or Qu Qtr C Section 25 Township 26 S	Range 31 E County <u>Eddy</u>	
Center of Proposed Design Tatitude N 366838.243 Lon	gnude <u>E 727171.221</u> NAD []1927 X] 1983	
Surface Owner [X] Federal [] State [] Private [] Tribal Trust or Indian Allotment		
Closed-loop System Subsection H of 19 15 17 11 NMAC Operation Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A Above Ground Steel Tanks or Haul-off Bins		
Signs Subsection C of 19.15.17.11 NMAC	RECEIVED	
$12^{\circ} \times 24 = 2$ lettering providing Operator's name, site location and emerge	ncy telephone numbers AUG 4 2011	
Signed in compliance with 1915 3 103 NMAC Normal Well	Sign	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NM AC		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (1915-1713 D NMAC) Instructions. Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.		
Disposal Facility Name CRT Disposal Facility Permit Number R 9166		
Disposal Facility Name Disposal Facility Permit Number		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? \[\text{Y \text{ es (If yes please provide the information below)}} \] No		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC		
Operator Application Certification		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief		
Name (Print) Mike Hanagan /	Tule Managing Member	
Signature Mul sance	Date 7/19/11	
e-mail addressmhanagan@qwestoffice.net	Telephone <u>575-623-1996</u>	
	15 x x	

OCD Approval X Permit Application (including closure plan) Closure P	rlan (only)	
OCD Representative Signature TKL Scot	Approval Date. 12/06/2011	
Tule DIST & Sepenist	Approval Date. 12/06/2011 OCD Permit Number 2/2230	
Subsection K of 1945 1743 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized		
Disposal Facility Name	Disposal Facility Permit Number	
Disposal Facility Name	Disposal Facility Permit Number	
Were the closed-loop system operations and associated activities performed on o	r in areas that will not be used for future service and operations?	
Required for impacted areas which will not be used for future service and operated. Site Reclamation (Photo Documentation). Soil Backfilling and Cover Installation. Re-vegetation Application Rates and Seeding Technique.	nons	
Operator Closure Certification Thereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print)	Title	
Signature	Date	
e-mail address	Telephone	

STATE OF NEW MEXICO EMNRD - OCD

Closed-Loop Systems Permit Application Attachment - Golden Spur Federal #1H

Design Plan

A closed-loop system will be used while drilling the Golden Spur Federal #1H in order to separate and contain all oil, water, drilling fluid, and drill cuttings. Returns from drilling operations will travel up the wellbore annulus, through a flowline at the surface, and into the closed-loop system. As the returning drilling fluid exits the flowline it will pass over two shakers with screens sized to more effectively separate liquids from solids. Liquids will be discharged into temporary above ground steel mud pits for reuse in drilling procedures. Solids will be shaken off into steel haul-off cuttings bins. Two centrifuges placed above the haul-off bins will have suction lines placed under the shaker with-liquid discharge in the steel mud pits. The fluid suctioned here will pass through the centrifuges, dropping out any remaining solids into the steel haul-off bins used by the shaker discharge. Once a steel haul-off bin is adequately filled, it will be replaced by an empty bin and hauled away for disposal. This system will keep all drilling fluids and drill cuttings completely contained while waiting for re-use or until ready for disposal.

Operating and Maintenance Plan

The closed-loop system will be operated during all drilling, circulating, and drilling fluid-conditioning operations. The system will be monitored twenty four hours a day for the duration of drilling operations, and will contain only fluids and solids used or generated during drilling operations. Monitoring will include inspection of temporary steel pits, flowlines, solids control equipment, haul-off bins, mud-pump suction lines, and transfer lines between pits. Inspections will focus on leak prevention, detection, and remediation if leaks are found. Equipment condition and effectiveness will be closely monitored to ensure that no failures are encountered that would result in any foreign solids or fluids coming into contact with the ground. Flowlines and transfer lines will be checked regularly to ensure that no plugging is taking place. Temporary steel pit levels will be monitored in order to keep at least two feet of freeboard as specified in subsection B of 19.15-17-12. NMAC in order to prevent overtopping. Haul-off bins containing solids will be monitored in order to prevent overflow of cuttings. All steel pits will be emptied and removed as soon as rig is released from location.

Closure Plan

The closed-loop system used on the Golden Spur Federal #1H will use only above ground steel tanks for drilling fluids, and haul-off bins for drill cuttings. As soon as drilling operations are completed, the above ground tanks will be emptied of all drilling fluids, which will be disposed of at CRI, facility permit number R 9166. The drill cuttings generated during drilling operations will be removed from the location in haul-off bins and disposed of at the same disposal facility as drilling fluid. The cuttings will be removed from location as needed throughout drilling procedures. Once drilling is completed, any remaining bins containing cuttings will be transported to disposal facility, emptied, and cleaned thoroughly.