

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No 1004-0137
Expires: March 31, 2007**SUNDRY NOTICES AND REPORTS ON WELLS****Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.****SUBMIT IN TRIPLICATE- Other instructions on reverse side.**1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator **NADEL AND GUSSMAN HEYCO, LLC**3a. Address
PO BOX 1936 ~ ROSWELL NM 88202-19363b. Phone No (include area code)
575/623/66014. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2540' FNL & 660' FEL, Sec. 12: T18S, R31E, SE/4 NE/4

5. Lease Serial No.

NMNM-106718

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

TAYLOR DEEP 12 FED #9

9. API Well No.

30-015-39764

10. Field and Pool, or Exploratory Area

Young ; Bone Spring North

11. County or Parish, State

Eddy, New Mexico**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**


TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Intermediate Casing & Cmt Report
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletable horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletable in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

BLM Bond No. NMB00520
Surety Bond No. B004230

1/12/12 Hole Size 12 1/4", run 50 Jts, 9 5/8" 36# J55 BTC csg depth 2255'. Lead 450 sks Class "C" 35/65+6%Bentinite+.25%Celloflake+.25%R-38+5%Salt(BWOW) 12.40 PPG, Yield 2.10, Water 11.64 gal/sk. Tail:200 sks Class "C"+2%CCL2+.25%R-38 14.8 PPG, Yield 1.35, Water 6.34 Gal/sk. No problems w/pipe or cmt job. Plug dn @1:58 pm 1/12/12, circ 34 bbls (91 sks) called Carlsbad BLM 1/12/12 @ 8:20 am (Joe Alvarez).

Accepted for record
NMOCD
1/31/2012



14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Tammy R. Link

Title **Production Tech**

Signature

Date

01/23/2012

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

BUREAU OF LAND MANAGEMENT

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)

SUMMARY CASING AND CEMENTING REPORT

STRING: INTERMEDIATE

DATE: 1/12/2012

OPERATOR: NADEL & GUSSMAN HEYCO
CONTRACTOR: PATRIOT

WELL: TAYLOR DEEP 12 FED #9
RIG: #1
REP: KEITH CANNON

CASING DETAIL

HOLE SIZE: 12 1/4"

DEPTH: 2255

12 1/4" HOLE	2255.00
FLOAT SHOE	1.60
	2253.40
2 JTS 9 5/8" 36# J55 BTC Csg	90.30
	2163.10
9 5/8" FLOAT INSERT	1.20
	2161.90
48 JTS 9 5/8" 36# J55 BTC Csg	2166.11
	-4.21
KB TO GL	18.00

CENTRALIZERS PLACED @ 2208.22, 2163.10, 2116.76, 2071.67, 2026.53, 1936.29

REMARKS:

TOTAL CASING DELIVERED.... 53 JTS 9 5/8" 36# J55 BTC (2424.54')
ALL CASING WAS DRIFTED, CLEANED, & VISUALLY INSPECTED ON LOCATION.
TAGGED BOTTOM NO FILL. CIRCULATED CAPACITY & ANNULAR VOLUME

EXCESS CASING

CASING NOT USED 3 JTS 9 5/8" 36# J55 BTC [136.33'].
DISPOSITION 3 JTS 36# J55 TRANSFERRED TO GYS YARD (ARTESIA)

CEMENTING DATA

COMPANY: RISING STAR

DISTRICT: HOBBS

1ST STAGE:

PREFLUSH: 10 bbls FW SPACER

LEAD: 450 SKS CLASS "C" 35/65+ 6%BENTONITE+.25%CELLOFLAKE+.25%R-38+5%SALT(BWOW) 12.40 LB/SKS, YEILD 2.10, WATER 11.64 GAL/SK

TAIL: 200 SKS CLASS "C"+2%CACL2+.25%R-38 14.8 LB/SKS, YEILD 1.35, WATER 6.34 GAL/SK

SUMMARY CASING AND CEMENTING REPORT

NOTE:

NO PROBLEMS W/ PIPE OR CMT JOB. PLUG DOWN @ 1:58PM 1/12/12, CIRC 34BBLS
(91SKS) CALLED CARLSBAD BLM 1/12/12 @ 8:20AM (JOE ALVAREZ). NO WITNESS
F/ CMT JOB