

OCD-ARTESIA

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1 Type of Well
☐ Oil Well ☐ Gas Well ☒ Other

2 Name of Operator
Judah Oil, LLC

3a Address
PO Box 568 Artesia, NM 88211-0568

3b Phone No (include area code)
575-746-1280

4 Location of Well (Footage, Sec, T, R, M, or Survey Description)
990 FNL, 660 FEL, UL-A, Sec 29, T-17S, R-31E

5 Lease Serial No
LC-029395-B

6 If Indian, Allottee or Tribe Name

7 If Unit or CA/Agreement, Name and/or No.

8 Well Name and No.
Jamoca Federal #1 SWD

9 API Well No
30-015-32265

10 Field and Pool, or Exploratory Area
Cedar Lake - Wolfcamp

11 County or Parish, State
Eddy, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <i>Complete to SWD</i>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Judah Oil, LLC respectfully request to complete the Jamoca Fed #1 SWD.

Please see attached:

Accepted for record

NMOCDFI

3/2/12

*Work performed without approval
Need 3160-4,*

RECEIVED

FEB 28 2012

NMOCDFI

14 I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

James B. Campanella

Title member/manager

Signature

Date

9-11

ACCEPTED FOR RECORD

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

FEB 27 2012

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon

Office

WESLEY W. INGRAM

PETROLEUM ENGINEER

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any Department or Agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)

ATTACHMENT:

- 1: STARTING DATE: 9/12/2011
- 2: NU AND TEST BOP
- 3: RIH W/ 5 1/2 CIBP AND SET @ 9780' AND CAP W/ 35' CEMENT
- 4: RUN CIT TO 1800#s
- 5: RIH W/ PERF TOOL AND PERFORATE: 9660-9685 (4 spf), 9578-9605 (2 spf), 9540-9550 (2 spf), 9380-9425 (4 spf), 9262-9270 (2 spf), 9208-9218 (4 spf), 9030-9035 (2 spf), 9006-9010 (2 spf), 8960-8986 (4 spf), 8890-8900 (2 spf). Total 552 holes).
- 6: PU WORKSTRING AND RIH WITH W/ PACKER AND PLUG
- 7: ACIDIZE IN 3 STAGES. DIVERT WITH ROCK SALT. TOTAL 18,000 GAL 20% NEFE HCL
- 8: SWAB/FLOW TEST FOR HYDROCARBON SHOWS.
- 9: POOH W. TBG, PACKER & PLUG. RDPU.
- 10: RUN STEP RATE TEST
- 11: MIRU PULLING UNIT
- 12: NU AND TEST BOP
- 13: POOH AND LAY DOWN TBG AND PACKER
- 14: PU RIH W/ 5 1/2 x 2 7/8 NP AIRSET PAKCER W/ 1.875 NP ON/OFF TOOL, AND 2 7/8 DUOLINE N-80 TBG.
- 15: SET PACKER @ 8850 +/-
- 16: CIRCULATE PACKER FLUID
- 17: NDBOP, LAND TBG.
- 18: RDPU.
- 19: RUN MIT TEST

NM STATE WIDE BOND NUMBER: NMB-000451

SWD BOND NUMBER: 0-1059053-2-1