

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes X No ☐  
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank X

Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail address: mikes@ypc.com  
Address: 105 South 4<sup>th</sup> Street, Artesia, N.M. 88210  
Facility or well name: Hrubetz BBV Com 1 API #: 30-005-61797 U/L or Qtr/Qtr D Sec 3 T 12S R 26E  
County: Chaves Latitude: 33.30437 Longitude: 104.3344 NAD: 1927 ☐ 1983 X  
Surface Owner: Federal ☐ State X Private ☐ Indian ☐

RECEIVED  
APR 19 2005  
OCD-ARTESIA

Pit	Below-grade tank
Type: Drilling X Production <input type="checkbox"/> Disposal <input type="checkbox"/> Work over <input type="checkbox"/> Emergency <input type="checkbox"/> Lined X Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>12,000</u> bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) XXXX 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) XXXX 1000 feet or more (0 points)
Ranking Score (Total Points) 30 points	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite X If offsite, name of facility NA. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results.  
(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Closure work plan for drilling pit. The drilling pit contents will be excavated and hauled to an OCD approved soil waste facility.  
The excavated area will then be backfilled to grade using a min. of 3' of clean soil or like material. A one call and a 48 hour notice will be provided to the Oil Conservation Division.  
Pit Closure start date NA. Final closure date NA.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit X, or an (attached) alternative OCD-approved plan ☐.

Date: 04/18/05

Printed Name/Title Dan Dolan / Regulatory Agent

Signature Katie Parker for Dan Dolan

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title \_\_\_\_\_

Signature \_\_\_\_\_

Date: APR 19 2005

**New Mexico Office of the State Engineer  
Well Reports and Downloads**

*HRUBETZ BBV Com 1*

Township: 12S Range: 26E Sections: 3

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic  
☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

**AVERAGE DEPTH OF WATER REPORT 04/18/2005**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
RA	12S	26E	03				2	35	47	41
RA	12S	26E	05				1	6	6	6
RA	12S	26E	07				3	26	32	29
RA	12S	26E	08				4	26	45	34
RA	12S	26E	10				1	68	68	68
RA	12S	26E	12				1	130	130	130
RA	12S	26E	15				1	52	52	52
RA	12S	26E	17				4	18	40	28
RA	12S	26E	18				17	20	105	52
RA	12S	26E	19				3	40	80	67
RA	12S	26E	20				8	16	50	27
RA	12S	26E	21				1	15	15	15
RA	12S	26E	25				1	124	124	124
RA	12S	26E	28				1	12	12	12
RA	12S	26E	29				5	19	30	26
RA	12S	26E	30				1	46	46	46
RA	12S	26E	31				7	20	50	41
RA	12S	26E	32				5	10	60	35

Record Count: 66

