District I 1625 N. French Dr , Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ Revised August 1, 2011

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

environment. Nor does approval relieve the operator of its responsibility to comply with a	any other applicable governmental authority's rules,	regulations or ordinances.	
Operator: CIMAREX ENERGY CO. OF COLORADO	OGRID#:		
Operator: CIMAREX ENERGY CO. OF COLORADO OGRID#: Address: 600 N. MARIENFELD, SUITE 600 MIDLAND, TEXAS 79701			
Facility or well name: STATE 1/4 A COM #001			
API Number: 30-015-23041 OCD Permit Number: 212849			
U/L or Qtr/Qtr G Section 14 Township 19S Range 29E County: EDDY			
Center of Proposed Design: Latitude Longitude NAD: \[\sqrt{1927} \sqrt{1983}			
Surface Owner: Federal X State Private Tribal Trust or Indian Allotment			
2			
☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC			
Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A			
X Above Ground Steel Tanks or Haul-off Bins	TAE AFT		
3. Signs: Subsection C of 19.15.17.11 NMAC	RECEI	VED	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency	telephone numbers APR 19	2012	
Signed in compliance with 19.15.16.8 NMAC		ļ	
4.	NMOCD A	RTESIA	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B		tha daaymanta ana	
Instructions: Each of the following items must be attached to the application. Plattached.	ease indicate, by a check mark in the box, that i	ine documents are	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAG			
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API Number:			
Previously Approved Operating and Maintenance Plan API Number:			
Previously Approved Operating and Maintenance Plan API Number:			
5.			
s. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S	Steel Tanks or Haul-off Bins Only: (19 15.17	13 D NMAC)	
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St. Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY	Steel Tanks or Haul-off Bins Only: (19.15.17. Arilling fluids and drill cuttings. Use attachment NM 01-	13.D NMAC) t if more than two 0019	
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St. Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY Disposal Facility Name: CRI	Steel Tanks or Haul-off Bins Only: (19.15.17. drilling fluids and drill cuttings. Use attachment NM 01- Disposal Facility Permit Number: NM 01-	13.D NMAC) 13 more than two 0019 0006	
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St. Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE	Steel Tanks or Haul-off Bins Only: (19.15.17. drilling fluids and drill cuttings. Use attachment NM 01 - Disposal Facility Permit Number: NM 01 - NM 01 -	13.D NMAC) 15 f more than two 0019 0006	
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St. Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY Disposal Facility Name: CRI	Steel Tanks or Haul-off Bins Only: (19.15.17. drilling fluids and drill cuttings. Use attachment NM 01 - Disposal Facility Permit Number: NM 01 - NM 01 -	13.D NMAC) 15 f more than two 0019 0006	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statistics: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE Will any of the proposed closed-loop system operations and associated activities on Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operation	Steel Tanks or Haul-off Bins Only: (19.15.17. Arilling fluids and drill cuttings. Use attachment NM 01- Disposal Facility Permit Number: NM 01- Disposal Facility Permit Number: NM 01- cur on or in areas that will not be used for future	13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC) 14.D MAC 15.D MAC 16.D MAC 16	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statuctions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE Will any of the proposed closed-loop system operations and associated activities on Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate	Steel Tanks or Haul-off Bins Only: (19.15.17. Arilling fluids and drill cuttings. Use attachment	13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC) 14.D MAC 15.D MAC 16.D MAC 16	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statistics: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE Will any of the proposed closed-loop system operations and associated activities on Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operation	Steel Tanks or Haul-off Bins Only: (19.15.17. Arilling fluids and drill cuttings. Use attachment NM 01 - Disposal Facility Permit Number: NM 01 - Disposal Facility Permit Number: NM 01 - cur on or in areas that will not be used for future as: requirements of Subsection H of 19.15.17.13 NM I of 19.15.17.13 NMAC	13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC) 14.D MAC 15.D MAC 16.D MAC 16	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statutations: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE Will any of the proposed closed-loop system operations and associated activities on Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	Steel Tanks or Haul-off Bins Only: (19.15.17. Arilling fluids and drill cuttings. Use attachment NM 01 - Disposal Facility Permit Number: NM 01 - Disposal Facility Permit Number: NM 01 - cur on or in areas that will not be used for future as: requirements of Subsection H of 19.15.17.13 NM I of 19.15.17.13 NMAC	13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC) 14.D MAC 15.D MAC 16.D MAC 16	
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statistics are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE Will any of the proposed closed-loop system operations and associated activities occ Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection 6. Operator Application Certification:	Steel Tanks or Haul-off Bins Only: (19.15.17. drilling fluids and drill cuttings. Use attachment	13.D NMAC) 15 f more than two 0019 0006 0003 service and operations?	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statutations: Please indentify the facility or facilities for the disposal of liquids, a facilities are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE Will any of the proposed closed-loop system operations and associated activities on Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	Steel Tanks or Haul-off Bins Only: (19.15.17. drilling fluids and drill cuttings. Use attachment NM 01 - Disposal Facility Permit Number: NM 01 - Disposal Facility Permit Number: NM 01 - cur on or in areas that will not be used for future as: requirements of Subsection H of 19.15.17.13 NM of 19.15.17.13 NMAC on G of 19.15.17.13 NMAC	13.D NMAC) 15 f more than two 0019 0006 0003 service and operations?	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statistics are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE Will any of the proposed closed-loop system operations and associated activities occording to the information below) No Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate Name (Print): DAVID A. EYLER	Steel Tanks or Haul-off Bins Only: (19.15.17. drilling fluids and drill cuttings. Use attachment	13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC 0019 0006 0003 service and operations? MAC belief.	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statistics are required. GANDY MARLEY Disposal Facility Name: CRI Disposal Facility Name: SUNDANCE Will any of the proposed closed-loop system operations and associated activities occ Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection the Coperator Application Certification: I hereby certify that the information submitted with this application is true, accurate Name (Print): DAVID A. EYLER	Steel Tanks or Haul-off Bins Only: (19.15.17. drilling fluids and drill cuttings. Use attachment NM 01 - Disposal Facility Permit Number: NM 01 - Disposal Facility Permit Number: NM 01 - cur on or in areas that will not be used for future as: requirements of Subsection H of 19.15.17.13 NM of 19.15.17.13 NMAC on G of 19.15.17.13 NMAC	13.D NMAC) 13.D NMAC) 13.D NMAC) 13.D NMAC 0019 0006 0003 service and operations? MAC belief.	

OCD Approval: Permit Application (including closure plan) Closure Plan (only)		
OCD Representative Signature:	Approval Date: OH 19 0012	
Title: DIST # Sypewist	OCD Permit Number: 212849	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
	Closure Completion Date:	
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \sum No		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

.

Closed-Loop Design Plan:

The closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground haul-off bin sullable for holding the cuttings and fluids for rig operations. The haul-off bin will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- · 1.) Fencing is not required for an above ground closed-loop system.
 - 2.) This site will be signed in compliance with 19.15.3.103 NMAC.
 - 3.) Please see attached Closed-Loop System diagram.


Closed-Loop Operating and Maintenance Plan:

in order to protect public health and environment, the closed-loop haut-off bin will be operated and maintained to contain fliquids and solids. This will aid in the prevention of contamination of fresh water sources. To atlain this goal the following steps will be followed:

- 1.) The solids and liquids in the closed-loop haul-off bin will be transported off the drilling facility and disposed of at the CRI facility (Permit No. R9166) in Heliway, NM on a periodic basis once a bin is determined to be at full volume capacity.
- No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuitings used or generated by rig operations will be placed or stored in the tank.
- The division district office-will be notified within 40 hours of the discovery of comprents at integrity of the haut-off bin. Upon the discovery of the compromised heut-off bin, repairs will be enacted immediately.
- All of the above operations will be inspected and a log will be signed and deted. During
 rig operations, the inspection will be delily.

Closed-Loop Closure Plan:

The huel-off bin will be maintained in accordance with 19.15.17.13 NMAC. This will be done by transporting and disposing ell cuttings and liquids to the CRI Facility (Permit No. R9166) during and immediately following rig operations. The hauf-off bins will be removed from the location as part of the rig move. At the time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.



,