


Prepared for Mr. Mickey Young		Company Mewbourne Oil Company	Date 8-Aug-11		
Well Name Tamano "10" Fed Com #6H		Type of Installation 20-Stage 4-1/2" StackFRAC® HD	Location Eddy County, NM		
Depth	Drawing	Description	OD(in)	ID(in)	Length
Page 1 of 3					
REV_					
KOP= 7888 BR= 10"/100'					
TOL= 8515.49' 326BBLs		***Drillable FracPORT's to be shipped without handling pups***			
		Latched Seal Assembly 7" 23-32 ppf x 3.875" Lower Bore x 4.75" Upper Bore SF Liner Hanger Packer PN: 108425-000004 (Shear Pins: 2 @ 482 plus 1 @ 241 - 1,205 psi setting pressure) SF Bottom Guide	5.875"	4.750	9.66
		SNU0004833	5.850"	3.850	
7" Shoe 8825		7" 26# P-110 LT&C Casing			
EA1005451 Stage 18 8896.71' 332BBLs		4-1/2" 11.60# P-110 LTC LINER JOINTS: 9 Packers Plus 4-1/2" Drillable FracPORT™ with 3.625" Seat for 3.750" High Pressure Ball PN: 121332-000024 (5 shear pins at 314 psi each; 1,570 psi opening pressure)	4.500"	4.000	372.02
			5.630"	3.625	2.65
				3.840	
EA2005701 MD 8987.65'		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.6# P-110 LTC x BTC Pup Joint Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000003 (4 shear pins at 522 psi each; 2,088 psi setting pressure)	4.500"	4.000	82.31
			4.500"	4.000	5.98
			5.750"	3.875	5.18
		3' x 4-1/2" 11.6# P-110 BTC x LTC Pup Joint	4.500"	4.000	3.13
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	85.2
EA1005389 Stage 17 9081.16' 335BBLs		Packers Plus 4-1/2" Drillable FracPORT™ with 3.500" Seat for 3.625" High Pressure Ball PN: 121332-000024 (5 shear pins at 314 psi each; 1,570 psi opening pressure)	5.630"	3.500	2.65
				3.840	
EA2005709 MD 9174.34'		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.6# P-110 LTC x BTC Pup Joint Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000003 (4 shear pins at 522 psi each; 2,088 psi setting pressure)	4.500"	4.000	84.56
			4.500"	4.000	5.97
			5.750"	3.875	5.18
		3' x 4-1/2" 11.6# P-110 BTC x LTC Pup Joint	4.500"	4.000	3.12
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	85.13
EA1006226 Stage 16 9267.77' 338BBLs		Packers Plus 4-1/2" Drillable FracPORT™ with 3.375" Seat for 3.500" High Pressure Ball PN: 121332-000022 (5 shear pins at 314 psi each; 1,570 psi opening pressure)	5.630"	3.375	2.65
				3.840	
EA3006391 MD 9397.09'		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3 6' x 4-1/2" 11.6# P-110 LTC x BTC Pup Joint Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000003 (4 shear pins at 522 psi each; 2,088 psi setting pressure)	4.500"	4.000	120.72
			4.500"	4.000	5.95
			5.750"	3.875	5.18
		3' x 4-1/2" 11.6# P-110 BTC x LTC Pup Joint	4.500"	4.000	3.08
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	119.86
EA1006190 Stage 15 9525.21' 342BBLs		Packers Plus 4-1/2" Drillable FracPORT™ with 3.250" Seat for 3.375" High Pressure Ball PN: 121332-000021 (5 shear pins at 314 psi each; 1,570 psi opening pressure)	5.630"	3.250	2.65
				3.840	
EA2005580 MD 9622.01'		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.6# P-110 LTC Pup Joint Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each; 2,088 psi setting pressure)	4.500"	4.000	88.08
			4.500"	4.000	6.07
			5.750"	3.875	5.25
		3' x 4-1/2" 11.6# P-110 LTC Pup Joint	4.500"	4.000	3.07
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	86.79
EA1003930 Stage 14 9717.12' 345BBLs		Packers Plus 4-1/2" Drillable FracPORT™ with 3.125" Seat for 3.250" High Pressure Ball PN: 121332-000020 (5 shear pins at 314 psi each; 1,570 psi opening pressure)	5.630"	3.125	2.65
				3.840	
EA2005579 MD 9804.54'		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.6# P-110 LTC Pup Joint Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each; 2,088 psi setting pressure)	4.500"	4.000	78.68
			4.500"	4.000	6.09
			5.750"	3.875	5.25
		3' x 4-1/2" 11.6# P-110 LTC Pup Joint	4.500"	4.000	3.09
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	128.93
EA1006164 Stage 13 9941.81' 348BBLs		Packers Plus 4-1/2" Drillable FracPORT™ with 3.000" Seat for 3.125" High Pressure Ball PN: 121332-000019 (5 shear pins at 314 psi each; 1,570 psi opening pressure)	5.630"	3.000	2.65
				3.840	
EA2005574 MD 10035.83'		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.6# P-110 LTC Pup Joint Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each; 2,088 psi setting pressure)	4.500"	4.000	85.27
			4.500"	4.000	6.1
			5.750"	3.875	5.25
		3' x 4-1/2" 11.6# P-110 LTC Pup Joint	4.500"	4.000	3.08
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	125.84
EA1004454 Stage 12 10170.00' 352BBLs		Packers Plus 4-1/2" Drillable FracPORT™ with 2.875" Seat for 3.000" High Pressure Ball PN: 121332-000018 (5 shear pins at 314 psi each; 1,570 psi opening pressure)	5.630"	2.875	2.65
				3.840	
EA2005570 MD 10264.79'		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.6# P-110 LTC Pup Joint Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each; 2,088 psi setting pressure)	4.500"	4.000	86.07
			4.500"	4.000	6.07
			5.750"	3.875	5.25
		3' x 4-1/2" 11.6# P-110 LTC Pup Joint	4.500"	4.000	3.09
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	85.79
Service Center Midland, TX			Telephone Chad Williams 405-255-3223		
Telephone 432-563-8024			Contact Kerth Martin		

Prepared for		Company		Date	
Mr. Mickey Young		Mewbourne Oil Company		8-Aug-11	
Well Name		Type of Installation		Location	
Tamano "10" Fed Com #6H		20-Stage 4-1/2" StackFRAC® HD		Eddy County, NM	
Depth	Drawings	Description	OD(in)	ID(in)	Length
Page 2 of 3					
REV_					
EA1006131					
Stage 11		Packers Plus 4-1/2" Drillable FracPORT™ with 2 750" Seat for 2 875" High Pressure Ball	5 630"	2 750"	2 65
10358.92'		PN 121332-000017 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
355BBLs					
EA2005512		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	130 07
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 06
10497 70'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 07
		4-1/2" 11 60# P-110 LTC LINER JOINTS 2	4 500"	4 000"	85 67
EA1006107					
Stage 10		Packers Plus 4-1/2" Drillable FracPORT™ with 2 625" Seat for 2 750" High Pressure Ball	5 630"	2 625"	2 65
10591.69'		PN 121332-000016 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
358BBLs					
EA2005511		4-1/2" 11 60# P-110 LTC LINER JOINTS 2	4 500"	4 000"	83 78
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 06
10684 18'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 08
		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	130 52
EA1006038					
Stage 9		Packers Plus 4-1/2" Drillable FracPORT™ with 2 500" Seat for 2 625" High Pressure Ball	5 630"	2 500"	2 65
10823.03'		PN 121332-000015 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
362BBLs					
EA2005510		4-1/2" 11 60# P-110 LTC LINER JOINTS 2	4 500"	4 000"	84 58
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 07
10916 33'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 06
		4-1/2" 11 60# P-110 LTC LINER JOINTS 2	4 500"	4 000"	85 05
EA1005205					
Stage 8		Packers Plus 4-1/2" Drillable FracPORT™ with 2 375" Seat for 2 500" High Pressure Ball	5 630"	2 375"	2 65
11009 69'		PN 121332-000014 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
365BBLs					
EA2005513		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	127 13
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 05
11145 52'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 07
		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	120 77
EA1005963					
Stage 7		Packers Plus 4-1/2" Drillable FracPORT™ with 2 250" Seat for 2 375" High Pressure Ball	5 630"	2 250"	2 65
11274 61'		PN 121332-000013 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
369BBLs					
EA2005559		4-1/2" 11 60# P-110 LTC LINER JOINTS 2	4 500"	4 000"	83 39
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 06
11366 71'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 08
		4-1/2" 11 60# P-110 LTC LINER JOINTS 2	4 500"	4 000"	85 01
EA1005931					
Stage 6		Packers Plus 4-1/2" Drillable FracPORT™ with 2 125" Seat for 2 250" High Pressure Ball	5 630"	2 125"	2 65
11460.05'		PN 121332-000012 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
372BBLs					
EA2005518		4-1/2" 11 60# P-110 LTC LINER JOINTS 2	4 500"	4 000"	86 69
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 08
11555 47'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 08
		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	125 32
EA1005912					
Stage 5		Packers Plus 4-1/2" Drillable FracPORT™ with 2 000" Seat for 2 125" High Pressure Ball	5 630"	2 000"	2 65
11689 12'		PN 121332-000011 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
375BBLs					
EA2005556		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	127 3
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 08
11825 15'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 08
		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	124 24
EA1005509					
Stage 4		Packers Plus 4-1/2" Drillable FracPORT™ with 1 875" Seat for 2 000" High Pressure Ball	5 630"	1 875"	2 65
11957.72'		PN 121332-000010 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
379BBLs					
EA2005569		4-1/2" 11 60# P-110 LTC LINER JOINTS 2	4 500"	4 000"	85 28
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 09
12051 74'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 1
		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	118 43
EA1007635					
Stage 3		Packers Plus 4-1/2" Drillable FracPORT™ with 1 750" Seat for 1 875" High Pressure Ball	5 630"	1 750"	2 65
12178.52'		PN 121332-000009 (5 shear pins at 314 psi each, 1,570 psi opening pressure)		3 840	
383BBLs					
EA2005573		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	115 12
MD		6' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	6 09
12302.38'		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5 750"	3 875"	5 25
		PN 124929-000004 (4 shear pins at 522 psi each, 2,088 psi setting pressure)			
		3' x 4-1/2" 11 6# P-110 LTC Pup Joint	4 500"	4 000"	3 09
		4-1/2" 11 60# P-110 LTC LINER JOINTS 3	4 500"	4 000"	116 46
Service Center		Telephone	Contact		
Midland, TX		432-563-8024	Keth Martin		
			Telephone		
			Chad Williams 405-255-3223		

		<i>Do It Once Do It Right</i>		Confidential Information - not to be disclosed outside Mewbourne Oil Company		Completion FINAL	
Prepared for Mr. Mickey Young		Company Mewbourne Oil Company		Date 8-Aug-11			
Well Name Tamano "10" Fed Com #6H		Type of Installation 20-Stage 4-1/2" StackFRAC® HD		Location Eddy County, NM			
Depth	Drawing	Description		OD(in)	ID(in)	Length	
Page 3 of 3							
REV_							
EA1009561		Packers Plus 4-1/2" Drilable FracPORT™ with 1.625" Seat for 1.750" High Pressure Ball		5 630"	1.625	2 65	
Stage 2		PN: 121332-000008 (5 shear pins at 314 psi each; 1,570 psi opening pressure)			3.840		
12427.18'		4-1/2" 11.60# P-110 LTC LINER		4 500"	4 000	113 13	
387BBLS		6' x 4-1/2" 11 6# P-110 LTC Pup Joint		4 500"	4 000	6 09	
EA2005518		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer		5 750"	3 875	5 25	
MD		PN 124929-000004 (4 shear pins at 522 psi each; 2,088 psi setting pressure)		4 500"	4 000	3 08	
12549.05'		3' x 4-1/2" 11 6# P-110 LTC Pup Joint		4 500"	4 000	112 62	
		4-1/2" 11.60# P-110 LTC LINER					
		JOINTS: 3					
Stage 1		Customer 4-1/2" Pump Off Sub		5 060"	1.000	3 11	
12670.00'		(Pinned AT 3850 PSI) WITH 1.000" SEAT FOR 1.250"					
390BBLS							
TVD=							
8386.00'							
TD=							
12714.00'							
Service Center Midland, TX		Telephone 432-563-8024		Contact Keith Martin		Telephone Chad Williams 405-255-3223	