Form 3160-5 (April 2004)

DEPARTMENT OF THE INTERIOR BUREALLOGIAND AND ACCOUNT.

BUREAU OF LAND MANAGEMENT

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS
COLABILL		Late Area	ILEI OILIO	- I 4	N M Partie Dark State Cor

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals.

FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007

5. Lease Serial No.

NMN	105	54(1	83
-----	-----	------	----

	or Tribe Name

SUBMIT IN TRIPLICATE- Other instructi	7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well Oil Well Gas Well Other		8. Well Name and No.
2. Name of Operator OXY USA Inc.	South Loco Hills Unit #29 9. API Well No.	
3a. Address 3b. P.O. Box 50250 Midland, TX 79710 4	30-015-27052 10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	Loco Hills QuGBSH	
1310 FBL 130 FEL SESE(P) Sec 19	11. County or Parish, State	
И		Eddy DM
12. CHECK APPROPRIATE BOX(ES) TO IND	ICATE NATURE OF NOTICE, F	REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent Alter Casing	Deepen Production (St Fracture Treat Reclamation	Well Integrity
- Baoocqueit tepor	Vew Construction Recomplete	Other
	Plug and Abandon Temporarily A Plug Back Water Disposal	
13. Describe Proposed or Completed Operation (clearly state all pertinent d		
If the proposal is to deepen directionally or recomplete horizontally, give Attach the Bond under which the work will be performed or provide the following completion of the involved operations. If the operation result testing has been completed. Final Abandonment Notices shall be filed determined that the site is ready for final inspection.)	Bond No. on file with BLM/BIA. Requires in a multiple completion or recompletion	red subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once
South Loco Hills Unit #29 - 30-0 TD-2500' Perfs-2375-2383'	15-27052	SEE ATTACHED FOR CONDITIONS OF APPROVA
SECEIVED 8-5/8" 24# csg @ 350' w/ 225sv	40.4/481.1. 70.0.0.50:	n
APR 24 2012 8-5/8" 24# csg @ 350' w/ 225sx 5-1/2" 17# csg @ 2500' w/ 625s		RECLAMATION PROCEDURE ATTACHED
1. RIH & set CIBP @ 2325' M&P	65sx cmt to 1900' WOC-Tag	
2. M&P 45sx cmt @ 1300 1000' 3. M&P 25sx cmt @ 820 695' W 4. M&P 60sx @ @ 400' to Surface	WOC-Tag 1074-729	(Yate & B/Salt)
3. M&P 25sx cmt @ 820 695' W	OCTOB Not Regu	ired
4. M&P 60sx @ @ 400' to Surfa 10# MLF between plugs	ce -	
14. I hereby certify that the foregoing is true and correct		•
Name (Printed/Typed)	Title De 1 (43)	
David Stewart	Title Regulatory Advisor	
Signature ,	Date 3/8/12	-

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

ntitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

(Instructions on page 2)

Approved by

Pl 4/25/2012

Accepted for record MMOCD

OXY USA Inc. - Proposed South Loco Hills Unit #29 API No. 30-015-27052


60sx @ 400'-Surface

12-1/4" hole @ 350' 8-5/8" csg @ 350' w/ 225sx-TOC-Surf-Circ

25sx @ 820-695' WOC-Tag

45sx @ 1300-1000' WOC-Tag


CIBP @ 2325' w/ 65sx to 1900' WOC-Tag



7-7/8" hole @ 2500' 5-1/2" csg @ 2500' w/ 625sx-TOC-Surf-Circ

Perfs @ 2375-2383'

OXY USA Inc. - Current South Loco Hills Unit #29 API No. 30-015-27052




12-1/4" hole @ 350' 8-5/8" csg @ 350' w/ 225sx-TOC-Surf-Circ

7-7/8" hole @ 2500' 5-1/2" csg @ 2500' w/ 625sx-TOC-Surf-Circ

Perfs @ 2375-2383'

TD-2500'



BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of
 Operations must include adequate measures for stabilization and reclamation of disturbed lands.
 Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD
 process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Environmental Protection Specialist 575-234-5909, 575-361-2648 (Cell)

Terry Gregston Environmental Protection Specialist 575-234-5958

Bobby Ballard
Environmental Protection Specialist
575-234-2230

Randy Rust Natural Resource Specialist 575-234-5943

Linda Denniston Environmental Protection Specialist 575-234-5974

Jennifer Van Curen Environmental Protection Specialist 575-234-5905

Justin Frye Environmental Protection Specialist 575-234-5922 Cody Layton Natural Resource Specialist 575-234-5959

Trishia Bad Bear Natural Resource Specialist 575-393-3612

Todd Suter Surface Protection Specialist 575-234-5987

Doug Hoag Civil Engineering Technician 575-234-5979

Tanner Nygren Natural Resource Specialist 575-234-5975

John Fast Natural Resource Specialist 575-2345996