

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-23469
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B 8949
7. Lease Name or Unit Agreement Name State C2
8. Well Number 1
9. OGRID Number 192463
10. Pool name or Wildcat Turkey Track Morrow, W.
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3421 GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
OXY USA WTP Limited Partnership

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter H : 2180 feet from the north line and 960 feet from the east line
Section 4 Township RS Range SE NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3421 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: TA - MIT ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 4/6/12 MIRU, TP-1200 psi, CP-50 psi. Bled Csg & tbg to 0 psi, Pump 66bbls FW down tbg, went on vac.
4/7/12 TP-Vac, CP-0 psi. Pump 20 bbls FW down tbg to make sure stays dead. NDWH, NUBOP, Try release pkr, could not release. Try to get off on-off tool, Came loose, TOH w/ 10 - stands tbg.
4/9/12 TP-Vac, CP-0 psi. Pump 20 bbls FW down tbg to make sure stays dead. RIH & Latch on pkr, try to release would not release. Get off @ on-off tool. TOH w/ 2-7/8" tbg & on-off tool (pkr was set @ 11054'.) TIH w/ Bit & Scraper down to 11054', TOH w/ 25 Stands & SION
4/10/12 TOH W/ TBG & LD Bit & Scraper, TIH w/ CIBP & set @ 11042', load hole, test to 600 psi held good. SION
4/11/12 Circ hole w/ 340 bbls. pkr fluid. TOH, lay down 11042' 2-7/8" tbg. SION
4/12/12 ND BOP, NUWH, Top of Casing w/ Pkr fluid & Test csg to 550 psi Holding good. RDPU
4/17/12 RU Kill Truck & run MIT Test to 520#, test for 30 min, tested good. Richard Inge-NMOCD witnessed test & took chart.

Spud Date:

Rig Release Date:

Temporary Abandoned Status Approved
Until 2/1/2017

LAST PROD 2/1/2012

RECEIVED

APR 25 2012


NMOCD ARTESIA

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 4/24/12


Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717
For State Use Only

APPROVED BY: Richard Inge TITLE Compliance Officer DATE 5/8/12
Conditions of Approval (if any):



30-015-23469

OXY USA WTP LP - Current
State CZ #1
API No. 30-015-23469



CIBP @ 11042'
Pkr @ 11054'
1991-CIBP @ 11330'